



SKID PLATE FOR
KAWASAKI
0026097



0026097.090



0026097.130

APPLICATIONS

KAWASAKI KX 450 2024 | KAWASAKI KX 450 X 2024



SKID PLATE FOR BETA

0026455



0026455.110



0026455.090

FEATURES

Next-generation skid plate developed to provide maximum protection of the areas of greatest impact.
Allows smooth sliding over obstacles found on motocross tracks (whoops, boulders) ensuring a smooth ride.
6mm thickness for maximum frame and engine protection.

Extended protection areas on the side crankcases, water pump and footpeg area
Presence of exhaust areas to give more lightness, aeration and facilitate washing operations inside the skid plate
Designed to reduce the entry of mud and debris
Weight: 885g

PRODUCT DETAILS

96% Plastic | 4% Other

Made In: Italy

APPLICATIONS

BETA RR 250 2T RACING 2024 | BETA RR 300 2T RACING 2024

X-GRIP FRAME
PROTECTOR FOR BETA
0026345



0026345.349

FEATURES

Protects the frame in the area of maximum friction
Use of rubber to increase grip and thus control of the bike

Easy assembly and disassembly via original screw and plastic ties
Weight: 145g

PRODUCT DETAILS

60% Plastic | 35% EPDM | 5% Other

Made In: Italy

APPLICATIONS

BETA RR 200 2T RACING 2024 | BETA RR 250 2T RACING 2024 | BETA RR 300 2T RACING 2024 | BETA RR 350 4T RACING 2023 | BETA RR 390 4T RACING 2024 | BETA RR 430 4T RACING 2024 | BETA RR 480 4T RACING 2024

X-GRIP FRAME
PROTECTOR
KAWASAKI
0026096



0026096.293



0026096.377

FEATURES

Protects the frame in the area of maximum friction
Use of rubber to increase grip and thus control of the bike
Easy assembly and disassembly using the original screws and plastic ties.

There is additional protection for the side number holders, with the aim of preventing premature wear of the graphics, limiting rubbing damage caused by the boots
Weight: 245g

PRODUCT DETAILS

60% Plastic | 35% EPDM | 5% Other

Made In: Italy

APPLICATIONS

KAWASAKI KX 450 2024 | KAWASAKI KX 450 X 2024

BOOTS KATRAM 0026113



0026113.090

FEATURES

Made to be convenient and comfortable on long rides or daily use.
Anatomical and lightweight boot designed for maximum sensitivity in road riding.
Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.
Rigid protective inserts for toes, shin guards and heels.
TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night.
YKK zipper and Velcro side closure to ensure maximum ease of fit.
Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain
EN 13634:2017 CERTIFICATION
Weight: 1,38 Kg (size 43)

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

RIDER JUNIOR
HELMET
0026031



0026031.323



0026031.030



0026031.090

FEATURES

Adventure Helmet
Thermoplastic
ECE/ONU 22-06 HOMOLOGATION
Micro-adjustable quick release fastener
Suitable for aftermarket intercom earphones (max. Ø 40mm / h 5mm)
One outer shell
Double inner shells
Removable, hypo-allergenic, breathable and washable interior.
Soft touch interior for effective humidity release.

Possibility to use the helmet in cross configuration without transparent visor.
Possibility to use the helmet in full face configuration without peak.
Stickers kit (for kid) to personalize the helmet.
WEIGHT 1250g ± 50g (size "YM")

PRODUCTS RELATED



0026033
VISOR RIDER JUNIOR


030

090

323

SIZES

T52 052 | T54 054 | T56 056 | T58 058



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
052	YS	49-50
054	YM	51-52
056	YL	53-54
058	YXL	55-56

SKODELA 22-06
HELMET
0025314



0025314.091



0025314.030



0025314.080



0025314.582

FEATURES

Jet helmet
Outer shell in ABS
ECE/ONU 22-06 HOMOLOGATION
Micrometric closure strap
Three outer shells
Three inner shells
Removable, hypo-allergenic, breathable and washable interior.

Soft touch interior with high humidity evacuation.
Padded cheek pads to ensure greater comfort.
WEIGHT 1100g \pm 50g in size "M"

PRODUCTS RELATED



0024670
PEAK VISOR SKODELA

■ 090




0025942
INNER LINER SKODELA 22-06

■ 080

■ 090

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
061	XS	53-54
062	S	55-56
064	M	57-58
066	L	59-60
068	XL	60-61

HELMET BAG X-LINEAR 0026134



0026134.318

FEATURES

Designed to easily accommodate off road and dual road helmets.
Fabric exterior and soft interior padding aimed at protecting the helmet.
Equipped with practical carrying handle.
Easy opening with double slider.

Ventilation for breathability.
Side pocket for accessory insertion.
Side closure by SBS zipper.
Insert with A logo on front and back and Acerbis logo on sides.

PRODUCT DETAILS

100% Polyester

Made In: China



SHOES FIRST STEP
0026073



0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use. Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons. Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior. Resistant to abrasion from oils and gasoline. Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.	Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof
---	--

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China


SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

FULL PLASTIC KIT FOR
KAWASAKI
0026078



0026078.130



0026078.375



0026078.090



0026078.070



0026078.030



0026078.325



0026078.553

APPLICATIONS

KAWASAKI KX 450 2024 | KAWASAKI KX 450 X 2024

X-POWER FOR GAS
GAS
0026199



0026199.090

FEATURES

<p>GAS GAS MC 250 F 2024 ignition and clutch cover protection kit. Protects against wear, shock, abrasion, mud sand and debris. Right side: clutch cover protection, water pump and lower crankcase Left side: ignition cover protection</p>	<p>Resistant to high temperatures, numerous vents prevent overheating Mounting kit included, adheres perfectly to clutch/ignition crankcase. Compatible with Acerbis skid plates Weight: 375g</p>
--	---

PRODUCT DETAILS

86% Plastic | 12% Steel | 2% Others

Made In: Italy

APPLICATIONS

GAS GAS EX 250 F 2024 | GAS GAS EX 350 F 2024 | GAS GAS MC 250 F 2024 | GAS GAS MC 350 F 2024



SKID PLATE FOR HONDA TRANSALP

0026174



FEATURES

Latest-generation skid plate that allows it to slide smoothly over natural obstacles (whoops, stones, logs) ensuring a smooth ride. It offers maximum protection for the chassis and engine. Extended protection areas on the side crankcases, water pump and footpeg areas of the frame. Presence of exhaust areas to give more lightness, ventilation and facilitate washing operations inside the under-engine

Design to reduce mud and debris ingress
Compatible with simultaneous use of Acerbis x-power (ignition and clutch cover protection)
Mounting kit included
Weight: 2060g
Not compatible with main stand

PRODUCT DETAILS

82% Plastic | 14% Steel | 4% Others
Made In: Italy

APPLICATIONS

HONDA TRANSALP XL750 2023 2024

PRODUCTS RELATED



0025929
ENDURANCE-X TRANSALP
HANDGUARDS

■ 090



0026077
FUEL TANK FOR HONDA
TRANSALP 23L

■ 090.700



0026101
X-GRIP FRAME PROTECTOR
FOR HONDA TRANSALP

■ 090

■ 319

NEW PRODUCTS / NEW PRODUCTS
SKID PLATE FOR HONDA TRANSALP



0026098
X-POWER FOR HONDA
TRANSALP

■ 090



0025964
FORK SHOE COVER FOR
HONDA TRANSALP

■ 090



0025486
ENDURANCE-X HANDGUARDS

- | | |
|-------|-------|
| ■ 090 | ■ 209 |
| ■ 237 | ■ 245 |
| ■ 279 | ■ 315 |
| ■ 343 | ■ 349 |
| ■ 377 | ■ 848 |



0022397
X-FACTORY HANDGUARDS

- | | |
|-------|-------|
| ■ 090 | ■ 203 |
| ■ 209 | ■ 229 |
| ■ 231 | ■ 232 |
| ■ 237 | ■ 239 |
| ■ 245 | ■ 251 |
| ■ 279 | ■ 313 |
| ■ 315 | ■ 321 |
| ■ 323 | ■ 325 |
| ■ 335 | ■ 343 |
| ■ 349 | ■ 377 |



LINEAR DISC COVER J
0026230



0026230.090



0026230.030



0026230.040



0026230.110



0026230.130

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g
Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy

APPLICATIONS

FANTIC XE 125 2021 2022 2023 2024 | FANTIC XE 300 2024 | FANTIC XEF 250 2021 2022 2023 2024 | FANTIC XEF 310 2024 | FANTIC XEF 450 2021 2022 2023 2024 | FANTIC XX 125 2021 2022 2023 2024 | FANTIC XX 250 2021 2022 2023 2024 | FANTIC XXF 250 2021 2022 2023 2024 | FANTIC XXF 450 2021 2022 2023 2024 | HONDA CRF 250 R 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 250 RX 2022 2023 2024 | HONDA CRF 250 RX ENDURO 2022 2023 2024 | HONDA CRF 250 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 300 RX 2019 2020 2021 2022 2023 2024 | HONDA CRF 300 RX ENDURO 2022 2023 2024 | HONDA CRF 300 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 450 RL 2021 2022 2023 2024 | HONDA CRF 450 RX 2017 2018 2019 2020 2021 2022 2023 2024 | KAWASAKI KX 250 4T 2021 2022 2023 2024 | KAWASAKI KX 250 X 2021 2022 2023 2024 | KAWASAKI KX 300 X 2024 | KAWASAKI KX 450 2020 2021 2022 2023 2024 | KAWASAKI KX 450 X 2021 2022 2023 2024 | SHERCO 125 SE FACTORY 2024 | SHERCO 250 SE FACTORY 2024 | SHERCO 250 SEF FACTORY 2024 | SHERCO 300 SE FACTORY 2024 | SHERCO 300 SEF FACTORY 2024 | SHERCO 450 SEF FACTORY 2024 | SHERCO 500 SEF FACTORY 2024 | YAMAHA WR 450 F 2024 | YAMAHA YZ 125 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 FX 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 FX 2019 2020 2021 2022 2023 2024



LINEAR DISC COVER B

0026231



0026231.030



0026231.090



0026231.110

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g

Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy

APPLICATIONS

BETA RR 125 2T 2019 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2019 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 390 4T 2020 2021 2022 2023 2024 | BETA RR 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA RX 300 2022 2023 2024 | BETA RX 450 2022 2023 2024 | TM EN 125 2T 2016 2017 2018 2019 2020 | TM EN 125 FI 2T 2020 2021 2022 2023 2024 | TM EN 144 2T 2016 2017 2018 2019 2020 | TM EN 144 FI 2T 2020 2021 2022 2023 2024 | TM EN 250 2T 2016 2017 2018 2019 2020 2021 2022 | TM EN 250 ES FI 2T 2023 2024 | TM EN 250 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 300 2T 2016 2017 2018 2019 | TM EN 300 ES FI 2T 2020 2021 2022 2023 2024 | TM EN 300 ES FI 4T 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 450 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 530 FI ES 4T 2015 2016 2017 2018 2019 2020 | TM MX 125 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 144 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 250 2T 2016 2017 2018 2019 | TM MX 250 ES 2T 2020 2021 2022 2023 2024 | TM MX 250 ES FI 4T 2023 2024 | TM MX 250 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 300 2T 2016 2017 2018 2019 | TM MX 300 ES FI 4T 2023 2024 | TM MX 300 FI 4T 2017 2018 2019 2020 2021 2022 | TM MX 450 ES FI 4T 2023 2024 | TM MX 450 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 530 ES FI 4T 2023

JERSEY J-KID
BLIZZARD
0026055



0026055.245



0026055.293



0026055.315

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, breathable. Quick dry.	Slim-fit to wear the garment with or without protections Weight 140gr
--	--

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069

JERSEY J-WINDY
VENTED LIMELIGHT
0026047



0026047.377

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, breathable,vented . Quick dry.	Jersey completely vented Slim-fit to wear the garment with or without protections Weight 160gr
--	--

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester
Made In: Lithuania

PRODUCTS RELATED



0026048
PANTS K-WINDY VENTED
LIMELIGHT

377

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS K-WINDY
VENTED LIMELIGHT
0026048



0026048.377

FEATURES

OFF ROAD fit Pants studied to use with all kind of knee protectors Foam padding in the knee area Laser Perforation in whole pants for perfect ventilation	Waist regulation Snap , hook closure and fly-cam adjustment in plastic Weight 700 gr
--	--

PRODUCT DETAILS

COMPOSITION: | Shell: | 88,00% Polyester | 2,80% Nylon | 2,70% Kevlar | 2,70% Synthetic leather | 2,30% Polyurethane | 1,5% SpandexLining: | 100% PolyesterOffroad pants fully vented | Outer: | High Density 600D RIPSTOP Polyester fully vented | Reinforcement 1200D Polyester in knee and in the area in contact with the seatInner: | Knee reinforcement in Kevlar® Armortex® and Innovatie AX Suede fabric | Lining in mesh

Made In: China

PRODUCTS RELATED



0026047
JERSEY J-WINDY VENTED
LIMELIGHT

377

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038



**MEN'S TROUSERS - SIZE GUIDE**

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY J-WINDY
VENTED WATERMARK
0026046



0026046.245



0026046.343



0026046.385

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, breathable, vented . Quick dry.

Jersey completely vented
Slim-fit to wear the garment with or without protections
Weight 160gr

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

JERSEY MX J-TRACK
STABI
0026044



0026044.445

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort	Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr
---	--

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China

PRODUCTS RELATED



0026045
PANTS MX TRACK STABI

445

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS MX TRACK
STABI
0026045



0026045.445

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist	Closure with button and fly cam micro adjustment in plastic
Foam padding in the knee area	Excellent ventilation thanks to mesh in the calf area and above the knee
Can take any type of knee guard thanks to stretchy mesh in the calf area	Weight 700 g.
Double waist adjustments with Velcro	

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China

PRODUCTS RELATED




0026044
JERSEY MX J-TRACK STABI

445

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY MX J-TRACK
ASKAR
0026042



0026042.279



0026042.393

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort	Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr
---	--

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China

PRODUCTS RELATED



0026043
PANTS MX TRACK ASKAR

279

393

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS MX TRACK
ASKAR
0026043



0026043.279



0026043.393

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist	Closure with button and fly cam micro adjustment in plastic
Foam padding in the knee area	Excellent ventilation thanks to mesh in the calf area and above the knee
Can take any type of knee guard thanks to stretchy mesh in the calf area	Weight 700 g.
Double waist adjustments with Velcro	

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China

PRODUCTS RELATED




0026042
JERSEY MX J-TRACK ASKAR

279

393

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.
HIP: measure at the widest point of the hips, keeping the tape horizontal.
LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY MX J-TRACK
INC
0026040



0026040.209



0026040.349



0026040.251



0026040.315

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry.
Extended mesh area from hips to armpits
Mesh area on inner sleeves
Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections
Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China

PRODUCTS RELATED



0026041
PANTS MX TRACK INC

315

349

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070 | 4XL 076 | 5XL 077



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS MX TRACK INC
0026041



0026041.315



0026041.349

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist	Closure with button and fly cam micro adjustment in plastic
Foam padding in the knee area	Excellent ventilation thanks to mesh in the calf area and above the knee
Can take any type of knee guard thanks to stretchy mesh in the calf area	Weight 700 g.
Double waist adjustments with Velcro	

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China

PRODUCTS RELATED




0026040
JERSEY MX J-TRACK INC

- 209
- 251
- 315
- 349

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038 | T.40 040 | T.42 042 | T.44 044



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY X-FLEX VERAS
0026038



0026038.033

FEATURES

Innovative Acerbis X-Flex fabric in polyester: totally stretched, soft, comfortable, breathable , light. Quick dry Extended mesh areas under armpit and back kidney	Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr
--	--

PRODUCT DETAILS

COMPONENTS: | Shell: | 88% Polyester | 12% Elastane

Made In: China

PRODUCTS RELATED



0026039
PANTS K-FLEX VERAS

☐ 033

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

PANTS K-FLEX VERAS
0026039



0026039.033

FEATURES

Innovative Acerbis X-Flex technology: fully stretchable material	Double waist adjustment with Velcro
Foam padding in the knees areas	Closure with hook and Snap
Laser Perforation in the key areas for perfect ventilation	Weight 620 gr
Can take any type of the knee guard thanks to the stretch mesh in the calf area	

PRODUCT DETAILS

COMPOSITION: | Shell: 62,00% Polyester, 16,60% Nylon, 13,30% Polyurethane, 7,6% Spandex, 0,50% Kevlar | Lining: 100% Polyester | Outer: | High Density 600D Polyester, fully stretchable. 500D Cordura inserts in the area in contact with the seat.Inner: | Reinforcement in Stretch Kevlar® Armortex® and Innovatie AX Suede fabric inside pants.

Made In: China

PRODUCTS RELATED





0026038
JERSEY X-FLEX VERAS

033

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

JERSEY X-FLEX
BLIZZARD
0026037



0026037.207



0026037.237



0026037.245



0026037.723

FEATURES

Innovative Acerbis X-Flex fabric in polyester: totally stretched, soft, comfortable, breathable , light. Quick dry Extended mesh areas under armpit and back kidney	Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr
--	--

PRODUCT DETAILS

COMPONENTS: | Shell: | 88% Polyester | 12% Elastane

Made In: China

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

LINEAR DISC COVER
0026107



0026107.011.016



0026107.030



0026107.848



0026107.040



0026107.090

FEATURES

Lightweight and resistant.
Designed to protect the disc and left fork leg from sliding and impacts.
The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg.
Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover.

The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud.
Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating.
Max. disc Ø 280 mm
Weight 200g
Before you buy: check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy



APPLICATIONS

GAS GAS EC 250 2021 2022 2023 2024 | GAS GAS EC 250 F 2021 2022 2023 2024 | GAS GAS EC 300 2021 2022 2023 2024 | GAS GAS EC 350 F 2021 2022 2023 2024 | GAS GAS EC 450 F 2024 | GAS GAS EC 500 F 2024 | GAS GAS EX 250 2022 2023 2024 | GAS GAS EX 250 F 2021 2022 2023 2024 | GAS GAS EX 300 2021 2022 2023 2024 | GAS GAS EX 350 F 2021 2022 2023 2024 | GAS GAS EX 450 F 2021 2022 2023 2024 | GAS GAS MC 125 2021 2022 2023 2024 | GAS GAS MC 250 2022 2023 2024 | GAS GAS MC 250 F 2021 2022 2023 2024 | GAS GAS MC 350 F 2022 2023 2024 | GAS GAS MC 450 F 2021 2022 2023 2024 | HUSQVARNA FC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2022 2023 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 S 2022 2023 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 350 2020 2021 2022 2023 2024 | HUSQVARNA FX 450 2020 2021 2022 2023 2024 | HUSQVARNA TC 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 150I 2020 2021 2022 2023 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 250I 2018 2019 2020 2021 2022 2023 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024 | HUSQVARNA TE 300I 2018 2019 2020 2021 2022 2023 | HUSQVARNA TX 300 2020 2021 2022 2023 2024 | KTM EXC 150 2024 | KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 2024 | KTM EXC 250 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC 300 2024 | KTM EXC 300 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC-F 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 500 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM XC 125 2020 2021 2022 2023 2024 | KTM XC 250 2023 2024 | KTM XC 250 TPI 2020 2021 2022 | KTM XC 300 2023 2024 | KTM XC 300 TPI 2020 2021 2022 | KTM XC-F 250 2019 2020 2021 2022 2023 2024 | KTM XC-F 350 2019 2020 2021 2022 2023 2024 | KTM XC-F 450 2019 2020 2021 2022 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 150 TPI 2019 2020 2021 2022 2023 | KTM XC-W 250 2024 | KTM XC-W 250 TPI 2019 2020 2021 2022 2023 | KTM XC-W 300 2024 | KTM XC-W 300 TPI 2019 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 2024 | KTM XCF-W 500 2020 2021 2022 2023 | KTM XW-F 350 2024 | KTM XW-F 500 2024 | SHERCO 125 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 450 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 500 SEF FACTORY 2018 2019 2020 2021 2022 2023 | STARK FUTURE VARG 2023 2024

SIZES

16 016

DONUTS RING-ONE
0026076



0026076.090

FEATURES

Coated neoprene ring best protects thumbs from blistering while riding.

PRODUCTS RELATED



0025423
HANDLE COVER MANETA

■ 090

JET BREZZA HELMET
0026061



0026061.040



0026061.030



0026061.582



0026061.091



0026061.110

FEATURES

Jet helmet ECE/ONU 22-06 HOMOLOGATION Micrometric strap adjustment with quick release One outer shell Two inner shells	Removable, hypo-allergenic, breathable and washable interior. Weight 1150g \pm 50g in size "M"
--	---


PRODUCT DETAILS

Thermoplastic

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
061	XS	53-54
062	S	55-56
064	M	57-58
066	L	59-60
068	XL	60-61

X-WAY GRAPHIC
HELMET
0026016



0026016.034



0026016.318



0026016.325

FEATURES

Full face helmet
Integrated sun visor operated by a slider
ECE/ONU 22-06 HOMOLOGATION
Micro-adjustable quick release fastener
Predisposition for PINLOCK 70 Max Vision
One outer shell.
Three inner shells.
Removable, hypo-allergenic, breathable and washable interior.

Removable chincurtain.
Removable breathguard.
WEIGHT 1600g \pm 50g in size "M"
Suitable for aftermarket intercom earphones (max. Ø 40mm / h 6mm).

PRODUCT DETAILS

Thermoplastic

Made In: China

NEW PRODUCTS / NEW PRODUCTS

X-WAY GRAPHIC HELMET



PRODUCTS RELATED



0025402
X-WAY HELMET

030

090



0025529
PINLOCK MAX VISION 70
X-WAY

120



0025525
INNER LINING X-WAY

090



0025523
TRASPARENT/DARK VISOR
X-WAY

090

120




0025528
SUNVISOR X-WAY

090

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
061	XS	53-54
062	S	55-56
064	M	57-58
066	L	59-60
068	XL	60-61



CE X-WAY GLOVES
0025466



0025466.318



0025466.090

FEATURES

Back in polyester stretch Palm in synthetic leather Fourchette in polyester stretch CE EN 13594:2015 Wrist closure with strap and velcro	Rubber personalized logo on back and strap 90gr size M per pair
--	--


PRODUCT DETAILS


72% Nylon | 21% Polyurethane | 7% Rubber

Made In: Indonesia

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

CE RAMSEY MY
VENTED LADY GLOVES
0025630



0025630.090



0025630.723

FEATURES

<p>CERTIFIED GLOVES EN 13594:2015 Lev 1 KP</p> <p>Extremely breathable thanks to the mesh on the back and on the fingers' sides</p> <p>Pre-curved fit</p> <p>Palm and fingers tips made of a synthetic leather single panel</p> <p>Padding on the back of the fingers</p> <p>Carbon look ABS reinforcements on the knuckles</p>	<p>Wrist closure through soft rubber strap</p> <p>Rubber personalization on the back of the wrist</p> <p>Available in 3 color ways to match the Ramsey My Vented Jacket</p> <p>Touch Screen Insert on index finger and thumb</p> <p>Double reinforcement on palm for abrasion resistance.</p>
---	---

PRODUCT DETAILS

COMPONENTS: | 70% Polyester | 25% Polyurethane | 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.

Made In: China

PRODUCTS RELATED



0023745
CE RAMSEY MY VENTED 2.0
LADY JACKET

- 090

290
- 723

800




0023478
GLOVES CE RAMSEY MY
VENTED


- 090

110
- 318

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

CE GORDON JACKET

0025645



0025645.369



0025645.090



0025645.248

FEATURES

The new jacket 2 LAYERS vented with detachable membrane offers "A" CE certified protection together with confort and durability
Garment certified EN 17092-4-2020 class A
Shoulder and elbow protectors certified EN 1621-1: 2012 Type A Level 2
Detachabile mebrane waterproof and breathability totally taped
Also to wear over the jacket
2 side pockets outside
2 pockets inside the jacket
1 pocket on the mebrane

Opening cuff and bottom regulation
Refractive Acerbis logo on sleeve, front and back
Also in the mebrane
Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold):
- 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L
- 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL
Bottom regulation and inside loop customized Acerbis
Lining in mesh

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.
WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.
SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

CE RAMSEY LEATHER
2.0 GLOVES
0025629



0025629.090

FEATURES

Back in polyester	Wrist closure with strap and velcro
Palm in goat leather	Personalized on back and cuff closure
Fourchette heavy lycra	Light inner lining in polyester
Carbon look Certified protection on back EN 13594:2015 KP level 1	150gr size M per pair
Membrana Hipora®	

PRODUCT DETAILS

80% Nylon | 20% Polyester

Made In: China

PRODUCTS RELATED





0023744
CE RAMSEY MY VENTED 2.0
JACKET

- | | |
|-----|-----|
| 090 | 248 |
| 290 | 295 |
| 318 | 323 |

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

CE X-TOWN JACKET
0025644



0025644.090



0025644.248

FEATURES

The new jacket 1 LAYER water repellent & windproof warm thanks a fleece inside offers "A" CE certified protection together with confort and durability
Garment certified EN 17092-4-2020 cls A
Shoulder and elbow protectors certified EN 1621-1: 2012 Type A Level 2
2 side pockets outside and 2 pockets inside the jacket

Bottom regulation
Refractive Acerbis logo on sleeve, front and back
Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold):
- 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L
- 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL
Inside loop customized Acerbis

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

MAYA CE GLOVES
0024870



0024870.543



0024870.582



0024870.090

FEATURES

Knit polyester with personalized pattern Palm in goat leather Lycra and goat leather CE EN 13594:2015 KP level 1 Soft protector on back certified EN 13594:2015 KP level 1 Breathable mesh fabric on back and mesh palm insert for better ventilation	Wrist closure in soft personalized neoprene Rubber personalized logo on back 105gr size M per pair
--	--


PRODUCT DETAILS

60% Goat leather | 30% Polyester | 5% Nylon | 5% Polyurethane

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

PANTS CE X-ROVER
0025409



0025409.090



0025409.295

FEATURES

<p>The new pants 3 LAYERS waterproof with detachable membrane & padding offer "A" CE certified protection together with confort and durability</p> <p>Pants in 600D both resistant to tearing and abrasion and water repellent</p> <p>Back and bottom inserts in 1200D</p> <p>Garment certified EN 17092-4-2020 class A</p> <p>Adjustable knee protectors certified EN 1621-1: 2012 Type B Level 2</p> <p>Detachable mebrane waterproof and breathability 10K/10K totally taped between pants and detachable padding</p>	<p>Zip connection outside for jacket: 0025406 JACKET CE X-ROVER</p> <p>Leg ventilations in mesh completely openable with zip</p> <p>2 front pockets and bottom leg to close with zip</p> <p>Waist regulation</p> <p>Refractive Acerbis logo and leg applications</p> <p>Button customized Acerbis</p> <p>Lining in mesh</p> <p>Thermal padding gr 60</p> <p>Zip-connection</p>
--	--

PRODUCT DETAILS

Shell 100% Polyester | Lining 100% Polyester

Made In: China

PRODUCTS RELATED




0025406
CE X-ROVER JACKET

- 090
- 295
- 369

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

CE X-ROVER JACKET
0025406



0025406.295



0025406.090



0025406.369

FEATURES

The new jacket 3 LAYERS waterproof with detachable membrane & padding offers "AA" CE certified protection together with confort and durability
Jacket in 600D both resistant to tearing and abrasion and water repellent Collar, shoulder, sleeve & sides inserts in 600D RIPSTOP
Collar insert in neoprene
Garment certified EN 17092-3-2020 class AA
Shoulder and elbow protectors certified EN 1621-1: 2012 Type B Level 2
Detachable mebrane waterproof and breathability 10K/5K totally taped between jacket and detachable padding
Also to wear separately or over the jacket
Chest, sleeve and back ventilations in mesh completely openable with zip
Zip connection outside for pants: 0025409_PANTS CE X-ROVER

2 front pockets and 1 back pocket outside
1 chest pocket inside waterproof and totally taped
2 pockets inside the jacket
1 pocket inside the membrane
2 pockets inside the padding
Cuff, sleeve, waist and bottom regulation
Refractive Acerbis logo also front, sleeve and back applications
Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold):
- 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L
- 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL
Button and inside loop customized Acerbis
Inner collar in microfleece and lining in mesh
Thermal padding gr 100
Zip-connection

PRODUCT DETAILS

Shell 100% Polyester | Lining 100% Polyester
Made In: China

PRODUCTS RELATED




0025409
PANTS CE X-ROVER


090

295

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

ENDURANCE-X KTM
390 ADVENTURE
HANDGUARDS
0025975



0025975.090

FEATURES

<p>Closed handguard with aluminum bar and bracelets</p> <p>Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro.</p> <p>Impact resistance:</p> <p>1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.</p>	<p>2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity</p> <p>Cover:</p> <p>1) Impact resistant</p> <p>2) Wide area to protect the pilot's hands more</p> <p>3) Flexible lower area to absorb accidental contact with the knee.</p> <p>Brake/clutch levers and pump assemblies</p> <p>Co-molded logo</p>
--	---

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

KTM 390 ADVENTURE 2020 2021 2022 2023 2024 | KTM 390 ADVENTURE SW 2023 2024

PRODUCTS RELATED



0025519
HANDGUARD COVER
ENDURANCE-X

- | | |
|-----|-----|
| 090 | 209 |
| 237 | 245 |
| 279 | 315 |
| 343 | 349 |
| 377 | 848 |



FUEL TANK FOR KTM
0025896



0025896.090.700



0025896.120.700

FEATURES

CONSTRUCTION AND DESIGN: Increased tank 15L / 3.95 Gallons Ideal for long and short distance competition. Designed to maintain a narrow and ergonomic profile to ensure excellent driveability. Clean line that follows the original shapes of the bike.	Quick Fill filling cap mounting possibilities Possibility of mounting cap with key Acerbis In the tank is included: Acerbis Cap Mounting kit
--	--

APPLICATIONS

KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2024 | KTM EXC-F 500 2024 | KTM SX 125 2023 2024 | KTM SX 250 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2023 2024 | KTM SX-F 350 2023 2024 | KTM SX-F 450 2023 2024 | KTM XC 125 2023 2024 | KTM XC 250 2023 2024 | KTM XC 300 2023 2024 | KTM XC-F 250 2023 2024 | KTM XC-F 350 2023 2024 | KTM XC-F 450 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024

SIZES

FINITO 300 | ASSEMBLATO 700 | T.10 100

ENDURANCE-X
V-STROM 650
HANDGUARDS
0025979



0025979.090

FEATURES

<p>Closed handguard with aluminum bar and bracelets</p> <p>Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro.</p> <p>Impact resistance:</p> <p>1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.</p>	<p>2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity</p> <p>Cover:</p> <p>1) Impact resistant</p> <p>2) Wide area to protect the pilot's hands more</p> <p>3) Flexible lower area to absorb accidental contact with the knee.</p> <p>Brake/clutch levers and pump assemblies</p> <p>Co-molded logo</p>
--	---

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

SUZUKI V-STROM 650 2017 2018 2019 2020 2021 2022 2023 | SUZUKI V-STROM 650 XT 2017 2018 2019 2020 2021 2022 2023

PRODUCTS RELATED



0025519
HANDGUARD COVER
ENDURANCE-X

- | | |
|-----|-----|
| 090 | 209 |
| 237 | 245 |
| 279 | 315 |
| 343 | 349 |
| 377 | 848 |

FUEL TANK FOR
YAMAHA
0025876



0025876.120.700



0025876.040.700



0025876.090.700

FEATURES

Oversized tank 10.5 L
Impact and abrasion resistant.
Ideal for both long and short-distance competition.
Designed to retain a narrow profile and ensure excellent rideability.

Clean line that follows the bike´s original shape.
Included are:
- Acerbis cap
- Mounting kit
Tank uses original pump
Weight: 2.15 kg

PRODUCT DETAILS

88% Plastic | 8% Steel | 4% Others

Made In: Italy

APPLICATIONS

YAMAHA WR 450 F 2024 | YAMAHA YZ 250 F 2024 | YAMAHA YZ 450 F 2023 2024

PRODUCTS RELATED



0025877
MOUNTING KIT FUEL TANK
0025876

SIZES

FINITO 300 | ASSEMBLATO 700 | T.10 100

ENDURANCE-X
TRANSALP
HANDGUARDS
0025929



0025929.090

FEATURES

Closed handguard with aluminum bar and bracelets
Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro.
Impact resistance:
1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.

2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity
Cover:
1) Impact resistant
2) Wide area to protect the pilot's hands more
3) Flexible lower area to absorb accidental contact with the knee.
Brake/clutch levers and pump assemblies
Co-molded logo

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%
Made In: Italy

APPLICATIONS

HONDA TRANSALP XL750 2023 2024

PRODUCTS RELATED



0025519
HANDGUARD COVER
ENDURANCE-X



0025926
KIT MONTAG TRANSALP

0026174
SKID PLATE FOR HONDA
TRANSALP

- | | |
|-------|-------|
| ■ 090 | ■ 209 |
| ■ 237 | ■ 245 |
| ■ 279 | ■ 315 |
| ■ 343 | ■ 349 |
| ■ 377 | ■ 848 |



ACERBIS CHAIN GUIDE
FOR
KTM/HUSQVARNA/GAS
GAS
0025962



0025962.011.016



0025962.040



0025962.090



0025962.110

FEATURES

The acerbis chain guide provides impact resistance thanks to its high-strength plastic material.
It is made of two pieces: the body and the slide, the latter of which can be replaced once it has worn out, also allowing you not to have to disassemble the chain when replacing the slide or the eyebolt itself.

Reduces oscillatory shaking of the chain
The controlled elasticity structure of the chain guide, absorbs shocks and minimizes damage to the chain and sprocket.
Is easily applied with acerbis hardware already included, taking advantage of the original mounts on the swingarm

PRODUCT DETAILS


95% Plastic | 5% Altro

Made In: Italy

APPLICATIONS

GAS GAS EC 250 2024 | GAS GAS EC 250 F 2024 | GAS GAS EC 300 2024 | GAS GAS EC 350 F 2024 | GAS GAS EC 450 F 2024 | GAS GAS EC 500 F 2024 | GAS GAS EX 250 2024 | GAS GAS EX 250 F 2024 | GAS GAS EX 300 2024 | GAS GAS EX 350 F 2024 | GAS GAS EX 450 F 2024 | GAS GAS MC 125 2024 | GAS GAS MC 250 2024 | GAS GAS MC 250 F 2024 | GAS GAS MC 350 F 2024 | GAS GAS MC 450 F 2024 | HUSQVARNA FC 250 2023 2024 | HUSQVARNA FC 350 2023 2024 | HUSQVARNA FC 450 2023 2024 | HUSQVARNA FE 250 2024 | HUSQVARNA FE 350 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2024 | HUSQVARNA FE 501 2024 | HUSQVARNA FE 501 S 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 350 2023 2024 | HUSQVARNA FX 450 2023 2024 | HUSQVARNA TC 125 2023 2024 | HUSQVARNA TC 250 2023 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024 | HUSQVARNA TX 300 2023 2024 | KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2024 | KTM EXC-F 500 2024 | KTM SX 125 2023 2024 | KTM SX 250 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2023 2024 | KTM SX-F 350 2023 2024 | KTM SX-F 450 2023 2024 | KTM XC 125 2023 2024 | KTM XC 300 2023 2024 | KTM XC-F 250 2023 2024 | KTM XC-F 350 2023 2024 | KTM XC-F 450 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024

PRODUCTS RELATED



0026069

REPLACEMENT INSERTS

011.016

040

090

110

SIZES

16 016

ENDURANCE-X AFRICA TWIN HANDGUARDS 0025917



0025917.090

FEATURES

<p>Closed handguard with aluminum bar and bracelets</p> <p>Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro.</p> <p>Impact resistance:</p> <p>1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.</p>	<p>2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity</p> <p>Cover:</p> <p>1) Impact resistant</p> <p>2) Wide area to protect the pilot's hands more</p> <p>3) Flexible lower area to absorb accidental contact with the knee.</p> <p>Brake/clutch levers and pump assemblies</p> <p>Co-molded logo</p>
--	---

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

HONDA AFRICA TWIN 1000 L 2016 2017 2018 2019 | HONDA AFRICA TWIN 1000 L ADVENT 2018 2019 | HONDA AFRICA TWIN 1100 L 2020 2021 2022 2023

PRODUCTS RELATED



0025519
HANDGUARD COVER
ENDURANCE-X

- | | |
|-----|-----|
| 090 | 209 |
| 237 | 245 |
| 279 | 315 |
| 343 | 349 |
| 377 | 848 |

CE WINTER TOUR
GLOVES
0025593



0025593.090

FEATURES

Polyester ribstop	Personalized logo on knuckle protector, personalized plastic slider,
Palm in synthetic leather	cuff closure with reflective details
Fourchette in nylon	Warm inner lining in polyester
Hard protector on back certified EN 13594:2015 KP level 1 and	Thinsulate™ padding 200gr
plastic slider on palm	265gr size M per pair
Hipora® Membrane	
Waterproof	
Double wrist closure with strap and velcro	
Reflective insert for passive safety	


PRODUCT DETAILS


70% Polyester | 20% Nylon | 10% Spandex

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

PANTS CE DISCOVERY
2.0
0025411



0025411.090

FEATURES

The new pants 2 LAYERS waterproof with a detachable padding offer "A" CE certified protection together with confort and durability	2 front pockets and bottom leg to close with zip
Fabric 600D both resistant to tearing and abrasion and water repellent	Waist regulation
Garment certified EN 17092-4-2020 classe A	Refractive Acerbis logo and leg applications
Adjustable knee protectors certified EN 1621-1: 2012 Type B Level 2	Button and sliders customized Acerbis
Fixed mebrane waterproof and breathability 10K/10K totally taped between pants and lining in mesh	Inner waistband in microfleece
	Lining in mesh
	Thermal padding gr 60
	Zip-connection


PRODUCT DETAILS


Shell 100% Polyester | Lining 100% Polyester

Made In: China

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				HEIGHT	WAIST	HIP	LEG
COD.	EU	USA	ITA				
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	M	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm

CE SKYLINE GLOVES
0025594



0025594.090

FEATURES

Back in polyester Palm in synthetic leather Fourchette Heavy Lycra CE EN 13594:2015 Soft padding on back and thumb Hipora ® Membrane Waterproof	Wrist closure with strap and velcro Personalized logo on back and cuff closure Light inner lining in polyester 150gr size M per pair
---	---


PRODUCT DETAILS

80% Nylon | 20% Polyester

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

CE UP TOWN JACKET
0025797



0025797.090

FEATURES

The new jacket 1 LAYER waterproof and padded offers "A" CE certified protection together with confort and durability Garment certified EN 17092-4-2020 class A Shoulder and elbow protectors certified EN 1621-1: 2012 Type A Level 2 Waterproof and breathability membrane between jacket and lining Seams totally taped 2 side pockets outside and 2 pockets inside the jacket	Cuff and bottom regulation Refractive Acerbis logo on sleeve, front and back Predisposition for: CERTIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold): - 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L - 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL Cuff regulation and inside loop customized Acerbis
---	---

PRODUCT DETAILS

Shell: | 98% Polyester | 2% ElastaneLining: | 100% Polyester

Made In: Pakistan

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.
2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

CARLINO KID 22-06
HEMET
0025463



0025463.030

FEATURES

Junior full-face helmet homologated to the latest ECE 22/06 standard. Unleash your creativity by customising the graphics with the sticker kits included. Full face helmet Outer material: Thermoplastic Homologation ECE/ONU 22-06	Quick release strap One inner shell and one outer shell Sticker kit for helmet customization Removable, hypoallergenic, breathable and washable interior. Weight: 1270g \pm 50g in size "YM"
--	--

PRODUCT DETAILS

Outer material: Thermoplastic

Made In: China

PRODUCTS RELATED



0023765
TRASPARENT VISOR CARLINO
KID

120




0023766
INNER LINING CARLINO KID

■ 090

SIZES

T50 050 | T52 052 | T54 054



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
050	YS	48
052	YM	49-50
054	YL	51-52

CE CROSSOVER
GLOVES
0024868



0024868.076



0024868.090

FEATURES

Back in polyester Palm in synthetic leather Fourchette Lycra and goat leather Peronalized vented certified protection EN 13594:2015 KP level 1 , with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger Mesh on back and vented knuckle protectos for better breathability	Wrist closure with strap and velcro Reflective print on strap Personalized on knuckle protector, personalized rubber slider, cuff closure with reflective details Light inner lining in polyester 170gr size M per pair
---	--


PRODUCT DETAILS

35% Polyester | 30% Nylon | 25% Goat leather | 10% Span

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

LINEAR 22-06 HELMET
0025316



0025316.457



0025316.034



0025316.344



0025316.237



0025316.288

FEATURES

Off Road helmet ECE/ONU 22-06 homologation Double ring strap closure One outer shell and two inner shells Shell compatible with Neck Brace.	Removable, hypo-allergenic, breathable and washable interior. Weight 1400g \pm 50g ("M" size)
---	--





PRODUCT DETAILS

Thermoplastic
Made In: China

PRODUCTS RELATED



0024506
VISOR HELMET LINEAR

-  034
-  203
-  232
-  237
-  245
-  253
-  274
-  288
-  313
-  321
-  343
-  344
-  457
-  893



0025497
INNER LINING LINEAR 2206

-  245



0024507
SET SCREWS LINEAR

-  090




0025873
LINEAR 22-06 SOLID COLOR
HELMET

-  030
-  091

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE
XS	53-54 cm
S	55-56 cm
M	57-58 cm
L	59-60 cm
XL	61-62 cm
XXL	63-64 cm

GLOVES MX LINEAR
0025592



0025592.090



0025592.209



0025592.237



0025592.251



0025592.349

FEATURES

<p>Precurved light and resistance glove, used due to the fabric in sublimated panels and palm in one panel synthetic leather. Gloves not certified and Off road use only. Reinforcement in perforated synthetic leather on thumb. Closure in soft thermowelded neoprene and regulation with strap and velcro.</p>	<p>Silicon print on palm for better grip. Wrist closure with Neoprene cuff and strap Back panel in sublimation printing, Wrist in thermowelded neoprene and silicon printing on palm 40gr size M</p>
---	--

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather
Made In: China

PRODUCTS RELATED



0022999
X-TEAM BOOTS

- 090

245
- 249

290
- 305


315
- 319


326
- 343

799

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069





GLOVES - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

ARTIGLIO BOOTS

0030006



0030006.455



0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness.
Upper resistant to cutting and abrasion.
Heel protection made of elastomeric material for better comfort and shock absorption.
TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.
Closure by 4 hooks with buckles for micrometric adjustment.
Heat protection in suede material.
Soft microfiber tibial bellows, cut and abrasion resistant.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.
Full coverage at the tip increases rider protection without hindering rider movement
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Interior made of 3d Mesh for excellent comfort and sweat absorption
EN 13634 CERTIFICATION: 2017
Fastens with 4 buckles
A logo on shin guard and heel guard, Acerbis logo on the back.

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

WHOOPS BOOTS
0025890



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.
Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.
Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.
Tibial protection through anatomically shaped and reinforced shin guards.
Structured heel protection to absorb any impact.
Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.
Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.
Closing by 4 large aluminium levers.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Leather and microfiber upper cut and abrasion resistant.
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Orthotics shock absorbing pre-shaped
Interior made of 3D Mesh for excellent comfort and ventilation
Foam protection around the ankles
CERTIFICATION EN 13634:2017

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

JET ARIA METALLIC
HELMET
0025937



0025937.856



0025937.110



0025937.201



0025937.999



0025937.100

FEATURES

Integrated sun visor
ECE/ONU HOMOLOGATION 22-06
Micro-adjustable quick release fastener
One outer shell
Two inner shells

Removable and washable hypoallergenic and breathable interior material
Weight 1110g \pm 50g (size M)

PRODUCT DETAILS

Shell: thermoplastic.

Made In: China

PRODUCTS RELATED



0025109
VISOR JET ARIA 22-06

- | | |
|-----|-----|
| 002 | 030 |
| 041 | 061 |
| 070 | 091 |
| 100 | 110 |
| 133 | 149 |
| 201 | 457 |
| 723 | 743 |
| 801 | 856 |
| 999 | |



0025443
TRASPARENT/DARK VISOR JET
ARIA 22-06

- | | |
|-----|-----|
| 090 | 120 |
|-----|-----|



0022572
LINING JET ARIA

- | |
|-----|
| 090 |
|-----|



0022573
SCREWS JET ARIA

- | |
|-----|
| 090 |
|-----|




0025055
JET ARIA 22-06 HELMET

- | | |
|-----|-----|
| 002 | 030 |
| 041 | 061 |
| 070 | 091 |
| 133 | 149 |
| 457 | 723 |
| 743 | 801 |

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

CODE	SIZE	CENTIMETERS
061	XS	53-54
062	S	55-56
064	M	57-58
066	L	59
068	XL	60
069	XXL	61

JERSEY MX J-TRACK
SEVEN
0025886



0025886.204

FEATURES

- Technical polyester fabric: soft, comfortable, breathable. Quick dry.

Extended mesh area from hips to armpits

Mesh area on inner sleeves

Lightweight and totally stretch fabric for good comfort
- Slim-fit to wear the garment with or without (event the most voluminous) protections

Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: Morocco

PRODUCTS RELATED



0022999
X-TEAM BOOTS

- 090

245

249

290

305

315

319

326

343

799



0024130
MX TRACK PANTS

- 010

040

073

090

110



0024359
X-RACE BOOTS

- 070

090

207


249

290

347

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*

CHEST: Measure at the widest point of your chest, holding the tape horizontally.

WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

JERSEY MX J-KID FIVE
0025326



0025326.203



0025326.349

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, breathable. Quick dry.	Slim-fit to wear the garment with or without protections Weight 140gr
--	--

PRODUCT DETAILS


COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069

	XS	S	M	L	XL	2XL	
Chest	58-62 cm	62-66 cm	66-70 cm	70-75 cm	75-80 cm	80-85 cm	
Sleeve	41-44 cm	44-47 cm	47-50 cm	50-53 cm	53-56 cm	56-60 cm	



DASH REV COUNTER
FOHDEGIR
0025498



0025498.090

FEATURES

Universal tachometer with RPM reader, launch control and shift warning functionality LEDs allow you to read revolutions per minute (RPM) in real time, giving you full control The Launch Control function ensures the rider gets the perfect start, thanks to LEDs that indicate the ideal moment to start at maximum power and control, depending on one's preferences The shift warning function uses LEDs to signal the rider the right time to shift gears and release full engine power. the LEDs will flash at the desired rpm	Equipped with a convenient button for adjusting the necessary settings, which can be positioned on the handlebars Front guard integrated into the aluminum support base, with the protective function from bumps and debris Water-resistant Applies to the front of the fender, via an aluminum bracket and screws in the mounting kit Can be applied to any fender, with direct power supply to the battery. RPM reading is via electrical pulses detectable from the spark plug power cable Printed logo on tachometer and lasered on bracket
--	--

PRODUCT DETAILS

PVC: 29 | 304 stainless steel: 14 | Epoxy Resin: 10 | Aluminium: 9 | ABS: 7 | Organic silicone: 6 | Copper: 5 | Methyl vinyl silicone rubber: 5 | PBT: 4 | Fiberglass: 4 | Others: 2 | PP: 3 | PMMA: 1 | PBS: 1

Made In: China