





0026031.030



0026031.090

FEATURES

Adventure Helmet Thermoplastic ECE/ONU 22-06 HOMOLOGATION Micro-adjustable quick release fastener Suitable for aftermarket intercom earphones (max. Ø 40mm / h 5mm) One outer shell Double inner shells Removable, hypo-allergenic, breathable and washable interior. Soft touch interior for effective humidity release. Possibility to use the helmet in cross configuration without transparent visor. Possibility to use the helmet in full face configuration without peak. Stickers kit (for kid) to personalize the helmet. WEIGHT 1250g \pm 50g (size "YM")

PRODUCTS RELATED




0026033 VISOR RIDER JUNIOR □ 030 ■ 090 ■ 323



T52 052 | T54 054 | T56 056 | T58 058

	Y/S - 052	Y/M - 054	Y/L - 056	Y/XL - 058	
СМ	49-50	51-52	53-54	55-56	





PRODUCTS RELATED



0024670 PEAK VISOR SKODELA

Removable, hypo-allergenic, breathable and washable interior.


090



0025942 INNER LINER SKODELA 22-06 080 090



XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE		
XS	53-54 cm		
S	55-56 cm		
м	57-58 cm		
L	59-60 cm		
XL	61-62 cm		
XXL	63-64 cm		

ACE73i)









FEATURES

Designed to easily accommodate off road and dual road helmets. Fabric exterior and soft interior padding aimed at protecting the helmet. Equipped with practical carrying handle.

Equipped with practical carrying handle. Easy opening with double slider. Ventilation for breathability. Side pocket for accessory insertion. Side closure by SBS zipper. Insert with A logo on front and back and Acerbis logo on sides.

PRODUCT DETAILS

100% Polyester

Made In: China

ふてミヨヨご









FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use.

Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons.

Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior.

Resistant to abrasion from oils and gasoline.

Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.

Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China




T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

NEW PRODUCTS / NEW PRODUCTS FULL PLASTIC KIT KAWASAKI





APPLICATIONS

KAWASAKI KX 450 2024 | KAWASAKI KX 450 X 2024

ACERSIN

X-POWER FOR GAS GAS 0026199







FEATURES

GASGAS MC 250 F 2024 ignition and clutch cover protection kit. Protects against wear, shock, abrasion, mud sand and debris. Right side: clutch cover protection, water pump and lower crankcase Left side: ignition cover protection Resistant to high temperatures, numerous vents prevent overheating Mounting kit included, adheres perfectly to clutch/ignition crankcase. Compatible with Acerbis skid plates Weight: 375g

PRODUCT DETAILS

86% Plastic | 12% Steel | 2% Others

Made In: Italy

APPLICATIONS

GAS GAS EX 250 F 2024 | GAS GAS EX 350 F 2024 | GAS GAS MC 250 F 2024 | GAS GAS MC 350 F 2024

ACE33i

SKID PLATE HONDA TRANSALP 0026174





FEATURES

Latest-generation skid plate that allows it to slide smoothly over natural obstacles (whoops, stones, logs) ensuring a smooth ride. It offers maximum protection for the chassis and engine.

Extended protection areas on the side crankcases, water pump and footpeg areas of the frame

Presence of exhaust areas to give more lightness, ventilation and facilitate washing operations inside the under-engine

Design to reduce mud and debris ingress Compatible with simultaneous use of Acerbis x-power (ignition and clutch cover protection) Mounting kit included Weight: 2060g Not compatible with main stand

PRODUCT DETAILS

82% Plastic | 14% Steel | 4% Others

Made In: Italy

APPLICATIONS

HONDA TRANSALP XL750 2023 2024

PRODUCTS RELATED



0025929 ENDURANCE-X TRANSALP HANDGUARDS



0026077 FUEL TANK HONDA TRANSALP 23L



0026101 X-GRIP FRAME PROTECTOR HONDA TRANSALP

090

090.700

■ 090 ■ 319

NEW PRODUCTS / NEW PRODUCTS Skid plate Honda Transalp






0022397 X-FACTORY H	HANDGUARDS
090	203
209	229

Activity

□ 231	232
237	239
245	251
279	▶ 313
▶ 315	321
323	▶ 325
335	▶ 343
349	377





FEATURES

Lightweight and resistant.

Designed to protect the disc and left fork leg from sliding and impacts.

The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg. Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover. The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud. Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating. Max. disc Ø 280 mm Weight 200g **Before you buy:** check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel


Made In: Italy



APPLICATIONS

FANTIC XE 125 2021 2022 2023 2024 | FANTIC XE 300 2024 | FANTIC XEF 250 2021 2022 2023 2024 | FANTIC XEF 310 2024 | FANTIC XEF 450 2021 2022 2023 2024 | FANTIC XX 125 2021 2022 2023 2024 | FANTIC XX 250 2021 2022 2023 2024 | FANTIC XXF 250 2021 2022 2023 2024 | FANTIC XXF 450 2021 2022 2023 2024 | HONDA CRF 250 R 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 250 RX 2022 2023 2024 | HONDA CRF 250 RX ENDURO 2022 2023 2024 | HONDA CRF 250 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 300 RX 2019 2020 2021 2022 2023 2024 | HONDA CRF 300 RX ENDURO 2022 2023 2024 | HONDA CRF 300 RX ENDURO SPECIAL 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 450 RL 2021 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | HONDA CRF 450 RL 2021 2022 2023 2024 | HONDA CRF 450 R 2017 2018 2019 2020 2021 2022 2023 2024 | KAWASAKI KX 450 X 2021 2022 2023 2024 | KAWASAKI KX 450 X 2021 2022 2023 2024 | SHERCO 125 SE FACTORY 2024 | SHERCO 250 SE FACTORY 2024 | SHERCO 300 SE FACTORY 2024 | SHERCO 450 SE FACTORY 2024 | SHERCO 500 SEF FACTORY 2024 | SHERCO 300 SE FACTORY 2024 | SHERCO 450 SE FACTORY 2024 | SHERCO 500 SEF FACTORY 2024 | YAMAHA WR 450 F 2024 | YAMAHA YZ 155 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 250 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA YZ 450 F 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | YAMAHA





FEATURES

Lightweight and resistant.

Designed to protect the disc and left fork leg from sliding and impacts.

The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg. Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover. The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud. Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating. Max. disc Ø 280 mm Weight 200g **Before you buy:** check the compatibility with your bike

.

PRODUCT DETAILS

90% Plastic | 10% Steel


Made In: Italy



APPLICATIONS

BETA RR 125 2T 2019 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2019 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 390 4T 2020 2021 2022 2023 2024 | BETA RR 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA RX 300 2022 2023 2024 | BETA RX 450 2022 2023 2024 | TM EN 125 2T 2016 2017 2018 2019 2020 | TM EN 125 FI 2T 2020 2021 2022 2023 2024 | TM EN 144 2T 2016 2017 2018 2019 2020 | TM EN 144 FI 2T 2020 2021 2022 2023 2024 | TM EN 250 2T 2016 2017 2018 2019 2020 2021 2022 | TM EN 250 ES FI 2T 2023 2024 | TM EN 250 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 300 2T 2016 2017 2018 2019 | TM EN 300 ES FI 2T 2020 2021 2022 2023 2024 | TM EN 300 ES FI 4T 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 450 ES FI 4T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM EN 530 FI ES 4T 2015 2016 2017 2018 2019 2020 | TM MX 125 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 144 2T 2016 2017 2018 2019 2020 2021 2022 2023 2024 | TM MX 250 2T 2016 2017 2018 2019 | TM MX 250 ES 2T 2020 2021 2022 2023 2024 | TM MX 250 ES FI 4T 2023 2024 | TM MX 250 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 300 2T 2016 2017 2018 2019 | TM MX 300 ES FI 4T 2023 2024 | TM MX 300 FI 4T 2017 2018 2019 2020 2021 2022 | TM MX 450 ES FI 4T 2023 2024 | TM MX 450 FI 4T 2016 2017 2018 2019 2020 2021 2022 | TM MX 530 ES FI 4T 2023





FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, Slim-fit to wear the garment with or without protections breathable. Quick dry.

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069

NEW PRODUCTS / NEW PRODUCTS JERSEY J-WINDY VENTED LIMELIGHT



JERSEY J-WINDY VENTED LIMELIGHT 0026047







0026047.377

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, breathable, vented . Quick dry.

Jersey completely vented Slim-fit to wear the garment with or without protections Weight 160gr

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania


PRODUCTS RELATED



0026048 PANTS K-WINDY VENTED LIMELIGHT

377

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

NEW PRODUCTS / NEW PRODUCTS PANTS K-WINDY VENTED LIMELIGHT



PANTS K-WINDY VENTED LIMELIGHT 0026048







0026048.377

FEATURES

OFF ROAD fit Pants studied to use with all kind of knee protectors Foam padding in the knee area Laser Perforation in whole pants for perfect ventilation Waist regulation Snap , hook closure and fly-cam adjustment in plastic Weight 700 gr

PRODUCT DETAILS

COMPOSITION: | Shell: | 88,00% Polyester | 2,80% Nylon | 2,70% Kevlar | 2,70% Synthetic leather | 2,30% Polyurethane | 1,5% SpandexLining: | 100% PolyesterOffroad pants fully vented | Outer: | High Density 600D RIPSTOP Polyester fully vented | Reinforcement 1200D Polyester in knee and in the area in contact with the seatInner: | Knee reinforcement in Kevlar® Armortex® and Innovatie AX Suede fabric | Lining in mesh

Made In: China

PRODUCTS RELATED




0026047 JERSEY J-WINDY VENTED LIMELIGHT

377



T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

	SIZE			HEIGHT WAIST		150	
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm









0026046.343



0026046.385

FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, Jersey compl breathable,vented . Quick dry.

Jersey completely vented Slim-fit to wear the garment with or without protections Weight 160gr

PRODUCT DETAILS

COMPOSITION: | Shell: | 100% Polyester


Made In: Lithuania

NEW PRODUCTS / NEW PRODUCTS JERSEY J-WINDY VENTED WATERMARK



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them



JERSEY MX J-TRACK STABI 0026044







0026044.445

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China


PRODUCTS RELATED



0026045 PANTS MX TRACK STABI

▶ 445

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them



PANTS MX TRACK STABI 0026045







0026045.445

FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist Foam padding in the knee area Can take any type of knee guard thanks to stretchy mesh in the calf area Dauble uniet adjustments with Valara

Double waist adjustments with Velcro

Closure with button and fly cam micro adjustment in plastic Excellent ventilation thanks to mesh in the calf area and above the knee Weight 700 g.

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China




PRODUCTS RELATED



0026044 JERSEY MX J-TRACK STABI 445

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038





HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

- 3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.
- WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal. LEG: Measure from the inseam to the ankle, holding the tape vertically.

	SIZE			HEIGHT	WAIST	1115	1.50
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm



JERSEY MX J-TRACK ASKAR 0026042







0026042.279



0026042.393

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester


Made In: China

PRODUCTS RELATED



0026043 PANTS MX TRACK ASKAR

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

 \ast remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them











FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist Foam padding in the knee area Can take any type of knee guard thanks to stretchy mesh in the calf area

Double waist adjustments with Velcro

Closure with button and fly cam micro adjustment in plastic Excellent ventilation thanks to mesh in the calf area and above the knee Weight 700 g.

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China




PRODUCTS RELATED



SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038





```
1. Get a tape measure.
```

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

- 3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.
- WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal. LEG: Measure from the inseam to the ankle, holding the tape vertically.

	SIZE			HEIGHT	WAIST	1115	1.50
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm













0026040.251



0026040.315

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: China


PRODUCTS RELATED



0026041 PANTS MX TRACK INC 315 349



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070 | 4XL 076 | 5XL 077



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them











FEATURES

Innovative ACERBIS X-Flex technology: fully elasticized material on waist Foam padding in the knee area Can take any type of knee guard thanks to stretchy mesh in the calf area

Double waist adjustments with Velcro

Closure with button and fly cam micro adjustment in plastic Excellent ventilation thanks to mesh in the calf area and above the knee Weight 700 g.

PRODUCT DETAILS

Shell: 88,00% Polyester; 2,8% Nylon; 2,7% kevlar; 2,7% synthetic leather; 2,3% PU; 1,5% spandex | Lining: 100% Polyester | Outer: High-density 600D Polyester, fully elasticized above the knee; 1200D polyester below the knee | Inner: Kevlar® Armortex® and AX Suede reinforcement inside pants

Made In: China




PRODUCTS RELATED



SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038 | T.40 040 | T.42 042 | T.44 044



HOW TO MEASURE 1. Get a tape measure. 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken. 3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger

MEN'S TROUSERS - SIZE GUIDE

- size to be more comfortable. WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape
- measure horizontal. HIP: measure at the widest point of the hips, keeping the tape horizontal. LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE		UFICUT	MAIOT		1.50			
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG	
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm	
030	s	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm	
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm	
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm	
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm	
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm	
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm	
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm	
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm	











FEATURES

Innovative Acerbis X-Flex fabric in polyester: totally stretched, soft, comfortable, breathable , light. Quick dry Extended mesh areas under armpit and back kidney

Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 88% Polyester | 12% Elastane

Made In: China


PRODUCTS RELATED



0026039 PANTS K-FLEX VERAS

033

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

 \ast remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them











0026039.033

FEATURES

Innovative Acerbis X-Flex technology: fully stretchable material Foam padding in the knees areas Laser Perforation in the key areas for perfect ventilation Can take any type of the knee guard thanks to the stretch mesh in the calf area Double waist adjustment with Velcro Closure with hook and Snap Weight 620 gr

PRODUCT DETAILS

COMPOSITION: | Shell: 62,00% Polyester, 16,60% Nylon, 13,30% Polyurethane, 7,6% Spandex, 0,50% Kevlar | Lining: 100% Polyester | Outer: | High Density 600D Polyester, fully stretchable. 500D Cordura inserts in the area in contact with the seat.Inner: | Reinforcement in Stretch Kevlar® Armortex® and Innovatie AX Suede fabric inside pants.






0026038 JERSEY X-FLEX VERAS

SIZES

T.28 028 | T.30 030 | T.32 032 | T.34 034 | T.36 036 | T.38 038





HOW TO MEASURE

1. Get a tape measure.


2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

- 3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.
- WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

HIP: measure at the widest point of the hips, keeping the tape horizontal. LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE				UFICUT	MAIOT		1.50
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm





FEATURES

Innovative Acerbis X-Flex fabric in polyester: totally stretched, soft, comfortable, breathable , light. Quick dry Extended mesh areas under armpit and back kidney


Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 88% Polyester | 12% Elastane

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.


- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

 \ast remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them





Lightweight and resistant.

Designed to protect the disc and left fork leg from sliding and impacts.

The special attachment point, which uses the wheel axle nut, allows both a quick application and additional protection of the left fork leg. Specially designed to be able to adjust the suspension and to tighten and loosen the leg bolts without necessarily having to remove the disc cover. The extension of the disc guard to the caliper protects the caliper assembly from shocks and mud. Multiple ventilation windows allow correct temperature self-adjustment, preventing disc/caliper overheating. Max. disc Ø 280 mm Weight 200g **Before you buy:** check the compatibility with your bike

PRODUCT DETAILS

90% Plastic | 10% Steel

Made In: Italy



APPLICATIONS

GAS GAS EC 250 2021 2022 2023 2024 | GAS GAS EC 250 F 2021 2022 2023 2024 | GAS GAS EC 300 2021 2022 2023 2024 | GAS GAS EC 350 F 2021 2022 2023 2024 | GAS GAS EC 450 F 2024 | GAS GAS EC 500 F 2024 | GAS GAS EX 250 2022 2023 2024 | GAS GAS EX 250 F 2021 2022 2023 2024 | GAS GAS EX 300 2021 2022 2023 2024 | GAS GAS EX 350 F 2021 2022 2023 2024 | GAS GAS EX 450 F 2021 2022 2023 2024 | GAS GAS MC 125 2021 2022 2023 2024 | GAS GAS MC 250 2022 2023 2024 | GAS GAS MC 250 F 2021 2022 2023 2024 | GAS GAS MC 350 F 2022 2023 2024 | GAS GAS MC 450 F 2021 2022 2023 2024 | HUSQVARNA FC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FC 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2022 2023 2024 | HUSQVARNA FE 350 W 2024 HUSQVARNA FE 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA FE 501 S 2022 2023 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FX 350 2020 2021 2022 2023 2024 | HUSQVARNA FX 450 2020 2021 2022 2023 2024 | HUSQVARNA TC 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TC 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 150I 2020 2021 2022 2023 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 250I 2018 2019 2020 2021 2022 2023 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024 | HUSQVARNA TE 300I 2018 2019 2020 2021 2022 2023 | HUSQVARNA TX 300 2020 2021 2022 2023 2024 | KTM EXC 150 2024 | KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 2024 | KTM EXC 250 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC 300 2024 | KTM EXC 300 TPI 2018 2019 2020 2021 2022 2023 | KTM EXC-F 250 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 350 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 450 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM EXC-F 500 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 125 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 350 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM SX-F 450 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 | KTM XC 125 2020 2021 2022 2023 2024 | KTM XC 250 2023 2024 | KTM XC 250 TPI 2020 2021 2022 | KTM XC 300 2023 2024 | KTM XC 300 TPI 2020 2021 2022 | KTM XC-F 250 2019 2020 2021 2022 2023 2024 | KTM XC-F 350 2019 2020 2021 2022 2023 2024 | KTM XC-F 450 2019 2020 2021 2022 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 150 TPI 2019 2020 2021 2022 2023 | KTM XC-W 250 2024 | KTM XC-W 250 TPI 2019 2020 2021 2022 2023 KTM XC-W 300 2024 | KTM XC-W 300 TPI 2019 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 2024 KTM XCF-W 500 2020 2021 2022 2023 | KTM XW-F 350 2024 | KTM XW-F 500 2024 | SHERCO 125 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 250 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SE FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 300 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 450 SEF FACTORY 2018 2019 2020 2021 2022 2023 | SHERCO 500 SEF FACTORY 2018 2019 2020 2021 2022 2023 | STARK FUTURE VARG 2023 2024

SIZES

16 016











0026076.090

FEATURES

Coated neoprene ring best protects thumbs from blistering while riding.


PRODUCTS RELATED



0025423 HANDLE COVER MANETA

090






Jet helmet ECE/ONU 22-06 HOMOLOGATION Micrometric strap adjustment with quick release One outer shell Two inner shells Removable, hypo-allergenic, breathable and washable interior. Weight 1150g \pm 50g in size "M"

PRODUCT DETAILS

Thermoplastic

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE


HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE		
XS	53-54 cm		
S	55-56 cm		
м	57-58 cm		
L	59-60 cm		
XL	61-62 cm		
XXL	63-64 cm		

NEW PRODUCTS / NEW PRODUCTS X-WAY GRAPHIC HELMET






FEATURES

Full face helmet Integrated sun visor operated by a slider ECE/ONU 22-06 HOMOLOGATION Micro-adjustable quick release fastener Predisposition for PINLOCK 70 Max Vision One outer shell. Three inner shells. Removable, hypo-allergenic, breathable and washable interior. Removable chincurtain. Removable breathguard. WEIGHT 1600g \pm 50g in size "M" Suitable for aftermarket intercom earphones (max. Ø 40mm / h 6mm).

PRODUCT DETAILS


Thermoplastic





SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE		
XS	53-54 cm		
S	55-56 cm		
м	57-58 cm		
L	59-60 cm		
XL	61-62 cm		
XXL	63-64 cm		









0025466.090

FEATURES

Back in polyester stretch Palm in synthetic leather Fourchette in polyester stretch CE EN 13594:2015 Wrist closure with strap and velcro

Rubber personalized logo on back and strap 90gr size M per pair


PRODUCT DETAILS

72% Nylon | 21% Polyurethane | 7% Rubber

Made In: Indonesia

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE		
S	17,7-20,2 cm		
м	20,2-21,7 cm		
L	21,7-23 cm		
XL	23-24,3 cm 24,3-25,6 cm		
XXL			
XXXL	25,6-28,1 cm		

ACE33











0025630.723

FEATURES

CERTIFIED GLOVES EN 13594:2015 Lev 1 KP Extremely breathable thanks to the mesh on the back and on the fingers' sides Pre-curved fit Palm and fingers tips made of a synthetic leather single panel Padding on the back of the fingers Carbon look ABS reinforcements on the knuckles Wrist closure through soft rubber strap Rubber personalization on the back of the wrist Available in 3 color ways to match the Ramsey My Vented Jacket Touch Screen Insert on index finger and thumb Double reinforcement on palm for abrasion resistance.


PRODUCT DETAILS

COMPONENTS: | 70% Polyester | 25% Polyurethane | 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.



SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068





Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE		
S	17,7-20,2 cm		
м	20,2-21,7 cm		
L	21,7-23 cm 23-24,3 cm 24,3-25,6 cm 25,6-28,1 cm		
XL			
XXL			
XXXL			





FEATURES

The new jacket 2 LAYERS vented with detachable membrane offers "A" CE certified protection together with confort and durability

Garment certified EN 17092-4-2020 class A

Shoulder and elbow protectors certified EN 1621-1: 2012 Type A Level 2 $\,$

Detachable mebrane waterproof and breathability totally taped Also to wear over the jacket

2 side pockets outside

2 pockets inside the jacket


1 pocket on the mebrane

Opening cuff and bottom regulation Refractive Acerbis logo on sleeve, front and back Also in the mebrane Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold): - 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L

- 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL Bottom regulation and inside loop customized Acerbis Lining in mesh

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

 \ast remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them



CE RAMSEY LEATHER 2.0 GLOVES 0025629

0025629.090







FEATURES

Back in polyester Palm in goat leather Fourchette heavy lycra Carbon look Certified protection on back EN 13594:2015 KP level 1 Membrana Hipora® Wrist closure with strap and velcro Personalized on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester

Made In: China

PRODUCTS RELATED




0023744 CE RAMSEY MY VENTED 2.0 JACKET ■ 090 ► 248



SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE		
S	17,7-20,2 cm		
м	20,2-21,7 cm		
L	21,7-23 cm		
XL	23-24,3 cm		
XXL	24,3-25,6 cm		
XXXL	25,6-28,1 cm		











0025644.248

FEATURES

The new jacket 1 LAYER water repellent & windproof warm thanks a fleece inside offers "A" CE certified protection together with confort and durability

Garment certified EN 17092-4-2020 cls A

0025644.090

Shoulder and elbow protectors certified EN 1621-1: 2012 Type A Level 2

2 side pockets outside and 2 pockets inside the jacket


Bottom regulation

Refractive Acerbis logo on sleeve, front and back Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold): - 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L - 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL

Inside loop customized Acerbis

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.


- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them





FEATURES

Knit polyester with personalized pattern Palm in goat leather Lycra and goat leather CE EN 13594:2015 KP level 1 Soft protector on back certified EN 13594:2015 KP level 1 Breathable mesh fabric on back and mesh palm insert for better ventilation


Wrist closure in soft personalized neoprene Rubber personalized logo on back 105gr size M per pair

PRODUCT DETAILS

60% Goat leather | 30% Polyester | 5% Nylon | 5% Polyurethane

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE		
S	17,7-20,2 cm		
м	20,2-21,7 cm		
L	21,7-23 cm		
XL	23-24,3 cm		
XXL	24,3-25,6 cm		
XXXL	25,6-28,1 cm		











0025409.295

FEATURES

The new pants 3 LAYERS waterproof with detachable membrane & padding offer "A" CE certified protection together with confort and durability

Pants in 600D both resistant to tearing and abrasion and water repellent

Back and bottom inserts in 1200D

Garment certified EN 17092-4-2020 class A

Adjustable knee protectors certified EN 1621-1: 2012 Type B Level $\ensuremath{\mathbf{2}}$


Detachable mebrane waterproof and breathability 10K/10K totally taped between pants and detachable padding

Zip connection outside for jacket: 0025406_JACKET CE X-ROVER Leg ventilations in mesh completely openable with zip 2 front pockets and bottom leg to close with zip Waist regulation Refractive Acerbis logo and leg applications Button customized Acerbis Lining in mesh Thermal padding gr 60 Zip-connection

PRODUCT DETAILS


Shell 100% Polyester | Lining 100% Polyester





SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S TROUSERS - SIZE GUIDE
HOW TO MEASURE
 Get a tape measure. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken. Are you between two sizes? Choose the smaller size for a tighter fit, the larger
size to be more comfortable. WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape
measure horizontal.

 $\mbox{HIP}:$ measure at the widest point of the hips, keeping the tape horizontal. LEG: Measure from the inseam to the ankle, holding the tape vertically.

SIZE			HEIGHT	MAIOT	1115	150	
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	М	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm











0025406.090



0025406.369

FEATURES

The new jacket 3 LAYERS waterproof with detachable membrane & padding offers "AA" CE certified protection together with confort and durability

Jacket in 600D both resistant to tearing and abrasion and water repellent Collar, shoulder, sleeve & sides inserts in 600D RIPSTOP Collar insert in neoprene

Garment certified EN 17092-3-2020 class AA

Shoulder and elbow protectors certified EN 1621-1: 2012 Type B Level 2

Detachable mebrane waterproof and breathability 10K/5K totally taped between jacket and detachable padding

Also to wear separately or over the jacket

Chest, sleeve and back ventilations in mesh completely openable with zip

Zip connection outside for pants: 0025409_PANTS CE X-ROVER

- 2 front pockets and 1 back pocket outside
- 1 chest pocket inside waterproof and totally taped
- 2 pockets inside the jacket
- 1 pocket inside the membrane
- 2 pockets inside the padding

Cuff, sleeve, waist and bottom regulation

Refractive Acerbis logo also front, sleeve and back applications Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold):

- 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L
- 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL
Button and inside loop customized Acerbis

Inner collar in microfleece and lining in mesh Thermal padding gr 100

Zip-connection

PRODUCT DETAILS


Shell 100% Polyester | Lining 100% Polyester






SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





* remember that some of our products, such as Offroad jerseys, are aireadesigned to allow the use of protectors underneath them

NEW PRODUCTS / NEW PRODUCTS ENDURANCE-X KTM 390 ADVENTURE HANDGUARDS



ENDURANCE-X KTM 390 ADVENTURE HANDGUARDS 0025975







0025975.090

FEATURES

Closed handguard with aluminum bar and bracelets Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro. Impact resistance:

1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.

2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity Cover:

1) Impact resistant

2) Wide area to protect the pilot's hands more

3) Flexible lower area to absorb accidental contact with the knee. Brake/clutch levers and pump assemblies

Co-molded logo

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

KTM 390 ADVENTURE 2020 2021 2022 2023 | KTM 390 ADVENTURE SW 2023















0025896.120.700

FEATURES

CONSTRUCTION AND DESIGN: Increased tank 15L / 3.95 Gallons Ideal for long and short distance competition. Designed to maintain a narrow and ergonomic profile to ensure excellent driveability. Clean line that follows the original shapes of the bike. Quick Fill filling cap mounting possibilities Possibility of mounting cap with key Acerbis In the tank is included: Acerbis Cap Mounting kit

APPLICATIONS

KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2023 2024 | KTM SX 250 2023 2024 | KTM SX 300 2023 2024 | KTM SX-F 250 2023 2024 | KTM SX-F 350 2023 2024 | KTM SX-F 450 2023 2024 | KTM XC 125 2023 2024 | KTM XC 250 2023 2024 | KTM XC 300 2023 2024 | KTM XC-F 250 2023 2024 | KTM XC-F 350 2023 2024 | KTM XC-F 450 2023 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024 | KTM XW-F 500 2024 | KTM XW-F 350 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024 | KTM XW-F 500

SIZES

FINITO 300 | ASSEMBLATO 700 | T.10 100

NEW PRODUCTS / NEW PRODUCTS ENDURANCE-X V-STROM 650 HANDGUARDS



ENDURANCE-X V-STROM 650 HANDGUARDS 0025979







0025979.090

FEATURES

Closed handguard with aluminum bar and bracelets Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro. Impact resistance:

1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.

2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity Cover:

1) Impact resistant

2) Wide area to protect the pilot's hands more3) Flexible lower area to absorb accidental contact with the knee.Brake/clutch levers and pump assembliesCo-molded logo

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

SUZUKI V-STROM 650 2017 2018 2019 2020 2021 2022 2023 | SUZUKI V-STROM 650 XT 2017 2018 2019 2020 2021 2022 2023











Made In: Italy

APPLICATIONS

YAMAHA WR 450 F 2024 | YAMAHA YZ 250 F 2024 | YAMAHA YZ 450 F 2023 2024



|||| 00 0025877 MOUNTING KIT FUEL TANK 0025876

SIZES

FINITO 300 | ASSEMBLATO 700 | T.10 100

NEW PRODUCTS / NEW PRODUCTS ENDURANCE-X TRANSALP HANDGUARDS



ENDURANCE-X TRANSALP HANDGUARDS 0025929







0025929.090

FEATURES

Closed handguard with aluminum bar and bracelets Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro. Impact resistance:

1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.

2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity Cover:

1) Impact resistant

2) Wide area to protect the pilot's hands more

3) Flexible lower area to absorb accidental contact with the knee. Brake/clutch levers and pump assemblies Co-molded logo

PRODUCT DETAILS


Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

HONDA TRANSALP XL750 2023 2024





0025926 KIT MONTAG TRANSALP 0026174 SKID PLATE HONDA TRANSALP





FEATURES

The acerbis chain guide provides impact resistance thanks to its high-strength plastic material.

It is made of two pieces: the body and the slide, the latter of which can be replaced once it has worn out, also allowing you not to have to disassemble the chain when replacing the slide or the eyebolt itself. Reduces oscillatory shaking of the chain The controlled elasticity structure of the chain guide, absorbs shocks and minimizes damage to the chain and sprocket. Is easily applied with acerbis hardware already included, taking advantage of the original mounts on the swingarm

PRODUCT DETAILS

95% Plastic | 5% Altro

Made In: Italy


NEW PRODUCTS / NEW PRODUCTS ACERBIS CHAIN GUIDE FOR KTM/HUSQVARNA/GAS GAS



APPLICATIONS

GAS GAS EC 250 2024 | GAS GAS EC 250 F 2024 | GAS GAS EC 300 2024 | GAS GAS EC 350 F 2024 | GAS GAS EC 450 F 2024 | GAS GAS EX 250 2024 | GAS GAS EX 250 F 2024 | GAS GAS EX 300 2024 | GAS GAS EX 350 F 2024 | GAS GAS EX 450 F 2024 | GAS GAS MC 125 2024 | GAS GAS MC 250 2024 | GAS GAS MC 250 F 2024 | GAS GAS MC 350 F 2024 | GAS GAS MC 450 F 2024 | HUSQVARNA FC 250 2023 2024 | HUSQVARNA FC 250 2023 2024 | HUSQVARNA FC 250 2023 2024 | HUSQVARNA FC 450 2023 2024 | HUSQVARNA FE 250 2024 | HUSQVARNA FE 250 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2024 | HUSQVARNA FE 501 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA FE 350 2023 2024 | HUSQVARNA FE 501 2024 | HUSQVARNA FE 50 2023 2024 | HUSQVARNA FE 50 2023 2024 | HUSQVARNA FE 50 2024 | HUSQVARNA FE 50 2024 | HUSQVARNA FE 300 2024 | HUSQVARNA FE 300 2024 | HUSQVARNA FE 50 2024 | KTM EXC F 500 2024 | KTM EXC F 50 2024 | KTM EXC F 50 2024 | KTM EXC F 50 2023 2024 | KTM EXC F 50 2023 2024 | KTM EXC F 450 2023 2024 | KT

PRODUCTS RELATED



SIZES

16 016



ENDURANCE-X AFRICA TWIN HANDGUARDS 0025917







0025917.090

FEATURES

Closed handguard with aluminum bar and bracelets Ultra-durable closed handguard designed for those seeking greater protection in the disciplines: enduro, hard enduro and cross country. For its resistemaza also indicated for use on maxi-enduro. Impact resistance:

1) Equipped with a 35mm "C" section ANTICORODAL bar. Provides 5 times more resistance than the classic handguard with aluminum bar.

2) The cuffs, oversized with a thickness of 19 mm, guarantee greater strength and increased torsional capacity
 Cover:
 1) Impact resistant

2) Wide area to protect the pilot's hands more

3) Flexible lower area to absorb accidental contact with the knee.
 Brake/clutch levers and pump assemblies
 Co-molded logo

PRODUCT DETAILS

Polypropylene 16.00% | Aluminum 70.00% | Steel 14.00%

Made In: Italy

APPLICATIONS

HONDA AFRICA TWIN 1000 L 2016 2017 2018 2019 | HONDA AFRICA TWIN 1000 L ADVENT 2018 2019 | HONDA AFRICA TWIN 1100 L 2020 2021 2022 2023



PRODUCTS RELATED







CE WINTER TOUR GLOVES 0025593








FEATURES

Polyester ribstop Palm in synthetic leather Fourchette in nylon Hard protector on back certified EN 13594:2015 KP level 1 and plastic slider on palm Hipora ® Membrane Waterproof Double wrist closure with strap and velcro Reflactive insert for passive safety Personalized logo on knuckle protector, personalized plastic slider, cuff closure with reflective details Warm inner lining in polyester Thinsulate ™ padding 200gr 265gr size M per pair

PRODUCT DETAILS

70% Polyester | 20% Nylon | 10% Spandex

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm



PANTS CE DISCOVERY 2.0 0025411







0025411.090

FEATURES

The new pants 2 LAYERS waterproof with a detachable padding offer "A" CE certified protection together with confort and durability Fabric 600D both resistant to tearing and abrasion and water

repellent Garment certified EN 17092-4-2020 classe A

Adjustable knee protectors certified EN 1621-1: 2012 Type B Level 2


Fixed mebrane waterproof and breathability 10K/10K totally taped between pants and lining in mesh

2 front pockets and bottom leg to close with zip Waist regulation Refractive Acerbis logo and leg applications Button and sliders customized Acerbis Inner waistband in microfleece Lining in mesh Thermal padding gr 60 Zip-connection

PRODUCT DETAILS

Shell 100% Polyester | Lining 100% Polyester

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S TROUSERS - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.

3. Are you between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.

WAIST: measure the circumference of your waist at the narrowest point of your abdomen (the indentation that forms if you bend to one side), keeping the tape measure horizontal.

 $\ensuremath{\mathsf{HIP}}\xspace$: measure at the widest point of the hips, keeping the tape horizontal.

LEG: Measure from the inseam to the ankle, holding the tape vertically.

	SI	ZE		UFICUT	MAIOT	1115	150
COD.	EU	USA	ITA	HEIGHT	WAIST	HIP	LEG
028	XS	028	46	170-180 cm	74-79 cm	88-93 cm	80-85 cm
030	S	030	48	170-180 cm	79-82 cm	93-96 cm	80-85 cm
031	S/M	031	48/50	170-180 cm	81-84 cm	95-98 cm	80-85 cm
032	м	032	50	170-180 cm	82-87 cm	96-101 cm	80-85 cm
033	M/L	033	50/52	170-180 cm	86-89 cm	100-103 cm	80-85 cm
034	L	034	52	175-185 cm	89-94 cm	103-108 cm	83-88 cm
036	XL	036	54	175-185 cm	94-99 cm	108-113 cm	83-88 cm
038	2XL	038	56	175-185 cm	99-104 cm	113-118 cm	83-88 cm
040	3XL	040	58	175-185 cm	104-109 cm	118-123 cm	83-88 cm












FEATURES

Back in polyester Palm in synthetic leather Fourchette Heavy Lycra CE EN 13594:2015 Soft padding on back and thumb Hipora ® Membrane Waterproof Wrist closure with strap and velcro Personalized logo on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm











FEATURES

The new jacket 1 LAYER waterproof and padded offers "A" CE certified protection together with confort and durability Garment certified EN 17092-4-2020 class A Shoulder and elbow protectors certified EN 1621-1: 2012 Type A

Level 2 Waterproof and breathability membrane between jacket and lining Seems totally taped

2 side pockets outside and 2 pockets inside the jacket

Cuff and bottom regulation Refractive Acerbis logo on sleeve, front and back Predisposition for: CERITIFIED BACK PROTECTOR EN 1621-2: 2014 Type FB Level 2 (separately sold): - 0024617.090.064 SIZE M (39-43): for JACKET SIZES S,M,L - 0024617.090.066 SIZE L (43-47): for JACKET SIZES XL,2XL,3XL


Cuff regulation and inside loop customized Acerbis

PRODUCT DETAILS

Shell: | 98% Polyester | 2% ElastaneLining: | 100% Polyester

Made In: Pakistan

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



MEN'S CLOTHING - SIZE GUIDE

HOW TO MEASURE

1. Get a tape measure.

- 2. Based on what you are buying, compare the measurements you see in the tables below with the measurements you have taken.
- 3. Are you are between two sizes? Choose the smaller size for a tighter fit, the larger size to be more comfortable.*
- CHEST: Measure at the widest point of your chest, holding the tape horizontally.
- WAIST: Measure the circumference of your waist at the narrowest point of the abdomen.

SLEEVE: Measure from the shoulder to the wrist.

SIZE	HEIGHT	BREAST	WAIST:	SLEEVE
061 = XS	162-166 cm	82-88 cm	72-78 cm	64-65 cm
062 = S	166-170 cm	88-94 cm	78-84 cm	65-66 cm
064 = M	170-174 cm	94-100 cm	84-90 cm	66-67 cm
066 = L	174-178 cm	100-106 cm	90-96 cm	67-68 cm
068 = XL	178-182 cm	106-112 cm	96-102 cm	68-69 cm
069 = XXL	182-186 cm	112-118 cm	102-108 cm	69-70 cm
070 = XXXL	186-190 cm	118-124 cm	108-114 cm	70-71 cm

 \ast remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them

<u> ふくこうろい</u>

CARLINO KID 22-06 HEMET 0025463







0025463.030

FEATURES

Junior full-face helmet homologated to the latest ECE 22/06 standard. Unleash your creativity by customising the graphics with the sticker kits included. Full face helmet Outer material: Thermoplastic Homologation ECE/ONU 22-06

Quick release strap One inner shell and one outer shell Sticker kit for helmet customization Removable, hypoallergenic, breathable and washable interior. Weight: $1270g \pm 50g$ in size "YM"

PRODUCT DETAILS

Outer material: Thermoplastic

Made In: China

PRODUCTS RELATED



0023765 TRASPARENT VISOR CARLINO KID



090

120



T50 050 | T52 052 | T54 054

	Y/S - 050	Y/M - 052	Y/L - 054		
СМ	48	49-50	51-52		
		/			
			0		










FEATURES

Back in polyester Palm in synthetic leather Fourchette Lycra and goat leather Peronalized vented certified protection EN 13594:2015 KP level 1 , with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger Mesh on back and vented knuckle protectos for better breathability Wrist closure with strap and velcro Reflective print on strap Personalized on knuckle protector, personalized rubber slider, cuff closure with reflective details Light inner lining in polyester 170gr size M per pair

PRODUCT DETAILS

35% Polyester | 30% Nylon | 25% Goat leather | 10% Span

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm









0025316.034



0025316.344



0025316.237



0025316.288


FEATURES

Off Road helmet ECE/ONU 22-06 homologation Double ring strap closure One outer shelland two inner shells Shell compatible with Neck Brace. Removable, hypo-allergenic, breathable and washable interior. Weight 1400g \pm 50g ("M" size)

PRODUCT DETAILS


Thermoplastic







XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069




HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE
XS	53-54 cm
S	55-56 cm
м	57-58 cm
L	59-60 cm
XL	61-62 cm
XXL	63-64 cm





PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069





HOW TO MEASURE

Measure the circumference of your hand, just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm













0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness. Upper resistant to cutting and abrasion.

Heel protection made of elastomeric material for better comfort and shock absorption.

TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.

Closure by 4 hooks with buckles for micrometric adjustment.

Heat protection in suede material.

Soft microfiber tibial bellows, cut and abrasion resistant.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.

Full coverage at the tip increases rider protection without hindering rider movement

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634 CERTIFICATION: 2017

Fastens with 4 buckles

A logo on shin guard and heel guard, Acerbis logo on the back.



T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



	BOOTS - S	SIZE GUIDE	
СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14













0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.

Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.

Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.

Tibial protection through anatomically shaped and reinforced shin guards.

Structured heel protection to absorb any impact.

Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.

Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.

Closing by 4 large aluminium levers.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Leather and microfiber upper cut and abrasion resistant.

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Orthotics shock absorbing pre-shaped

Interior made of 3D Mesh for excellent comfort and ventilation Foam protection around the ankles CERTIFICATION EN 13634:2017




T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



	BOOTS - S	SIZE GUIDE	
СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14







FEATURES

Integrated sun visor **ECE/ONU HOMOLOGATION 22-06** Micro-adjustable quick release fastener One outer shell Two inner shells Removable and washable hypoallergenic and breathable interior material Weight 1110g \pm 50g (size M)

PRODUCT DETAILS


Shell: thermoplastic.







XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069



HELMETS - SIZE GUIDE

HOW TO MEASURE

Measure the circumference of your head by holding the tape measure an inch above your eyebrows, taking care to measure the widest point at the nape of your neck.

SIZE	CIRCUMFERENCE
XS	53-54 cm
S	55-56 cm
м	57-58 cm
L	59-60 cm
XL	61-62 cm
XXL	63-64 cm



JERSEY MX J-TRACK SEVEN 0025886







0025886.204

FEATURES

Technical polyester fabric: soft, comfortable, breathable. Quick dry. Extended mesh area from hips to armpits Mesh area on inner sleeves Lightweight and totally stretch fabric for good comfort

Slim-fit to wear the garment with or without (event the most voluminous) protections Weight 160gr

PRODUCT DETAILS

COMPONENTS: | Shell: | 100% Polyester

Made In: Morocco




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



 HOW TO MEASURE 1. Get a tape measure. 2. Based on what you are buying, compare the measurements you the tables below with the measurements you have taken. 3. Are you are between two sizes? Choose the smaller size for a tig fit, the larger size to be more comfortable.* 	 Get a tape measure. Based on what you are buying, compare the measurements you the tables below with the measurements you have taken. Are you are between two sizes? Choose the smaller size for a tig fit, the larger size to be more comfortable.* CHEST: Measure at the widest point of your chest, holding the tape horizontally. 					
 Based on what you are buying, compare the measurements you the tables below with the measurements you have taken. Are you are between two sizes? Choose the smaller size for a tig 	 Based on what you are buying, compare the measurements you the tables below with the measurements you have taken. Are you are between two sizes? Choose the smaller size for a tig fit, the larger size to be more comfortable.* CHEST: Measure at the widest point of your chest, holding the tape horizontally. 	HOW TO ME	ASURE			
WAIST: Measure the circumference of your waist at the narrowest		2. Based on wi the tables b 3. Are you are fit, the large	nat you are buy elow with the n between two s r size to be mor	neasurements y izes? Choose th re comfortable. ³	/ou have taken. ne smaller size † *	for a tigh
SLEEVE: Measure from the shoulder to the wrist.		WAIST: Measu of the abdo	men.			owest p
SLEEVE: Measure from the shoulder to the wrist. SIZE HEIGHT BREAST WAIST: SLE	SIZE HEIGHT BREAST WAIST: SLE	WAIST: Measu of the abdor SLEEVE: Meas	men. sure from the sl	noulder to the w	vrist.	owest p
SIZE HEIGHT BREAST WAIST: SLE		WAIST: Measu of the abdor SLEEVE: Meas SIZE	men. sure from the sl HEIGHT	noulder to the w	wrist. WAIST:	SLEE
SIZE HEIGHT BREAST WAIST: SLE 061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6	061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6	WAIST: Measu of the abdor SLEEVE: Meas SIZE 061 = XS	men. sure from the sl HEIGHT 162-166 cm	BREAST 82-88 cm	vrist. WAIST: 72-78 cm	SLEE 64-65
SIZE HEIGHT BREAST WAIST: SLE 061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6	061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6	WAIST: Measu of the abdor SLEEVE: Meas SIZE 061 = XS 062 = S	men. Sure from the sl HEIGHT 162-166 cm 166-170 cm	BREAST 82-88 cm 88-94 cm	WAIST: 72-78 cm 78-84 cm	SLEE 64-65 65-66
SIZE HEIGHT BREAST WAIST: SLE 061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6	061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6	WAIST: Measu of the abdor SLEEVE: Meas SIZE 061 = XS 062 = S 064 = M	men. Sure from the sl HEIGHT 162-166 cm 166-170 cm 170-174 cm	BREAST 82-88 cm 88-94 cm 94-100 cm	WAIST: 72-78 cm 78-84 cm 84-90 cm	SLEE 64-65 65-66 66-67
SIZE HEIGHT BREAST WAIST: SLE 061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6 066 = L 174-178 cm 100-106 cm 90-96 cm 67-66	061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6 066 = L 174-178 cm 100-106 cm 90-96 cm 67-6	WAIST: Measu of the abdoi SLEEVE: Meas SIZE 061 = XS 062 = S 064 = M 066 = L	men. Sure from the sl HEIGHT 162-166 cm 166-170 cm 170-174 cm 174-178 cm	BREAST 82-88 cm 88-94 cm 94-100 cm 100-106 cm	WAIST: 72-78 cm 78-84 cm 84-90 cm 90-96 cm	SLEE 64-65 65-66 66-67 67-68
SIZE HEIGHT BREAST WAIST: SLE 061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6 066 = L 174-178 cm 100-106 cm 90-96 cm 67-6 068 = XL 178-182 cm 106-112 cm 96-102 cm 68-64	061 = XS 162-166 cm 82-88 cm 72-78 cm 64-6 062 = S 166-170 cm 88-94 cm 78-84 cm 65-6 064 = M 170-174 cm 94-100 cm 84-90 cm 66-6 066 = L 174-178 cm 100-106 cm 90-96 cm 67-6 068 = XL 178-182 cm 106-112 cm 96-102 cm 68-6	WAIST: Measu of the abdoi SLEEVE: Meas SIZE 061 = XS 062 = S 064 = M 066 = L 068 = XL	men. Bure from the sl HEIGHT 162-166 cm 166-170 cm 170-174 cm 174-178 cm 178-182 cm	BREAST 82-88 cm 88-94 cm 94-100 cm 100-106 cm 106-112 cm	WAIST: 72-78 cm 78-84 cm 84-90 cm 90-96 cm 96-102 cm	

* remember that some of our products, such as Offroad jerseys, are already designed to allow the use of protectors underneath them













FEATURES

Technical polyester fabric: natural stretch, soft, comfortable, Slim-fit to wear the garment with or without protections breathable. Quick dry. Weight 140gr

PRODUCT DETAILS


COMPOSITION: | Shell: | 100% Polyester

Made In: Lithuania



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069

	XS	S	М	L	XL	2XL	
Chest	58-62 cm	62-66 cm	66-70 cm	70-75 cm	75-80 cm	80-85 cm	
Sleeve	41-44 cm	44-47 cm	47-50 cm	50-53 cm	53-56 cm	56-60 cm	





DASH REV COUNTER FOHDEGIR 0025498







FEATURES

Universal tachometer with RPM reader, launch control and shift warning functionality LEDs allow you to read revolutions per minute (RPM) in real time, giving you full control The Launch Control function ensures the rider gets the perfect start, thanks to LEDs that indicate the ideal moment to start at maximum

power and control, depending on one's preferences The shift warning function uses LEDs to signal the rider the right time to shift gears and release full engine power. the LEDs will flash at the desired rpm Equipped with a convenient button for adjusting the necessary settings, which can be positioned on the handlebars Front guard integrated into the aluminum support base, with the protective function from bumps and debris Water-resistant Applies to the front of the fender, via an aluminum bracket and screws in the mounting kit Can be applied to any fender, with direct power supply to the battery. RPM reading is via electrical pulses detectable from the spark plug power cable Printed logo on tachometer and lasered on bracket

PRODUCT DETAILS

PVC: 29 | 304 stainless steel: 14 | Epoxy Resin: 10 | Aluminium: 9 | ABS: 7 | Organic silicone: 6 | Copper: 5 | Methyl vinyl silicone rubber: 5 | PBT: 4 | Fiberglass: 4 | Others: 2 | PP: 3 | PMMA: 1 | PBS: 1