

Breathable mesh fourchettes for perfect ventilation.


electronic devices. Roll-up palm construction in a single panel up to above the fingers. Lowered soft neoprene wrist closure with Velcro.

PRODUCT DETAILS

Poliestere 36,0% | Poliuretano 26,4% | Nylon 35,1% | Rubber 2,5%

Made In: Indonesia

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Pre-curved, lightweight and durable kid's offroad glove Off-road use only. Single-panel synthetic leather palm with silicone-print for better grip. Perforated synthetic leather reinforcement on thumb. Soft thermoformed neoprene strap closure with velcro adjustment. Lycra fourchettes for extreme mobility Elastic fabric back with sublimation print Weight: 40gr in size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	11,4-12,7 cm
S	12,7-14,0 cm
м	14,0-15,2 cm
L	15,2-16,5 cm
XL	16,5-17,8 cm
2XL	17,8-19,1 cm





The X-FLEX 2.0 glove is the result of combining strength, sensitivity, lightness and ventilation. Thanks to the use of Nanofront TM, the world's finest and strongest yarn, (700 um micron cross-section), it makes the glove extremely lightweight and allows for sensational grip feel. Using a stretch dobby polyester fabric makes the glove highly resistant to abrasion. Small mesh inserts between the fingers and laser holes make the glove extremely ventilated and comfortable. Attention to detail is also highlighted by the custom soft neoprene and Velcro closure, the presence of gel on thumb and soft rubber inserts on back.

Palm made of a single seamless Nanofront panel, with ventilation holes and silicone details Back in highly abrasion-resistant dobby polyester Mesh inserts between the fingers Neoprene closure with strap and velcro Customization in soft rubber on the back and silicone on the palm part Highly durable dobby polyester fabric Nanofront TM Breathable mesh inserts

PRODUCT DETAILS

Shell: | Polyester 55% | Nylon 30% | Neoprene 10% | 5% Polyurethane


PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069






Back of hand: Stretch fabric.

Palm: Single panel in Nanofront ${\rm I\!B}$, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement.

Glove with extreme precurved and comfortable fit without stitching on the fingertips. Cuff adjustment. Touchscreen gloves.

S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Pre-curved glove lightweight and durable due to stretch fabric back and single panel palm. Glove not certified and dedicated to off road use. Stretch fabric back with sublimation print. Synthetic leather palm made in a single panel. Stretch fabric back with sublimation print. Synthetic leather palm made in a single panel. Stretch fabric back with strap and Velcro adjustment. Weight: 40gr size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather

S 062 | M 064 | L 066 | XL 068 | XXL 069





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






PRODUCT DETAILS


Back material: Polyester | Palm Material: Synthetic Leather

PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the back and fingers Silicon insert under the fingertips for a better grip Touch Screen Printing on index and thumb figers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 85% POLYESTER | 8% NEOPRENE | 5% POLYURETHANE | 2% SPANDEXMATERIALS: | Back hand: | Stretch fabric, Neoprene Insert, Soft rubber reinforcementPalm: | Single panel in AX Suede Matmarket, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips


Cuff adjustment Rubber reinforcement over the fingers Silicon insert under the fingertips for a better grip

PRODUCT DETAILS

57% Polyester, 40% Polyurethane, 3% Nylon | Back of hand Stretch fabric | Palm Single panel in Nanofront®, Outer reinforcement in Sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion. | Lining Waterproof and breathable HIPORA® membrane, fully taped seams




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips Cuff adjustment Rubber reinforcement over the fingers Touchscreen gloves

ACE73i)

PRODUCT DETAILS


COMPONENTS: 70% Polyester, 20% Polyurethane, 10% Nylon | MATERIALS: | Back of hand Stretch fabric | Palm Single panel in Nanofront®, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement

Made In: China

PRODUCTS RELATED



S 062 | M 064 | L 066 | XL 068 | XXL 069






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the fingers Touchscreen Gloves




PRODUCT DETAILS

COMPONENTS: | 80% POLYESTER | 10% POLYURETHANE | 10% NYLON | MATERIALS: | Back hand: | Stretch fabric, , Soft rubber reinforcementPalm: | Single panel in Nanofront | Outer reinforcement sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069




GLOVES - SIZE GUIDE

HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	11,4-12,7 cm
S	12,7-14,0 cm
м	14,0-15,2 cm
L	15,2-16,5 cm
XL	16,5-17,8 cm
2XL	17,8-19,1 cm






Made using a thin material to offer complete protection of the palm of the hand Perfect for protecting against blisters and for absorbing vibrations from the handlebars

PRODUCT DETAILS

60% Polyester; 40% Neoprene






S/M 063 | L/XL 067








PRODUCT DETAILS

70% Polyester | 20% Nylon | 10% Polyurethane

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	17,7-19,0 cm
S	19,0-20,3 cm
м	20,3-21,6 cm
L	21,6-22,9 cm
XL	22,9-24,1 cm
2XL	24,1-25,4 cm
3XL	25,4-27,9 cm











0026122.090

FEATURES

Back in polyester Palm in synthetic leather Fourchette Lycra and goat leather Peronalized vented certified protection EN 13594:2015 KP level 1 , with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger Mesh on back and vented knuckle protectos for better breathability Wrist closure with strap and velcro Reflective print on strap Personalized on knuckle protector, personalized rubber slider, cuff closure with reflective details Light inner lining in polyester 170gr size M per pair

PRODUCT DETAILS


35% Polyester | 30% Nylon | 25% Goat leather | 10% Span

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068






Sporty pre-curved short glove for road use, made of ventilated technical fabric combination indicated for Spring/Summer period. CE EN 13594:2015 KP level 1 certified glove Rigid knuckle protection coated with synthetic leather certified KP level 1.

AX Suede synthetic leather palm. Reinforcement on palm and outside of hand. Touch screen insert on index and middle fingers for easy use of electronic devices. Wrist closure with strap and Velcro.

PRODUCT DETAILS

SHELL: | Nylon 65% | Polyurethane 20% | Polyester 10% | Spandex 5%

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

TAGLIA	CIRCONFERENZA
XS	17,7-19,0 cm
S	19,0-20,3 cm
м	20,3-21,6 cm
L	21,6-22,9 cm
XL	22,9-24,1 cm
2XL	24,1-25,4 cm
3XL	25,4-27,9 cm

GLOVES / DUAL ROAD GLOVES CE RAMSEY MY VENTED PRO GLOVES





Short sports glove for road use. CE EN 13594:2015 KP level 1 certified. Back made of a combination of ventilated technical fabrics, suitable for Spring/Summer period.

Rigid protection on the back made of carbon effect plastic certified KP level 1.

AX Suede ® synthetic leather palm. Plastic slider on palm and silicone grip detail. Touch screen print on index and middle fingers for easy use of various electronic devices. Lowered soft neoprene wrist closure with Velcro.

PRODUCT DETAILS

SHELL: | Nylon 60% | Polyurethane 20% | Polyester 15% | Spandex 5%

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070

GLOVES / DUAL ROAD GLOVES CE RAMSEY MY VENTED LADY GLOVES









0025630.723

FEATURES

CERTIFIED GLOVES EN 13594:2015 Lev 1 KP Extremely breathable thanks to the mesh on the back and on the fingers' sides Pre-curved fit Palm and fingers tips made of a synthetic leather single panel Padding on the back of the fingers Carbon look ABS reinforcements on the knuckles Wrist closure through soft rubber strap Rubber personalization on the back of the wrist Available in 3 color ways to match the Ramsey My Vented Jacket Touch Screen Insert on index finger and thumb Double reinforcement on palm for abrasion resistance.

PRODUCT DETAILS

COMPONENTS: | 70% Polyester | 25% Polyurethane | 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.




PRODUCTS RELATED




0023745 CE RAMSEY MY VENTED 2.0 LADY JACKET

▶ 723



SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068





just below the knuckles, excluding the thumb, taking care to measure the widest point of your palm.

SIZE	CIRCUMFERENCE
XS	16,5-17,8 cm
S	17,8-19,0 cm
м	19,0-20,3 cm
L	20,3-21,6 cm
XL	21,6-22,9 cm












Back in polyester Palm in synthetic leather Fourchette Heavy Lycra CE EN 13594:2015 Soft padding on back and thumb Hipora ® Membrane Waterproof Wrist closure with strap and velcro Personalized logo on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm












Polyester ribstop Palm in synthetic leather Fourchette in nylon Hard protector on back certified EN 13594:2015 KP level 1 and plastic slider on palm Hipora ® Membrane Waterproof Double wrist closure with strap and velcro Reflactive insert for passive safety Personalized logo on knuckle protector, personalized plastic slider, cuff closure with reflective details Warm inner lining in polyester Thinsulate ™ padding 200gr 265gr size M per pair

PRODUCT DETAILS

70% Polyester | 20% Nylon | 10% Spandex

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

GLOVES / DUAL ROAD GLOVES CE RAMSEY LEATHER 2.0 GLOVES











0025629.090

FEATURES

Back in polyester Palm in goat leather Fourchette heavy lycra Carbon look Certified protection on back EN 13594:2015 KP level 1 Membrana Hipora®

Wrist closure with strap and velcro Personalized on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester

Made In: China


PRODUCTS RELATED



0023744 CE RAMSEY VENTED JACKET

248

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm







0024870.582



0024870.090

FEATURES


Knit polyester with personalized pattern Palm in goat leather Lycra and goat leather CE EN 13594:2015 KP level 1 Soft protector on back certified EN 13594:2015 KP level 1 Breathable mesh fabric on back and mesh palm insert for better ventilation

Wrist closure in soft personalized neoprene Rubber personalized logo on back 105gr size M per pair

PRODUCT DETAILS

60% Goat leather | 30% Polyester | 5% Nylon | 5% Polyurethane

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm









FEATURES

Back in polyester stretch Palm in synthetic leather Fourchette in polyester stretch CE EN 13594:2015 Wrist closure with strap and velcro


Rubber personalized logo on back and strap 90gr size M per pair

PRODUCT DETAILS

72% Nylon | 21% Polyurethane | 7% Rubber

Made In: Indonesia

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






FEATURES

Back in polyester Palm in synthetic leather Fourchette Lycra and goat leather Peronalized vented certified protection EN 13594:2015 KP level 1 , with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger Mesh on back and vented knuckle protectos for better breathability Wrist closure with strap and velcro Reflective print on strap Personalized on knuckle protector, personalized rubber slider, cuff closure with reflective details Light inner lining in polyester 170gr size M per pair

PRODUCT DETAILS

35% Polyester | 30% Nylon | 25% Goat leather | 10% Span

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm

GLOVES / DUAL ROAD GLOVES CE NEOPRENE 3.0 GLOVES





0024283.318

0024283.319

FEATURES

Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 Glove fit extremely precurved and comfortable without stitching on the fingertips Cuff regulation Touch Screen Printing on index and thumb fingers Refractive Insert on outer side of little finger Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 37% NYLON | 30% POLYESTER | 30% NEOPRENE | 3% POLYURETHANE | MATERIALS: | Back hand: | Neoprene with digital printing featuresPalm: | Single panel in Synthetic Leather, double reinforcement on bottom | Outer reinforcement in sinthetic leather , padding 3MM and inner reinforcement resistant to tearing and abrasion

141

× 441

315


543





PRODUCTS RELATED

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm









FEATURES

Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 Glove fit extremely precurved and comfortable without stitching on the fingertips Cuff regulation Touch Screen Printing on index and thumb fingers Refractive Insert on outer side of little finger Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 65% POLYESTER | 32% NYLON | 3% POLYURETHANE | MATERIALS: | Back hand: | No-wind fabric with digital printing featuresPalm: | Single panel in Synthetic Leather, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






CERTIFIED GLOVES EN 13594:2015 Silicone inserts on fingertips for maximum grip. No seams on fingertips. Wrist closure with soft rubber patches. Carbon-effect protection on knuckles. Soft rubber reinforcements on fingers. Reflective piping. Use of fluo colors. Touchscreen gloves.

PRODUCT DETAILS

COMPOSITION: | 40% Polyester; 30% Nylon; 10% Polyurethane; 10% Neoprene; 10% Goat Leather. | MATERIALS: | Back of hand: Neoprene panel. | Palm: Single panel in vented Nanofront.

S 062 | M 064 | L 066 | XL 068 | XXL 069





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm












FEATURES

Touring fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP The glove also passed the Impact Test on knuckle (KP) Glove fit extremely precurved and comfortable Inner Hipora ® Membrane for waterproof glove Personalized Knuckle protector Cuff regulation Silicon printing on fingertips and on inside index finger in the area grips for better grip Touch Screen Insert on index and thumb figers Refractive Insert on outer side of the glove Double reinforcement on bottom palm Personalised Rubber Slider on palm

PRODUCT DETAILS

COMPONENTS: | 85% Polyester, 10% Elastane, 5% Nylon | MATERIALS: | Back hand: | Water Repellent Softshell fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3mm and inner reinforcement resistant to tearing and abrasion

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm











FEATURES

Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP The glove also passed the Impact Test on knuckle (KP) Glove fit extremely precurved and comfortable Cuff regulation ABS reinforcement on knuckle and rubber padding over the fingers Touch Screen Inserts on index and thumb figer Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 65% Goat Leather, 20% Neoprene, 15% PolyurethaneMATERIALS: | Back hand: | Goat Leather, Beathable Mesh Insert, ABS reinforcementPalm: | Panels in Goat Leather | Outer reinforcement in sinthetic leather ,padding 3MM and inner reinforcement resistant to tearing and abrasion




PRODUCTS RELATED



0023744 CE RAMSEY VENTED JACKET 248

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
M	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






FEATURES

Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP The glove also passed the Impact Test on knuckle (KP) Glove fit extremely precurved and comfortable Personalized Knuckle protector Cuff regulation Silicon printing on fingertips for better grip Touch Screen Insert on index and thumb figers Double reinforcement on bottom palm Personalised Slider on palm

PRODUCT DETAILS

COMPONENTS: | 45% Polyester, 40% Nylon, 15% Elastane | MATERIALSBack hand: | Stretch spandex fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather ,padding 3mm and inner reinforcement resistant to tearing and abrasion

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm











FEATURES

Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 Glove fit extremely precurved and comfortable Inner Hipora ® Membrane for waterproof glove Cuff regulation


0024018.090

Silicon printing on fingertips for better grip Touch Screen Insert on index and thumb fingers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 80% Nylon, 20% Polyurethane | MATERIALS: | Back hand: | Water Repellent Nylon fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather , padding 3mm and inner reinforcement resistant to tearing and abrasion

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm





FEATURES

CERTIFIED GLOVES EN 13594:2015 Lev 1 KP Extremely breathable thanks to the mesh on the back and on the fingers' sides Pre-curved fit Palm and fingers tips made of a synthetic leather single panel Padding on the back of the fingers Carbon look ABS reinforcements on the knuckles Wrist closure through soft rubber strap Rubber personalization on the back of the wrist Available in 3 color ways to match the Ramsey My Vented Jacket Touch Screen Insert on index finger and thumb Double reinforcement on palm for abrasion resistance.


PRODUCT DETAILS

COMPONENTS: | 70% Polyester, 25% Polyurethane, 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.





XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070






HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
L	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm






Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the back and fingers Silicon insert under the fingertips for a better grip Touch Screen Printing on index and thumb figers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 85% POLYESTER | 8% NEOPRENE | 5% POLYURETHANE | 2% SPANDEXMATERIALS: | Back hand: | Stretch fabric, Neoprene Insert, Soft rubber reinforcementPalm: | Single panel in AX Suede Matmarket, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070





HOW TO MEASURE

SIZE	CIRCUMFERENCE
S	17,7-20,2 cm
м	20,2-21,7 cm
Ļ	21,7-23 cm
XL	23-24,3 cm
XXL	24,3-25,6 cm
XXXL	25,6-28,1 cm