

ENDURO RACE GLOVES 0026120







0026120.010



0026120.030



0026120.582



0026120.090

FEATURES

Short pre-curved sport glove developed together with the best world enduro riders specifically for this discipline.

Non-certified glove dedicated to offroad use.

Soft reinforcement on the knuckles in the pinky and ring finger area.

Breathable mesh fourchettes for perfect ventilation.

Perforated synthetic leather palm

Touch screen print on index and middle fingers for easy use of electronic devices.

Roll-up palm construction in a single panel up to above the fingers. Lowered soft neoprene wrist closure with Velcro.


PRODUCT DETAILS

Poliestere 36,0% | Poliuretano 26,4% | Nylon 35,1% | Rubber 2,5%

Made In: Indonesia



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



GLOVES MX LINEAR 2.0 KID 0026433







0026433.209



0026433.237



0026433.315

FEATURES

Pre-curved, lightweight and durable kid's offroad glove Off-road use only.

Single-panel synthetic leather palm with silicone-print for better

Perforated synthetic leather reinforcement on thumb.


Soft thermoformed neoprene strap closure with velcro adjustment. Lycra fourchettes for extreme mobility Elastic fabric back with sublimation print Weight: 40gr in size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| TAGLIA | CIRCONFERENZA |
|--------|---------------|
| XS | 11,4-12,7 cm |
| S | 12,7-14,0 cm |
| M | 14,0-15,2 cm |
| L | 15,2-16,5 cm |
| XL | 16,5-17,8 cm |
| 2XL | 17,8-19,1 cm |



GLOVES X-FLEX 2.0 0026115







0026115.543



0026115.325



0026115.030



0026115.090



0026115.110

FEATURES

The X-FLEX 2.0 glove is the result of combining strength, sensitivity, lightness and ventilation. Thanks to the use of Nanofront TM, the world's finest and strongest yarn, (700 um micron cross-section), it makes the glove extremely lightweight and allows for sensational grip feel. Using a stretch dobby polyester fabric makes the glove highly resistant to abrasion. Small mesh inserts between the fingers and laser holes make the glove extremely ventilated and comfortable. Attention to detail is also highlighted by the custom soft neoprene and Velcro closure, the presence of gel on thumb and soft rubber inserts on back.

Palm made of a single seamless Nanofront panel, with ventilation holes and silicone details

Back in highly abrasion-resistant dobby polyester

Mesh inserts between the fingers

Neoprene closure with strap and velcro

Customization in soft rubber on the back and silicone on the palm

Highly durable dobby polyester fabric

Nanofront TM

Breathable mesh inserts

PRODUCT DETAILS

Shell: | Polyester 55% | Nylon 30% | Neoprene 10% | 5% Polyurethane

GLOVES / OFF ROAD GLOVES GLOVES X-FLEX 2.0



PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES MX X-P 2.0 0026420







0026420.010



0026420.582



0026420.090



0026420.141



0026420.237



0026420.279



0026420.543

FEATURES


Back of hand: Stretch fabric.

Palm: Single panel in Nanofront®, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement.

Glove with extreme precurved and comfortable fit without stitching on the fingertips.
Cuff adjustment.
Touchscreen gloves.



S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



GLOVES MX LINEAR 2.0 0026432







0026432.209



0026432.237



0026432.245



0026432.248



0026432.315



0026432.349

FEATURES

Pre-curved glove lightweight and durable due to stretch fabric back and single panel palm.

Glove not certified and dedicated to off road use. Stretch fabric back with sublimation print.

Synthetic leather palm made in a single panel.

Silicone print on palm for better grip.
Perforated synthetic leather reinforcement on thumb.
Lycra fourchettes for extreme mobility.

Soft thermoformed neoprene closure with strap and Velcro adjustment.


Weight: 40gr size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather



S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



GLOVES MX LINEAR 0025592







0025592.090



0025592.209



0025592.237



0025592.251



0025592.349

FEATURES

Precurved light and resistance glove, used due to the fabric in sublimated panels and palm in one panel synthetic leather. Gloves not certified and Off road use only. Reinforcement in perforated synthetic leather on thumb. Closure in soft thermowelded neoprene and regulation with strap and velcro.


Silicon print on palm for better grip.
Wrist closure with Neoprene cuff and strap
Back panel in sublimation printing, Wrist in thermowelded neoprene
and silicon printing on palm
40gr size M

PRODUCT DETAILS

Back material: Polyester | Palm Material: Synthetic Leather




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE X-ENDURO GLOVES







0023993.243



0023993.090



0023993.582



0023993.318



0023993.899

FEATURES

Enduro fit
CERTIFIED GLOVES CE EN 13594:2015
Glove fit extremely precurved and comfortable without stitiching on the fingertips
Cuff regulation
Rubber reinforcement over the back and fingers

Silicon insert under the fingertips for a better grip Touch Screen Printing on index and thumb figers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 85% POLYESTER | 8% NEOPRENE | 5% POLYURETHANE | 2% SPANDEXMATERIALS: | Back hand: | Stretch fabric , Neoprene Insert, Soft rubber reinforcementPalm: | Single panel in AX Suede Matmarket ,double reinforcement on bottom | Outer reinforcement in sinthetic leather , padding 3MM and inner reinforcement resistant to tearing and abrasion

GLOVES / OFF ROAD GLOVES CE X-ENDURO GLOVES



PRODUCTS RELATED



JACKET X-DURO

JACKET X-DURO W-PROOF

 ENDURO-ONE JACKET

49 **≥** 318 

ENDURO PANTS


49



UNDERGLOVE PALMINO

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



MX-WP HOMOLOGATED GLOVES 0023419







0023419.293



0023419.207



0023419.318



0023419.426

FEATURES


Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips Cuff adjustment Rubber reinforcement over the fingers Silicon insert under the fingertips for a better grip

PRODUCT DETAILS

57% Polyester, 40% Polyurethane, 3% Nylon | Back of hand Stretch fabric | Palm Single panel in Nanofront®, Outer reinforcement in Sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion. | Lining Waterproof and breathable HIPORA® membrane, fully taped seams




PRODUCTS RELATED



SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| M | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



MX X-H GLOVES 0023409





0023409.141



0023409.076



0023409.543



0023409.010



0023409.134



0023409.110



0023409.441



0023409.090



0023409.073



0023409.042



0023409.030



0023409.315

FEATURES

Enduro fit CERTIFIED GLOVES EN 13594:2015 Glove with extreme precurved and comfortable fit without stitching on the fingertips Cuff adjustment Rubber reinforcement over the fingers Touchscreen gloves

GLOVES / OFF ROAD GLOVES MX X-H GLOVES



PRODUCT DETAILS

COMPONENTS: 70% Polyester, 20% Polyurethane, 10% Nylon | MATERIALS: | Back of hand Stretch fabric | Palm Single panel in Nanofront®, outer reinforcement in tear- and abrasion-resistant synthetic leather, 3 mm padding and tear- and abrasion-resistant inner reinforcement


Made In: China

PRODUCTS RELATED





S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE MX X-K KID GLOVES 0024281







0024281.110



0024281.134



0024281.543



0024281.030



0024281.063



0024281.207



0024281.249



0024281.293



0024281.899

FEATURES

Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Glove fit extremely precurved and comfortable without stitiching on the fingertips Cuff regulation Rubber reinforcement over the fingers Touchscreen Gloves




PRODUCT DETAILS

COMPONENTS: | 80% POLYESTER | 10% POLYURETHANE | 10% NYLON | MATERIALS: | Back hand: | Stretch fabric, , Soft rubber reinforcementPalm: | Single panel in Nanofront | Outer reinforcement sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| TAGLIA | CIRCONFERENZA |
|--------|---------------|
| XS | 11,4-12,7 cm |
| S | 12,7-14,0 cm |
| M | 14,0-15,2 cm |
| L | 15,2-16,5 cm |
| XL | 16,5-17,8 cm |
| 2XL | 17,8-19,1 cm |



UNDERGLOVE PALMINO 0022717









0022717.010



0022717.237



0022717.290



0022717.040



0022717.090





0022717.110

FEATURES

Made using a thin material to offer complete protection of the palm of the hand Perfect for protecting against blisters and for absorbing vibrations from the handlebars


PRODUCT DETAILS

60% Polyester; 40% Neoprene

GLOVES / OFF ROAD GLOVES UNDERGLOVE PALMINO



PRODUCTS RELATED



SIZES

S/M 063 | L/XL 067



CE CROSSOVER LADY GLOVES 0026122







0026122.090

FEATURES

Back in polyester
Palm in synthetic leather
Fourchette Lycra and goat leather
Peronalized vented certified protection EN 13594:2015 KP level 1, with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger
Mesh on back and vented knuckle protectos for better breathability

Wrist closure with strap and velcro
Reflective print on strap
Personalized on knuckle protector, personalized rubber slider, cuff
closure with reflective details
Light inner lining in polyester
170gr size M per pair

PRODUCT DETAILS

35% Polyester | 30% Nylon | 25% Goat leather | 10% Span

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



CE PYRAMID GLOVES 0024869







0024869.090



0024869.323



0024869.316

FEATURES

Sporty pre-curved short glove for road use, made of ventilated technical fabric combination indicated for Spring/Summer period. CE EN 13594:2015 KP level 1 certified glove Rigid knuckle protection coated with synthetic leather certified KP level 1.

AX Suede synthetic leather palm.
Reinforcement on palm and outside of hand.
Touch screen insert on index and middle fingers for easy use of electronic devices.


Wrist closure with strap and Velcro.

PRODUCT DETAILS

SHELL: | Nylon 65% | Polyurethane 20% | Polyester 10% | Spandex 5%



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| TAGLIA | CIRCONFERENZA |
|--------|---------------|
| XS | 17,7-19,0 cm |
| S | 19,0-20,3 cm |
| М | 20,3-21,6 cm |
| L | 21,6-22,9 cm |
| XL | 22,9-24,1 cm |
| 2XL | 24,1-25,4 cm |
| 3XL | 25,4-27,9 cm |



CE RAMSEY MY VENTED PRO GLOVES 0026129







0026129.076



0026129.090



0026129.323



0026129.318

FEATURES

Short sports glove for road use.

CE EN 13594:2015 KP level 1 certified.

Back made of a combination of ventilated technical fabrics, suitable for Spring/Summer period.

Rigid protection on the back made of carbon effect plastic certified KP level 1.

AX Suede ® synthetic leather palm.

Plastic slider on palm and silicone grip detail.

Touch screen print on index and middle fingers for easy use of various electronic devices.

Lowered soft neoprene wrist closure with Velcro.

PRODUCT DETAILS

SHELL: | Nylon 60% | Polyurethane 20% | Polyester 15% | Spandex 5%

Made In: China

SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



CE RAMSEY MY VENTED LADY GLOVES 0025630







0025630.090



0025630.723

FEATURES

CERTIFIED GLOVES EN 13594:2015 Lev 1 KP Extremely breathable thanks to the mesh on the back and on the fingers' sides Pre-curved fit

Palm and fingers tips made of a synthetic leather single panel Padding on the back of the fingers

Carbon look ABS reinforcements on the knuckles

Wrist closure through soft rubber strap
Rubber personalization on the back of the wrist
Available in 3 color ways to match the Ramsey My Vented Jacket
Touch Screen Insert on index finger and thumb
Double reinforcement on palm for abrasion resistance.

PRODUCT DETAILS

COMPONENTS: | 70% Polyester | 25% Polyurethane | 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.



PRODUCTS RELATED




0023745 CE RAMSEY MY VENTED 2.0 LADY JACKET

1723



SIZES

XS 061 | S 062 | M 064 | L 066 | XL 068



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| XS | 16,5-17,8 cm |
| s | 17,8-19,0 cm |
| М | 19,0-20,3 cm |
| L | 20,3-21,6 cm |
| XL | 21,6-22,9 cm |



CE SKYLINE GLOVES 0025594







0025594.090

FEATURES


Back in polyester Palm in synthetic leather Fourchette Heavy Lycra CE EN 13594:2015 Soft padding on back and thumb Hipora ® Membrane Waterproof Wrist closure with strap and velcro Personalized logo on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE WINTER TOUR GLOVES 0025593







0025593.090

FEATURES

Polyester ribstop
Palm in synthetic leather
Fourchette in nylon
Hard protector on back certified EN 13594:2015 KP level 1 and plastic slider on palm
Hipora ® Membrane
Waterproof
Double wrist closure with strap and velcro
Reflactive insert for passive safety


Personalized logo on knuckle protector, personalized plastic slider, cuff closure with reflective details Warm inner lining in polyester Thinsulate $^{\text{TM}}$ padding 200gr 265gr size M per pair

PRODUCT DETAILS

70% Polyester | 20% Nylon | 10% Spandex



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE RAMSEY LEATHER 2.0 GLOVES 0025629







0025629.090

FEATURES

Back in polyester Palm in goat leather Fourchette heavy lycra Carbon look Certified protection on back EN 13594:2015 KP level 1 Membrana Hipora®

Wrist closure with strap and velcro Personalized on back and cuff closure Light inner lining in polyester 150gr size M per pair

PRODUCT DETAILS

80% Nylon | 20% Polyester

Made In: China

PRODUCTS RELATED




0023744 CE RAMSEY MY VENTED 2.0 **JACKET**





XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



MAYA CE GLOVES 0024870







0024870.543



0024870.582



0024870.090

FEATURES

Knit polyester with personalized pattern
Palm in goat leather
Lycra and goat leather
CE EN 13594:2015 KP level 1
Soft protector on back certified EN 13594:2015 KP level 1
Breathable mesh fabric on back and mesh palm insert for better ventilation


Wrist closure in soft personalized neoprene Rubber personalized logo on back 105gr size M per pair

PRODUCT DETAILS

60% Goat leather | 30% Polyester | 5% Nylon | 5% Polyurethane



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE X-WAY GLOVES 0025466







0025466.318



0025466.090

FEATURES

Back in polyester stretch Palm in synthetic leather Fourchette in polyester stretch CE EN 13594:2015 Wrist closure with strap and velcro

Rubber personalized logo on back and strap 90gr size M per pair


PRODUCT DETAILS

72% Nylon | 21% Polyurethane | 7% Rubber

Made In: Indonesia



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE CROSSOVER GLOVES 0024868







0024868.299



0024868.249



0024868.076



0024868.090

FEATURES

Back in polyester
Palm in synthetic leather
Fourchette Lycra and goat leather
Peronalized vented certified protection EN 13594:2015 KP level 1, with honeycomb structure on back, rubber slider on palm and rubber reinforcement on little finger
Mesh on back and vented knuckle protectos for better breathability


Wrist closure with strap and velcro Reflective print on strap Personalized on knuckle protector, personalized rubber slider, cuff closure with reflective details Light inner lining in polyester 170gr size M per pair

PRODUCT DETAILS

35% Polyester | 30% Nylon | 25% Goat leather | 10% Span



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |











0024283.318



0024283.319

FEATURES

Enduro fit
CERTIFIED GLOVES CE EN 13594:2015 Lev 1
Glove fit extremely precurved and comfortable without stitching on the fingertips
Cuff regulation

Touch Screen Printing on index and thumb fingers Refractive Insert on outer side of little finger Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 37% NYLON | 30% POLYESTER | 30% NEOPRENE | 3% POLYURETHANE | MATERIALS: | Back hand: | Neoprene with digital printing featuresPalm: | Single panel in Synthetic Leather, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion



PRODUCTS RELATED







0024557
PANTS X-DURO W-PROOF
BAGGY
■ 090 ■ 243












S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE ZERO DEGREE 3.0 GLOVES 0024282







0024282.318



0024282.319

FEATURES

Enduro fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 Glove fit extremely precurved and comfortable without stitching on the fingertips Cuff regulation

Touch Screen Printing on index and thumb fingers Refractive Insert on outer side of little finger Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 65% POLYESTER | 32% NYLON | 3% POLYURETHANE | MATERIALS: | Back hand: | No-wind fabric with digital printing featuresPalm: | Single panel in Synthetic Leather, double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3MM and inner reinforcement resistant to tearing and abrasion



PRODUCTS RELATED



0024556 JACKET X-DURO W-PROOF ■ 090 ■ 243

■ 090 ■ 582



0024557 PANTS X-DURO W-PROOF BAGGY

090

243




0022169 ENDURO-ONE JACKET

≥ 249 **≥** 318

■ 313 ■ 319

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE CARBON "G" 3.0 GLOVES 0022214







0022214.090



0022214.279



0022214.319

FEATURES


CERTIFIED GLOVES EN 13594:2015 Silicone inserts on fingertips for maximum grip. No seams on fingertips. Wrist closure with soft rubber patches. Carbon-effect protection on knuckles. Soft rubber reinforcements on fingers. Reflective piping. Use of fluo colors. Touchscreen gloves.

PRODUCT DETAILS

COMPOSITION: | 40% Polyester; 30% Nylon; 10% Polyurethane; 10% Neoprene; 10% Goat Leather. | MATERIALS: | Back of hand: Neoprene panel. | Palm: Single panel in vented Nanofront.



S 062 | M 064 | L 066 | XL 068 | XXL 069



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE DISCOVERY GLOVES 0023987







0023987.090

FEATURES

Touring fit
CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP
The glove also passed the Impact Test on knuckle (KP)
Glove fit extremely precurved and comfortable
Inner Hipora ® Membrane for waterproof glove
Personalized Knuckle protector
Cuff regulation
Silicon printing on fingertips and on inside index finger in the area
grips for better grip


Touch Screen Insert on index and thumb figers Refractive Insert on outer side of the glove Double reinforcement on bottom palm Personalised Rubber Slider on palm

PRODUCT DETAILS

COMPONENTS: | 85% Polyester, 10% Elastane, 5% Nylon | MATERIALS: | Back hand: | Water Repellent Softshell fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3mm and inner reinforcement resistant to tearing and abrasion



S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE RAMSEY LEATHER GLOVES 0024360







0024360.090

FEATURES

Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP The glove also passed the Impact Test on knuckle (KP) Glove fit extremely precurved and comfortable Cuff regulation ABS reinforcement on knuckle and rubber padding over the fingers Touch Screen Inserts on index and thumb figer Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 65% Goat Leather, 20% Neoprene, 15% PolyurethaneMATERIALS: | Back hand: | Goat Leather, Beathable Mesh Insert, ABS reinforcementPalm: | Panels in Goat Leather | Outer reinforcement in sinthetic leather ,padding 3MM and inner reinforcement resistant to tearing and abrasion



PRODUCTS RELATED




0023744 CE RAMSEY MY VENTED 2.0 JACKET

248

SIZES

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE X-STREET GLOVES 0024019







0024019.090



0024019.323



0024019.318

FEATURES


Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 KP The glove also passed the Impact Test on knuckle (KP) Glove fit extremely precurved and comfortable Personalized Knuckle protector Cuff regulation
Silicon printing on fingertips for better grip
Touch Screen Insert on index and thumb figers
Double reinforcement on bottom palm
Personalised Slider on palm

PRODUCT DETAILS

COMPONENTS: | 45% Polyester, 40% Nylon, 15% Elastane | MATERIALSBack hand: | Stretch spandex fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather ,padding 3mm and inner reinforcement resistant to tearing and abrasion



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



GLOVES CE URBAN WP 2 0024018







0024018.090



0024018.318

FEATURES


Sport fit CERTIFIED GLOVES CE EN 13594:2015 Lev 1 Glove fit extremely precurved and comfortable Inner Hipora ® Membrane for waterproof glove Cuff regulation Silicon printing on fingertips for better grip Touch Screen Insert on index and thumb fingers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 80% Nylon, 20% Polyurethane | MATERIALS: | Back hand: | Water Repellent Nylon fabric Palm: | Single panel in Synthetic Leather AX® Suede Matmarket double reinforcement on bottom | Outer reinforcement in sinthetic leather, padding 3mm and inner reinforcement resistant to tearing and abrasion



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| s | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



GLOVES CE RAMSEY MY VENTED 0023478







0023478.090



0023478.110



0023478.318

FEATURES

CERTIFIED GLOVES EN 13594:2015 Lev 1 KP

Extremely breathable thanks to the mesh on the back and on the fingers' sides

Pre-curved fit

Palm and fingers tips made of a synthetic leather single panel

Padding on the back of the fingers

Carbon look ABS reinforcements on the knuckles

Wrist closure through soft rubber strap Rubber personalization on the back of the wrist Available in 3 color ways to match the Ramsey My Vented Jacket Touch Screen Insert on index finger and thumb Double reinforcement on palm for abrasion resistance.

PRODUCT DETAILS

COMPONENTS: | 70% Polyester, 25% Polyurethane, 5% NeopreneMATERIALS: | Back of hand Synthetic leather and mesh. | Palm Synthetic leather.

GLOVES / DUAL ROAD GLOVES GLOVES CE RAMSEY MY VENTED



PRODUCTS RELATED



0025198 PANTS CE RAMSEY LIGHT

076

090



0023744 CE RAMSEY MY VENTED 2.0 JACKET

248



0024293 CE RAMSEY VENTED PANTS

090



0025630 CE RAMSEY MY VENTED LADY GLOVES

090

1723



0022648 RAMSEY MY VENTED 2.0

090

288

290

■ 313

■ 318 **■** 323



0022755 RAMSEY MY VENTED 2.0 LONG

010

110

≥ 318

■ 319



0023390 RAMSEY MY VENTED 2.0 LADY JACKET


090

290

1723



XS 061 | S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |



CE X-ENDURO GLOVES







0023993.243



0023993.090



0023993.582



0023993.318



0023993.899

FEATURES

Enduro fit
CERTIFIED GLOVES CE EN 13594:2015
Glove fit extremely precurved and comfortable without stitiching on the fingertips
Cuff regulation
Rubber reinforcement over the back and fingers

Silicon insert under the fingertips for a better grip Touch Screen Printing on index and thumb figers Double reinforcement on bottom palm

PRODUCT DETAILS

COMPONENTS: | 85% POLYESTER | 8% NEOPRENE | 5% POLYURETHANE | 2% SPANDEXMATERIALS: | Back hand: | Stretch fabric , Neoprene Insert, Soft rubber reinforcementPalm: | Single panel in AX Suede Matmarket ,double reinforcement on bottom | Outer reinforcement in sinthetic leather , padding 3MM and inner reinforcement resistant to tearing and abrasion

GLOVES / OFF ROAD GLOVES CE X-ENDURO GLOVES



PRODUCTS RELATED



JACKET X-DURO

JACKET X-DURO W-PROOF

 ENDURO-ONE JACKET

49 **≥** 318 

ENDURO PANTS


49



UNDERGLOVE PALMINO

S 062 | M 064 | L 066 | XL 068 | XXL 069 | XXXL 070



GLOVES - SIZE GUIDE

HOW TO MEASURE

| SIZE | CIRCUMFERENCE |
|------|---------------|
| S | 17,7-20,2 cm |
| М | 20,2-21,7 cm |
| L | 21,7-23 cm |
| XL | 23-24,3 cm |
| XXL | 24,3-25,6 cm |
| XXXL | 25,6-28,1 cm |