NEW PRODUCTS / NEW PRODUCTS ARTIGLIO WATERPROOF BOOTS



ARTIGLIO WATERPROOF BOOTS 0026463







0026463.090

FEATURES

Protective, wrap-around boot that boasts an extremely lightweight, waterproof inner membrane designed to keep feet dry in all conditions.

Cut- and abrasion-resistant upper

Heel protection made of elastomeric material for improved comfort and shock absorption

TPU inserts with differentiated structure in the tibial, ankle and gearbox area for maximum protection

Closure by 4 hooks with buckles for micrometric adjustment

Heat protection in suede material

Soft microfiber tibial gussets resistant to cut and abrasion.

Soft and snug TPU tibial gaiter, resistant to cuts, caused by contact with footpads.

Dual-density non-slip sole with large open inserts that provides traction and prevents mud from accumulating. Anti-abrasion clawed outsole provides unprecedented grip, giving protection and high performance. Full coverage on the toe increases rider protection without hindering movement ONEWAY unidirectional upper Velcro closure, which allows the gaiter to fit perfectly on the leg, simply by closing the upper lever.


Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634: 2017 CERTIFICATION Weight: 2,8 Kg

PRODUCT DETAILS

TPU 61% | Microfiber 23% | TPR 7% | Rubber 9%

Made In: China

PRODUCTS RELATED




SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - S | IZE GUIDE | |
|------|-----------|-----------|------|
| | | | |
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |





FEATURES

Protective and enveloping boot which boasts extreme lightness.

Upper resistant to cutting and abrasion.

Heel protection made of elastomeric material for better comfort and shock absorption.

TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.

Closure by 4 hooks with buckles for micrometric adjustment.

Heat protection in suede material.

Soft microfiber tibial bellows, cut and abrasion resistant.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.

Full coverage at the tip increases rider protection without hindering rider movement

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634 CERTIFICATION: 2017

Fastens with 4 buckles

A logo on shin guard and heel guard, Acerbis logo on the back.

FOOTWEAR / OFF ROAD FOOTWEAR **ARTIGLIO BOOTS**



PRODUCT DETAILS

29% TPU | 51% Microfiber | 15& TPR | 37% Rubber

Made In: China

÷

PRODUCTS RELATED

0025921 **** SET STRAPS BOOTS ARTIGLIO 030 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - SIZE GUIDE | | |
|------|--------------------|------|------|
| | | | |
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | ; 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 5 | 37 | 4 |
| 25,2 | . 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | i 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 5 15 | 50 | 14 |







0025890.030



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.

Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.

Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.

Tibial protection through anatomically shaped and reinforced shin guards.

Structured heel protection to absorb any impact.

Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.

Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.

Closing by 4 large aluminium levers.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Leather and microfiber upper cut and abrasion resistant.

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Orthotics shock absorbing pre-shaped

Interior made of 3D Mesh for excellent comfort and ventilation Foam protection around the ankles

CERTIFICATION EN 13634:2017

Weight: 3,65 Kg pair



PRODUCT DETAILS

TPU 45% | Synthetic leather 12% | Real leather 32% | TPR 1% | Rubber 10%

Made In: China



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| | | | |
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |





FEATURES

Leather and microfiber upper resistant to cut and abrasion Articulation in the ankle area

Shin protection via anatomically contoured lower and upper shin guards

Contoured heel protection to facilitate gear shifting at the start

Medial and toe protection made of appropriately ribbed plastics for better shock absorption

Differentiated density TPU insert in the shift area for maximum control

Grip Burn Guard made of heat- and wear-resistant vulcanized rubber Closure by 4 buckles with new, wide aluminum levers Breathable microfiber tibial gaiter Antibacterial shock absorbing footbed in multilayer structure Interior made of 3d Mesh for excellent comfort and sweat absorption Insole made of composite plastic/steel material to ensure greater rigidity and absorption on the foot of shocks of a compressive nature Dedicated Acerbis anti-wear, anti-shock, oil and gasoline resistant outsole: "Double Composite" that ensures extraordinary control in contact with the footpads Steel toe cap EN 13634: 2017 CERTIFICATION

Weight: 4,6 kg

PRODUCT DETAILS

12% Action leather | 10% Real leather | 28% TPU | 15% Synthetic leather | 15% Mesh | 20% Polyester

Made In: Myanmar

PRODUCTS RELATED



SIZES


T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| 7 | BOOTS - S | OOTS - SIZE GUIDE | | |
|------|-----------|-------------------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |

FOOTWEAR / OFF ROAD FOOTWEAR X-RACE BOOTS





FEATURES

Lightweight, protective, anatomical boot

Cut and abrasion -resistant leather and microfibre upper Hinge in the ankle area between the protection of midfoot and calf cuff ensuring rotational flexibility of the foot and axial leg control Protection of the shin bone with anatomically-shaped and reinforced shin guards

Shaped heel guard to speed up gear shifting when starting Midfoot protection and extended toe cap on the inside and outside made of plastic with ribbing for improved impact absorption.

Differentiated texture in the gear shifting area for maximum control during gear changes

Grip Burn Guard in heat and wear resistant suede leather


Fastens with 4 large aluminium levers Soft and enveloping microfibre shin gaiter Unidirectional upper Velcro fastener allowing a perfect fit of the gaiter to the leg, by simply closing the upper lever Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests Wider sole surface area for increased grip on the footrests Antibacterial shock absorbing pre-shape insole Inner material in 3d Mesh for excellent comfort and ventilation Foam padding around the ankles Reinforced steel toe CERTIFICATION EN 13634:2017



PRODUCT DETAILS

ACTION LEATHER 41% | COW SUEDE 10% | TPU 34% | FABRIC 15%

Made In: China



SIZES


T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| | | | |
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS





Protective form-fitting boot that offers extreme lightness

Upper resistant to cutting and abrasion

Heel protection made of elastomeric material for greater comfort and shock absorption

Differentiated structure TPU inserts in the tibia, ankle and gear-changing areas for maximum protection

4-clasp closure with buckles for micrometric adjustment and Velcro on the gaiter

Suede material heat protection

Gaiter and tibial folds in soft microfiber which is resistant to cutting and abrasion.

Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests

Inner material in 3d Mesh for excellent comfort and perspiration absorption $% \left({{\left[{{{\rm{T}}_{\rm{T}}} \right]}} \right)$

CERTIFICATION EN 13634 2017

PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS





FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| | B0012-2 | BOOTS - SIZE GUIDE | | |
|------|---------|--------------------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |

FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS





FEATURES

Protective boots that are extremely lightweight.

Cut and abrasion-resistant uppers.

Heel protection in elastomeric material for improved comfort and shock absorption.

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection.

4-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter.

Heat protection in suede.


Gaiter and tibial folds in soft cut and abrasion-proof microfiber. Highly abrasion-resistant dual-density rubber sole. Interior made of 3D Mesh for improved comfort and sweat absorption. CERTIFICATION EN 13634: 2015 - fully exceeds the 3 homologation levels (LEVEL 2).



PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - S | BOOTS - SIZE GUIDE | | |
|------|-----------|--------------------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |

FOOTWEAR / OFF ROAD FOOTWEAR **X-TEAM JR BOOTS**





FEATURES

Protective boots that are extremely lightweight

Cut and abrasion-resistant uppers

Heel protection in elastomeric material for improved comfort and shock absorption

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection 3-clasp fastening with buckles for micrometric adjustment and

Velcro on the gaiter

Heat protection in suede Gaiter and tibial folds in soft cut and abrasion-proof microfiber Highly abrasion-resistant dual-density rubber sole Interior made of 3D Mesh for improved comfort and sweat absorption CERTIFICATION EN 13634: 2017 - fully exceeds the 3 homologation levels (LEVEL 2)



PRODUCT DETAILS

Micro Fabric 30% | Tpu 15% | Tpr 3% | Polyurethane 21% | Air Mesh 18% | Jersey 7% | Bk Mesh 3% | Rubber 3%

Made In: China

PRODUCTS RELATED




SIZES

T.33 033 | T.34 034 | T.35 035 | T.36 036 | T.37 037 | T.38 038 | T.39 039

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS BOOTS ARTIGLIO





PRODUCTS RELATED





0026463 ARTIGLIO WATERPROOF BOOTS

090



ACE73i>









APPLICATIONS

KTM SX 150 2025






ACERSis

SET STRAPS BOOTS WHOOPS 0025922















0024381.000



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS REPLACEMENT SOLE X-RACE BOOTS







PRODUCTS RELATED



SIZES

T.39 039 | T.42 042 | T.44 044 | T.46 046

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS X-TEAM KID














0024380.030








Image: Weak and the second s





ACERSis





0024378.090


PRODUCTS RELATED




0024378.030


FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS STRAPS SET X-TEAM











FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS BUCKLE KIT REPLACEMENT ADVENTURE BOOTS







PRODUCTS RELATED



0022200 ADVENTURE BOOTS

090




ACE73is

| BUKLE KIT - X-MOV 2.0 0017738 | Έ | | |
|-------------------------------------|------------|----------------------|-----|
| 0017738.040 | 0017738.06 | 50 V 0017738. | 110 |



















| STRAPS SET - X-M 2.0 0017737 | OVE | | | |
|------------------------------------|-----|-------------|-------------|-------------|
| 0017737.030 | | 0017737.040 | 0017737.041 | 0017737.060 |
| 0017737.090 | | 0017737.010 | 0017737.110 | |










FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS TOE PLATE





FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SOLE
















SIZES

T.41 041 | T.44 044 | T.47 047

FOOTWEAR / DUAL ROAD FOOTWEAR GRIMSEL BOOTS











FEATURES

Leather Off-Road/Dual-Road Touring Boot, designed to be worn under motorcycle pants

Cowhide leather off road/dual road touring boot

New rubber sole with targeted grip areas, resistant to oil and gasoline, and featuring a special material that provides better stability and traction on any surface.


Two plastic buckles with micro-adjustable straps for a precise fit.

Velcro adjustment on the outer side for calf width. Heat-resistant panel on the inner calf. Rubber guard for better grip with the shift lever. Waterproof and breathable inner lining. Removable, anatomically-shaped footbed. Padded sections for added comfort around the calf and shin. Certified to EN 13634:2017 standards. Weight: 2 kg in size 43

PRODUCT DETAILS

Natural leather 77% | TPU 3% | TPR 2% | Microfiber 9% | Rubber 9%





SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - SIZE GUIDE | | | |
|------|--------------------|------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |













0026464.080

FEATURES


Waterproof adventure boot, ideal for touring and offroad use Leather upper 3-hook plastic closure with micrometric adjustment straps ONEWAY unidirectional upper Velcro closure, which allows the perfect fit of the gaiter to the leg, simply by closing the upper lever. Abrasion-resistant heat protection. Injection molded pre-curved shin guard

Rubber boot guard made for maximum grip with the lever

Waterproof and breathable inner membrane. Anatomical and removable footbed. Padded inserts for added calf and shin comfort New rubber outsole design with specific grip areas, oil and gasoline resistant. Featuring a special compound that provides greater stability and traction on any terrain. EN 13634:2017 CERTIFICATION Weight: 2.6 kg in size 43

PRODUCT DETAILS

Natural leather 72% | TPU 7% | TPR 1% | Microfiber 11% | Rubber 9%



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - SIZE GUIDE | | | |
|------|--------------------|------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |











FEATURES

Made to be convenient and comfortable on long rides or daily use. Anatomical and lightweight boot designed for maximum sensitivity in road riding.

Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.

Rigid protective inserts for toes, shin guards and heels.


TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night. YKK zipper and Velcro side closure to ensure maximum ease of fit. Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain EN 13634:2017 CERTIFICATION Weight: 1,38 Kg (size 43)

PRODUCT DETAILS

89% Microfiber | 2% Air Mesh | 7% Rubber | 1% TPR | 1% Others





SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - SIZE GUIDE | | | | |
|------|--------------------|------|------|--|--|
| | | | | | |
| СМ | US | EURO | UK | | |
| 22,5 | 2.5 | 34 | 1.5 | | |
| 22,8 | 3 | 34,5 | 2 | | |
| 23,2 | 3.5 | 35 | 2.5 | | |
| 23,8 | 4 | 36 | 3 | | |
| 24,1 | 4.5 | 36,5 | 3.5 | | |
| 24,5 | 5 | 37 | 4 | | |
| 25,2 | 5.5 | 38 | 4.5 | | |
| 25,4 | 6 | 38,5 | 5 | | |
| 25,8 | 6.5 | 39 | 5.5 | | |
| 26,1 | 7 | 39,5 | 6 | | |
| 26,5 | 7.5 | 40 | 6.5 | | |
| 27,2 | 8 | 41 | 7 | | |
| 27,4 | 8.5 | 41,5 | 7.5 | | |
| 27,8 | 9 | 42 | 8 | | |
| 28,5 | 9.5 | 43 | 8.5 | | |
| 28,8 | 10 | 43,5 | 9 | | |
| 29,1 | 10.5 | 44 | 9.5 | | |
| 29,4 | 11 | 44,5 | 10 | | |
| 29,8 | 11.5 | 45 | 10.5 | | |
| 30,5 | 12 | 46 | 11 | | |
| 30,8 | 12.5 | 46,5 | 11.5 | | |
| 31,1 | 13 | 47 | 12 | | |
| 31,8 | 13.5 | 48 | 12.5 | | |
| 32,1 | 14 | 48,5 | 13 | | |
| 32,4 | 14.5 | 49 | 13.5 | | |
| 32,6 | 15 | 50 | 14 | | |

FOOTWEAR / DUAL ROAD FOOTWEAR SHOES FIRST STEP











0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use.

Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons.

Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior.

Resistant to abrasion from oils and gasoline.

Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.

Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

ACE73i)



SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| СМ | US | EURO | UK |
|------|------|------|------|
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |







FEATURES

CE certified motorcycle shoes EN 13634:2017 Made for urban and extra-urban use Provides maximum strength and abrasion resistance Special waterproof membrane ensures total protection from possible water infiltration Ventilation inside the shoe is provided by a series of air intakes Anti-wear gearshift insert Non-slip sole. Soft and hypoallergenic interior Rigid malleolus, toe and heel protection inserts Fast-acting rotor closure system for a secure fit, precise and optimized Welded reflective insert on the back Malleolus protectors, shifter guards Quick lacing system with adjustment rotor 650gr SIZE 43

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

ACE73i)

PRODUCTS RELATED



SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| y | BOOTS - S | IZE GUIDE | |
|----------|-----------|-----------|------|
| | | | |
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |









0024954 BOOTS CORKSCREW













FEATURES

EN 13634:2017 Certified Double closure on the inside with YKK zipper and Velcro Opening on both sides for easier fit Waterproof and highly breathable lining Interior in hypoallergenic fabric TPU insert in the gear lever contact Slider fastened with a screw provides a protective cover around the area of the outer tip Interchangeable slider Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability The semi-rigid protections for tibia/fibula, heel and rear cuff

positioned to dissipate and absorb shocks The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%





SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| | BOOTS - SIZE GUIDE | | |
|------|--------------------|------|------|
| СМ | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,5 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 34,5 | 2.5 |
| 23,2 | 4 | 36 | 3 |
| 23,0 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 30,3 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |











FEATURES

Waterproof hiking shoes Hydroguard membrane 10.000mm waterproof, 2.000 g/m2/24h breathability Reflective insert details Sole in rubber, resistance to the wear Padding reinforcement on ankle Polyurethane reinforcment on tip and heel Weight each shoes 420gr

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| | B0012-2 | ITS - SIZE GUIDE | | |
|------|---------|------------------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |










FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof) Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability Reflective insert details Sole in rubber, resistance to the wear Padding reinforcement on ankle Polyurethane reinforcment on tip and heel Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China



FOOTWEAR / DUAL ROAD FOOTWEAR SHOES CE LOCK



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| | BOOTS - SIZE GUIDE | | | |
|------|--------------------|------|------|--|
| | | | | |
| СМ | US | EURO | UK | |
| 22,5 | 2.5 | 34 | 1.5 | |
| 22,8 | 3 | 34,5 | 2 | |
| 23,2 | 3.5 | 35 | 2.5 | |
| 23,8 | 4 | 36 | 3 | |
| 24,1 | 4.5 | 36,5 | 3.5 | |
| 24,5 | 5 | 37 | 4 | |
| 25,2 | 5.5 | 38 | 4.5 | |
| 25,4 | 6 | 38,5 | 5 | |
| 25,8 | 6.5 | 39 | 5.5 | |
| 26,1 | 7 | 39,5 | 6 | |
| 26,5 | 7.5 | 40 | 6.5 | |
| 27,2 | 8 | 41 | 7 | |
| 27,4 | 8.5 | 41,5 | 7.5 | |
| 27,8 | 9 | 42 | 8 | |
| 28,5 | 9.5 | 43 | 8.5 | |
| 28,8 | 10 | 43,5 | 9 | |
| 29,1 | 10.5 | 44 | 9.5 | |
| 29,4 | 11 | 44,5 | 10 | |
| 29,8 | 11.5 | 45 | 10.5 | |
| 30,5 | 12 | 46 | 11 | |
| 30,8 | 12.5 | 46,5 | 11.5 | |
| 31,1 | 13 | 47 | 12 | |
| 31,8 | 13.5 | 48 | 12.5 | |
| 32,1 | 14 | 48,5 | 13 | |
| 32,4 | 14.5 | 49 | 13.5 | |
| 32,6 | 15 | 50 | 14 | |

FOOTWEAR / DUAL ROAD FOOTWEAR KEY SHOES







0021896.070

FEATURES

Snakers shoes ergonomic with technical and sport details Reflective insert on sides Ventilation through side zipper Suede synthetic leather insert in the toe area Iron texture insert reinforcement Double closure with string and velcro strap ??

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane

Made In: China



FOOTWEAR / DUAL ROAD FOOTWEAR KEY SHOES



0911039 CE AC50 NO WIND W/HOOD JACKET

090



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| СМ | US | EURO | UK |
|------|------|------|------|
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

BOOTS - SIZE GUIDE