

ARTIGLIO WATERPROOF BOOTS 0026463







0026463.090

FEATURES

Protective, wrap-around boot that boasts an extremely lightweight, waterproof inner membrane designed to keep feet dry in all conditions.

Cut- and abrasion-resistant upper

Heel protection made of elastomeric material for improved comfort and shock absorption

TPU inserts with differentiated structure in the tibial, ankle and gearbox area for maximum protection

Closure by 4 hooks with buckles for micrometric adjustment Heat protection in suede material

Soft microfiber tibial gussets resistant to cut and abrasion.

Soft and snug TPU tibial gaiter, resistant to cuts, caused by contact with footpads.

Dual-density non-slip sole with large open inserts that provides traction and prevents mud from accumulating . Anti-abrasion clawed outsole provides unprecedented grip , giving protection and high performance. Full coverage on the toe increases rider protection without hindering movement ONEWAY unidirectional upper Velcro closure, which allows the gaiter to fit perfectly on the leg, simply by closing the upper lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634: 2017 CERTIFICATION

Weight: 2,8 Kg

PRODUCT DETAILS

TPU 61% | Microfiber 23% | TPR 7% | Rubber 9%

Made In: China

NEW PRODUCTS / NEW PRODUCTS ARTIGLIO WATERPROOF BOOTS



PRODUCTS RELATED



0025921 SET STRAPS BOOTS ARTIGLIO

030

090



0025032 X-TRACK 22-06 HELMET

■ 091 ■ 315 **■** 209 **■** 323

371

457

■ 325 ■ 377

441

■ 442 ■ 726



0026745 JERSEY 6DAYS

245



0026746 PANTS 6DAYS

245

NEW PRODUCTS / NEW PRODUCTS ARTIGLIO WATERPROOF BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



<u>\</u>		BOOTS - SIZE GUIDE			
	O.M.		EUDO	1112	
-	CM	US 2,5	EURO	UK 1.5	
-	22,5	600000	34	0.000	
-	22,8	3	34,5	2	
-	23,2	3.5	35	2.5	
-	23,8	4	36	3	
_	24,1	4.5	36,5	3.5	
\perp	24,5	5	37	4	
	25,2	5.5	38	4.5	
	25,4	6	38,5	5	
	25,8	6.5	39	5.5	
	26,1	7	39,5	6	
	26,5	7.5	40	6.5	
	27,2	8	41	7	
	27,4	8.5	41,5	7.5	
	27,8	9	42	8	
	28,5	9.5	43	8.5	
	28,8	10	43,5	9	
	29,1	10.5	44	9.5	
	29,4	11	44,5	10	
	29,8	11.5	45	10.5	
	30,5	12	46	11	
	30,8	12.5	46,5	11.5	
	31,1	13	47	12	
	31,8	13.5	48	12.5	
	32,1	14	48,5	13	
	32,4	14.5	49	13.5	
	32,6	15	50	14	

FOOTWEAR / OFF ROAD FOOTWEAR ARTIGLIO BOOTS



ARTIGLIO BOOTS







0030006.455



0030006.061



0030006.349



0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness. Upper resistant to cutting and abrasion.

Heel protection made of elastomeric material for better comfort and shock absorption.

TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.

Closure by 4 hooks with buckles for micrometric adjustment. Heat protection in suede material.

Soft microfiber tibial bellows, cut and abrasion resistant.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.

Full coverage at the tip increases rider protection without hindering rider movement

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption EN 13634 CERTIFICATION: 2017

Fastens with 4 buckles

A logo on shin guard and heel guard, Acerbis logo on the back.

FOOTWEAR / OFF ROAD FOOTWEAR ARTIGLIO BOOTS



PRODUCT DETAILS

29% TPU | 51% Microfiber | 15& TPR | 37% Rubber

Made In: China

PRODUCTS RELATED



0025921 SET STRAPS BOOTS ARTIGLIO



090



0026682 PANTS MX VENTED

237

315

FOOTWEAR / OFF ROAD FOOTWEAR ARTIGLIO BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE						
СМ	US	EURO	UK			
22,5	2.5	34	1.5			
22,8	3	34,5	2			
23,2	3.5	35	2.5			
23,8	4	36	3			
24,1	4.5	36,5	3.5			
24,5	5	37	4			
25,2	5.5	38	4.5			
25,4	6	38,5	5			
25,8	6.5	39	5.5			
26,1	7	39,5	6			
26,5	7.5	40	6.5			
27,2	8	41	7			
27,4	8.5	41,5	7.5			
27,8	9	42	8			
28,5	9.5	43	8.5			
28,8	10	43,5	9			
29,1	10.5	44	9.5			
29,4	11	44,5	10			
29,8	11.5	45	10.5			
30,5	12	46	11			
30,8	12.5	46,5	11.5			
31,1	13	47	12			
31,8	13.5	48	12.5			
32,1	14	48,5	13			
32,4	14.5	49	13.5			
32,6	15	50	14			

FOOTWEAR / OFF ROAD FOOTWEAR WHOOPS BOOTS



WHOOPS BOOTS 0025890







0025890.030



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.

Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the lea.

Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.

Tibial protection through anatomically shaped and reinforced shin guards.

Structured heel protection to absorb any impact.

Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.

Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.

Closing by 4 large aluminium levers.

Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.

Leather and microfiber upper cut and abrasion resistant.

ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.

Orthotics shock absorbing pre-shaped

Interior made of 3D Mesh for excellent comfort and ventilation

Foam protection around the ankles

CERTIFICATION EN 13634:2017

Weight: 3,65 Kg pair


FOOTWEAR / OFF ROAD FOOTWEAR WHOOPS BOOTS



PRODUCT DETAILS

TPU 45% | Synthetic leather 12% | Real leather 32% | TPR 1% | Rubber 10%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR WHOOPS BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 43 28,5 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14



X-ROCK MM TWO BOOTS 0025404







0025404.349



0025404.249



0025404.090



0025404.402

FEATURES

Leather and microfiber upper resistant to cut and abrasion Articulation in the ankle area

Shin protection via anatomically contoured lower and upper shin guards

Contoured heel protection to facilitate gear shifting at the start Medial and toe protection made of appropriately ribbed plastics for better shock absorption

Differentiated density TPU insert in the shift area for maximum control

Grip Burn Guard made of heat- and wear-resistant vulcanized rubber Closure by 4 buckles with new, wide aluminum levers

Breathable microfiber tibial gaiter

Antibacterial shock absorbing footbed in multilayer structure Interior made of 3d Mesh for excellent comfort and sweat absorption Insole made of composite plastic/steel material to ensure greater rigidity and absorption on the foot of shocks of a compressive nature Dedicated Acerbis anti-wear, anti-shock, oil and gasoline resistant outsole: "Double Composite" that ensures extraordinary control in contact with the footpads

Steel toe cap

EN 13634: 2017 CERTIFICATION

Weight: 4,6 kg

PRODUCT DETAILS

12% Action leather | 10% Real leather | 28% TPU | 15% Synthetic leather | 15% Mesh | 20% Polyester

Made In: Myanmar

FOOTWEAR / OFF ROAD FOOTWEAR X-ROCK MM TWO BOOTS





FOOTWEAR / OFF ROAD FOOTWEAR X-ROCK MM TWO BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 43 28,5 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14











0024359.070



0024359.290



0024359.090



0024359.207



0024359.249



0024359.347

FEATURES

Lightweight, protective, anatomical boot

Cut and abrasion -resistant leather and microfibre upper

Hinge in the ankle area between the protection of midfoot and calf cuff ensuring rotational flexibility of the foot and axial leg control Protection of the shin bone with anatomically-shaped and reinforced shin guards

Shaped heel guard to speed up gear shifting when starting Midfoot protection and extended toe cap on the inside and outside made of plastic with ribbing for improved impact absorption. Differentiated texture in the gear shifting area for maximum control during gear changes

Grip Burn Guard in heat and wear resistant suede leather

Fastens with 4 large aluminium levers Soft and enveloping microfibre shin gaiter

Unidirectional upper Velcro fastener allowing a perfect fit of the gaiter to the leg, by simply closing the upper lever

Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests

Wider sole surface area for increased grip on the footrests Antibacterial shock absorbing pre-shape insole

Inner material in 3d Mesh for excellent comfort and ventilation Foam padding around the ankles

Reinforced steel toe

CERTIFICATION EN 13634:2017


FOOTWEAR / OFF ROAD FOOTWEAR X-RACE BOOTS



PRODUCT DETAILS

ACTION LEATHER 41% | COW SUEDE 10% | TPU 34% | FABRIC 15%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-RACE BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 28,5 43 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14



E-TEAM BOOTS 0024551







0024551.090



0024551.287

FEATURES

Protective form-fitting boot that offers extreme lightness Upper resistant to cutting and abrasion

Heel protection made of elastomeric material for greater comfort and shock absorption

Differentiated structure TPU inserts in the tibia, ankle and gear-changing areas for maximum protection

4-clasp closure with buckles for micrometric adjustment and Velcro on the gaiter

Suede material heat protection

Gaiter and tibial folds in soft microfiber which is resistant to cutting and abrasion.

Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests

Inner material in 3d Mesh for excellent comfort and perspiration absorption

CERTIFICATION EN 13634 2017


PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS





FOOTWEAR / OFF ROAD FOOTWEAR E-TEAM BOOTS



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



X-TEAM BOOTS 0022999







0022999.249



0022999.237



0022999.209



0022999.349



0022999.090



0022999.326



0022999.245



0022999.290



0022999.315



0022999.319

FEATURES

Protective boots that are extremely lightweight.

Cut and abrasion-resistant uppers.

Heel protection in elastomeric material for improved comfort and shock absorption.

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection.

4-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter.

Heat protection in suede.

Gaiter and tibial folds in soft cut and abrasion-proof microfiber. Highly abrasion-resistant dual-density rubber sole.

Interior made of 3D Mesh for improved comfort and sweat absorption.

CERTIFICATION EN 13634: 2015 - fully exceeds the 3 homologation levels (LEVEL 2).


FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China



FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM BOOTS



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 34,5 22,8 3.5 23,2 2.5 23,8 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 6 38,5 25,8 6.5 39 5.5 26,1 39,5 26,5 7.5 6.5 40 27,2 41 8 8.5 41,5 7.5 27,4 27,8 9 42 8 9.5 8.5 28,5 43 10 43,5 28,8 9 10.5 9.5 29,1 44 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 31,8 13.5 48 12.5 32,1 14 48,5 13 14.5 13.5 32,4 49 32,6 50 15 14











0024249.207



0024249.203



0024249.245



0024249.090



0024249.249



0024249.319

FEATURES

Protective boots that are extremely lightweight Cut and abrasion-resistant uppers

Heel protection in elastomeric material for improved comfort and shock absorption

Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection 3-clasp fastening with buckles for micrometric adjustment and

Velcro on the gaiter

Heat protection in suede

Gaiter and tibial folds in soft cut and abrasion-proof microfiber Highly abrasion-resistant dual-density rubber sole

Interior made of 3D Mesh for improved comfort and sweat absorption

CERTIFICATION EN 13634: 2017 - fully exceeds the 3 homologation levels (LEVEL 2)

FOOTWEAR / OFF ROAD FOOTWEAR X-TEAM JR BOOTS




PRODUCT DETAILS

Micro Fabric 30% | Tpu 15% | Tpr 3% | Polyurethane 21% | Air Mesh 18% | Jersey 7% | Bk Mesh 3% | Rubber 3%

Made In: China

PRODUCTS RELATED





SIZES

T.33 033 | T.34 034 | T.35 035 | T.36 036 | T.37 037 | T.38 038 | T.39 039

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS BOOTS ARTIGLIO



SET STRAPS BOOTS ARTIGLIO 0025921







0025921.030



0025921.090

PRODUCTS RELATED







0026463 ARTIGLIO WATERPROOF BOOTS ■ 090

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET BUCKLE WHOOPS



SET BUCKLE WHOOPS 0025923







0025923.090



0025923.209



0025923.290

APPLICATIONS

KTM SX 150 2025

PRODUCTS RELATED



0025890 WH00PS B00TS









315

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS BOOTS WHOOPS



SET STRAPS BOOTS WHOOPS 0025922







FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS **RECEIVERS BOOTS WHOOPS**




RECEIVERS BOOTS WHOOPS





0025924.030







PRODUCTS RELATED



WHOOPS BOOTS

 15

SET STRAPS BOOTS WHOOPS

15

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS TOE PLATE X-RACE BOOTS



TOE PLATE X-RACE BOOTS 0024381





11111111

0024381.000



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS REPLACEMENT SOLE X-RACE BOOTS



REPLACEMENT SOLE X-RACE BOOTS 0024539







0024539.315

PRODUCTS RELATED



0024289 X-ROCK MM BOOTS

O30

090

319



0024359 X-RACE BOOTS

070

090

207

249

290

347

SIZES

T.39 039 | T.42 042 | T.44 044 | T.46 046

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS X-TEAM KID











0024538.090

PRODUCTS RELATED



X-TEAM JR BOOTS

49

19

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET RECEIVER X-RACE BOOTS



SET RECEIVER X-RACE BOOTS 0024380





0024380.030



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET BUCKLE X-RACE BOOTS



SET BUCKLE X-RACE BOOTS 0024379





百百百百

0024379.030

8888

0024379.090



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SET STRAPS X-RACE BOOTS



SET STRAPS X-RACE BOOTS 0024378







0024378.030



0024378.090




















FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS **BUCKLE KIT X-ROCK**



BUCKLE KIT X-ROCK 0022443







0022443.040



0022443.061



0022443.090

PRODUCTS RELATED



0024289 X-ROCK MM BOOTS

030 **3**19





0022441 X-ROCK

030 **3**19

090

0025404 X-ROCK MM TWO BOOTS

090

249 **4**02

349



BUCKLE KIT REPLACEMENT ADVENTURE BOOTS 0022224







0022224.349

PRODUCTS RELATED



0022200 ADVENTURE BOOTS

090

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS BUKLE KIT - X-MOVE 2.0



BUKLE KIT - X-MOVE 2.0 0017738





00

0017738.040

To a

0017738.060

0017738.110



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS STRAPS SET X-ROCK











0022442.030



0022442.090

PRODUCTS RELATED



0024289 X-ROCK MM BOOTS

030

090

319



0022441 X-ROCK

> □ 030 ■ 319

090

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS BUCKLES AND STRAPS SET - X-PRO V / SHARK



BUCKLES AND STRAPS SET - X-PRO V / SHARK 0017779







0017779.041




0017779.090



0017779.131














FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS STRAPS SET - X-MOVE 2.0



STRAPS SET - X-MOVE 2.0 0017737





0017737.030



0017737.040



0017737.041



0017737.060



0017737.090



0017737.010



0017737.110



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS STRAPS SET X-MOVE




STRAPS SET X-MOVE 0016238







0016238.030



FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS TOE PLATE



TOE PLATE 0013781







0013781.000

PRODUCTS RELATED



0024289 X-ROCK MM BOOTS

030

090

319

0022441 X-ROCK

030

319

■ 090

0017719 X-MOVE 2.0

■ 010 □ 030 ■ 041 ■ 070 ■ 090 ■ 110 ■ 243 ■ 271

243
271
274
277
290
344
346
442

443



0021596 X-Pro V. Boots

030

090

■ 110 ■ 243 **≥** 237

253

290

■ 313

315

343

344

≥ 346

379

443

FOOTWEAR / OFF ROAD BOOTS REPLACEMENTS SOLE












0016285.030

PRODUCTS RELATED



0022441 X-ROCK





$\begin{array}{c} \textbf{FOOTWEAR} \ / \ \textbf{OFF} \ \textbf{ROAD} \ \textbf{BOOTS} \ \textbf{REPLACEMENTS} \\ \textbf{SOLE} \end{array}$



SIZES

T.41 041 | T.44 044 | T.47 047



GRIMSEL BOOTS 0026465







0026465.080

FEATURES

Leather Off-Road/Dual-Road Touring Boot, designed to be worn under motorcycle pants

Cowhide leather off road/dual road touring boot

New rubber sole with targeted grip areas, resistant to oil and gasoline, and featuring a special material that provides better stability and traction on any surface.

Two plastic buckles with micro-adjustable straps for a precise fit.


Velcro adjustment on the outer side for calf width. Heat-resistant panel on the inner calf. Rubber guard for better grip with the shift lever. Waterproof and breathable inner lining. Removable, anatomically-shaped footbed. Padded sections for added comfort around the calf and shin. Certified to EN 13634:2017 standards. Weight: 2 kg in size 43

PRODUCT DETAILS

Natural leather 77% | TPU 3% | TPR 2% | Microfiber 9% | Rubber 9%



PRODUCTS RELATED



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



GALIBIER BOOTS 0026464







0026464.090



0026464.080

FEATURES

Waterproof adventure boot, ideal for touring and offroad use Leather upper

3-hook plastic closure with micrometric adjustment straps ONEWAY unidirectional upper Velcro closure, which allows the perfect fit of the gaiter to the leg, simply by closing the upper lever. Abrasion-resistant heat protection.

Injection molded pre-curved shin guard

Rubber boot guard made for maximum grip with the lever

Waterproof and breathable inner membrane.
Anatomical and removable footbed.
Padded inserts for added calf and shin comfort
New rubber outsole design with specific grip areas, oil and gasoline resistant. Featuring a special compound that provides greater stability and traction on any terrain.

EN 13634:2017 CERTIFICATION

Weight: 2.6 kg in size 43

PRODUCT DETAILS

Natural leather 72% | TPU 7% | TPR 1% | Microfiber 11% | Rubber 9%

FOOTWEAR / DUAL ROAD FOOTWEAR GALIBIER BOOTS



PRODUCTS RELATED



SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE 22,5 2.5 1.5 22,8 34,5 23,2 3.5 2.5 23,8 36 24,1 4.5 36,5 3.5 24,5 37 25,2 5.5 38 4.5 25,4 38,5 6 25,8 6.5 39 5.5 26,1 39,5 6 7.5 6.5 26,5 40 41 27,2 8 7 8.5 41,5 7.5 27,4 42 27,8 9 8 9.5 43 8.5 28,5 28,8 10 43,5 9 29,1 10.5 44 9.5 29,4 11 44,5 10 29,8 11.5 45 10.5 30,5 12 46 11 30,8 12.5 46,5 11.5 31,1 13 47 12 13.5 48 12.5 31,8 32,1 14 48,5 13 14.5 49 13.5 32,4 50 32,6 15 14



BOOTS KATRAM 0026113







0026113.090

FEATURES

Made to be convenient and comfortable on long rides or daily use. Anatomical and lightweight boot designed for maximum sensitivity in road riding.

Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.

Rigid protective inserts for toes, shin guards and heels.

TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night. YKK zipper and Velcro side closure to ensure maximum ease of fit. Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain EN 13634:2017 CERTIFICATION

Weight: 1,38 Kg (size 43)

PRODUCT DETAILS

89% Microfiber | 2% Air Mesh | 7% Rubber | 1% TPR | 1% Others

FOOTWEAR / DUAL ROAD FOOTWEAR BOOTS KATRAM



PRODUCTS RELATED



SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES FIRST STEP 0026073







0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use.

Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons.

Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior.

Resistant to abrasion from oils and gasoline.

Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.

Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved.

"ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel.

100% Waterproof


PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%


FOOTWEAR / DUAL ROAD FOOTWEAR SHOES FIRST STEP



PRODUCTS RELATED









0025407 CE X-TRAVEL JACKET ≥ 248 ≥ 318

FOOTWEAR / DUAL ROAD FOOTWEAR SHOES FIRST STEP



SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



)	BOOTS - SIZE GUIDE			
	CM	US	EURO	UK
;	22,5	2.5	34	1.5
;	22,8	3	34,5	2
:	23,2	3.5	35	2.5
:	23,8	4	36	3
	24,1	4.5	36,5	3.5
	24,5	5	37	4
:	25,2	5.5	38	4.5
	25,4	6	38,5	5
	25,8	6.5	39	5.5
	26,1	7	39,5	6
	26,5	7.5	40	6.5
	27,2	8	41	7
	27,4	8.5	41,5	7.5
	27,8	9	42	8
	28,5	9.5	43	8.5
- :	28,8	10	43,5	9
	29,1	10.5	44	9.5
- :	29,4	11	44,5	10
- :	29,8	11.5	45	10.5
- 3	30,5	12	46	11
	30,8	12.5	46,5	11.5
	31,1	13	47	12
	31,8	13.5	48	12.5
	32,1	14	48,5	13
- ;	32,4	14.5	49	13.5
	32,6	15	50	14



SHOES SKALI 0025416









0025416.090

FEATURES

CE certified motorcycle shoes EN 13634:2017
Made for urban and extra-urban use
Provides maximum strength and abrasion resistance
Special waterproof membrane ensures total protection from possible water infiltration
Ventilation inside the shoe is provided by a series of air intakes
Anti-wear gearshift insert

Non-slip sole. Soft and hypoallergenic interior
Rigid malleolus, toe and heel protection inserts
Fast-acting rotor closure system for a secure fit, precise and optimized
Welded reflective insert on the back
Malleolus protectors, shifter guards
Quick lacing system with adjustment rotor
650gr SIZE 43

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

FOOTWEAR / DUAL ROAD FOOTWEAR **SHOES SKALI**



PRODUCTS RELATED



0024663 KRAPON 22-06 HELMET

239

288 290 400

0025313 TARMAK 22-06 HELMET

319 **444**

■ 323

0025405 CE X-ROVER JACKET LADY

090

295

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE EURO 22,5 2.5 34 1.5 22,8 3 34,5 2 23,2 3.5 35 2.5 4 36 3 23,8 4.5 36,5 3.5 24,1 24,5 5 37 4 4.5 25,2 5.5 38 25,4 6 38,5 5 6.5 5.5 25,8 39 39,5 26,1 7 6 26,5 7.5 40 6.5 41 27,2 8.5 41,5 7.5 27,4 27,8 9 42 8 28,5 9.5 43 8.5 10 43,5 9 28,8 10.5 44 9.5 29,1 29,4 11 44,5 10 11.5 10.5 29,8 45 46 30,5 12 11 12.5 46,5 11.5 30,8 47 31,1 13 12 31,8 13.5 48 12.5 32,1 14 48,5 13 32,4 14.5 49 13.5 32,6 15 50 14



REPLACEABLE SLIDER CORKSCREW 0025029







0025029.090

PRODUCTS RELATED



0024954 BOOTS CORKSCREW

030

090



BOOTS CORKSCREW 0024954







0024954.090



0024954.030

FEATURES

EN 13634:2017 Certified
Double closure on the inside with YKK zipper and Velcro
Opening on both sides for easier fit
Waterproof and highly breathable lining
Interior in hypoallergenic fabric
TPU insert in the gear lever contact
Slider fastened with a screw provides a protective cover around the area of the outer tip
Interchangeable slider

Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability

The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks

The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

FOOTWEAR / DUAL ROAD FOOTWEAR BOOTS CORKSCREW



PRODUCTS RELATED



SIZES

 $T.39\ 039\ |\ T.40\ 040\ |\ T.41\ 041\ |\ T.42\ 042\ |\ T.43\ 043\ |\ T.44\ 044\ |\ T.45\ 045\ |\ T.46\ 046\ |\ T.47\ 047\ |\ T.46\ 046\ |\$



BOOTS - SIZE GUIDE 22,5 2.5 34 1.5 22,8 3 34,5 2 23,2 3.5 35 2.5 23,8 4 36 3 4.5 36,5 3.5 24,1 24,5 5 37 4 25,2 5.5 38 4.5 25,4 6 38,5 5 6.5 5.5 25,8 39 39,5 26,1 7 6 26,5 7.5 40 6.5 41 27,2 8.5 41,5 7.5 27,4 27,8 9 42 8 28,5 9.5 43 8.5 28,8 10 43,5 9 10.5 44 9.5 29,1 44,5 29,4 11 10 11.5 29,8 10.5 45 46 30,5 12 11 12.5 46,5 11.5 30,8 47 31,1 13 12 48 31,8 13.5 12.5 32,1 14 48,5 13 32,4 14.5 49 13.5 32,6 15 50 14



SHOES X-MUD WP 0024697







0024697.090

FEATURES

Waterproof hiking shoes Hydroguard membrane 10.000mm waterproof, 2.000 g/m2/24h breathability Reflective insert details Padding reinforcement on ankle Polyurethane reinforcment on tip and heel Weight each shoes 420gr

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Sole in rubber, resistance to the wear

Made In: China

PRODUCTS RELATED



0025406 CE X-ROVER JACKET

■ 090 ■ 369 **295**

0025411 PANTS CE DISCOVERY 2.0

090



0025196 JEANS CE PRO-ROAD

040

FOOTWEAR / DUAL ROAD FOOTWEAR SHOES X-MUD WP





0022884 MEMBRANE DISCOVERY GHIBLY



0022649 MEMBRANE RAMSEY VENTED

090

090

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046





CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES CE LOCK 0024278







0024278.090



0024278.319

FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof)

Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability

Reflective insert details
Sole in rubber, resistance to the wear
Padding reinforcement on ankle
Polyurethane reinforcement on tip and heel
Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China

PRODUCTS RELATED



0025314 SKODELA 22-06 HELMET

030

080

091

582

FOOTWEAR / DUAL ROAD FOOTWEAR SHOES CE LOCK



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

СМ	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



KEY SHOES 0021896







0021896.070

FEATURES


Snakers shoes ergonomic with technical and sport details Reflective insert on sides Ventilation through side zipper Suede synthetic leather insert in the toe area Iron texture insert reinforcement Double closure with string and velcro strap

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane

Made In: China














FOOTWEAR / DUAL ROAD FOOTWEAR KEY SHOES

090





0911039 CE AC50 NO WIND W/HOOD JACKET



0025198 PANTS CE RAMSEY LIGHT

076





0023682 CE DISCOVERY PANTS

090

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14