

ARTIGLIO BOOTS

0030006



0030006.455



0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness.
Upper resistant to cutting and abrasion.
Heel protection made of elastomeric material for better comfort and shock absorption.
TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.
Closure by 4 hooks with buckles for micrometric adjustment.
Heat protection in suede material.
Soft microfiber tibial bellows, cut and abrasion resistant.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.
Full coverage at the tip increases rider protection without hindering rider movement
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Interior made of 3d Mesh for excellent comfort and sweat absorption
EN 13634 CERTIFICATION: 2017
Fastens with 4 buckles
A logo on shin guard and heel guard, Acerbis logo on the back.

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

WHOOPS BOOTS
0025890



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.
Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.
Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.
Tibial protection through anatomically shaped and reinforced shin guards.
Structured heel protection to absorb any impact.
Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.

Differentiated texture in the shifting area for maximum control in the gear shift phase.
Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.
Closing by 4 large aluminium levers.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Leather and microfiber upper cut and abrasion resistant.
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Orthotics shock absorbing pre-shaped
Interior made of 3D Mesh for excellent comfort and ventilation
Foam protection around the ankles
CERTIFICATION EN 13634:2017

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-ROCK MM TWO
BOOTS
0025404



0025404.349



0025404.249



0025404.090



0025404.402

FEATURES

Leather and microfiber upper resistant to cut and abrasion
Articulation in the ankle area
Shin protection via anatomically contoured lower and upper shin guards
Contoured heel protection to facilitate gear shifting at the start
Medial and toe protection made of appropriately ribbed plastics for better shock absorption
Differentiated density TPU insert in the shift area for maximum control
Grip Burn Guard made of heat- and wear-resistant vulcanized rubber
Closure by 4 buckles with new, wide aluminum levers
Breathable microfiber tibial gaiter


Antibacterial shock absorbing footbed in multilayer structure
Interior made of 3d Mesh for excellent comfort and sweat absorption
Insole made of composite plastic/steel material to ensure greater rigidity and absorption on the foot of shocks of a compressive nature
Dedicated Acerbis anti-wear, anti-shock, oil and gasoline resistant outsole: "Double Composite" that ensures extraordinary control in contact with the footpads
Steel toe cap
EN 13634: 2017 CERTIFICATION
Weight: 4,6 kg

PRODUCT DETAILS

12% Action leather | 10% Real leather | 28% TPU | 15% Synthetic leather | 15% Mesh | 20% Polyester

Made In: Myanmar

PRODUCTS RELATED



0022443
BUCKLE KIT X-ROCK

040

061

090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-ROCK MM BOOTS
0024289



0024289.090



0024289.319

FEATURES

<p>Cut and abrasion-resistant leather and microfiber uppers.</p> <p>Hinge in the ankle area.</p> <p>Protection of the shinbone with upper and lower anatomically-shaped shin guards.</p> <p>Shaped heel guard to make changing gears easier when starting.</p> <p>Protection of the midfoot and toe area in plastic with ribbing for improved impact absorption.</p> <p>TPU Insert in differentiated density in the gear change area for maximum control.</p> <p>Burn Guard Grip in heat and wear-resistant vulcanized rubber.</p> <p>Fastens with 4 buckles with large, new aluminum levers.</p>	<p>Shin gaiters in permeable microfiber.</p> <p>Vibram® wear-resistant sole in shock-proof “Double Composite” rubber EN 13634:2010 certified.</p> <p>Shock absorbing antibacterial insole with multilayered structure.</p> <p>Inner made of 3D Mesh for optimum comfort and sweat absorption.</p> <p>Insole made of composite plastic/steel material to guarantee greater rigidity and absorption of the foot against compression impacts</p> <p>Reinforced steel toe.</p> <p>EN 13634: 2017 CERTIFIED.</p>
---	---

PRODUCT DETAILS

ACTION LEATHER 12% | REAL LEATHER 10% | TPU 28% | SYNTHETIC LEATHER 15% | MESH 15% | POLYESTER 20%

Made In: Myanmar

PRODUCTS RELATED



0022442
STRAPS SET X-ROCK

030 090



0022443
BUCKLE KIT X-ROCK

040 061
090



0023486
RECEIVER X-ROCK BOOTS

040 090



0013781
TOE PLATE



0024539
REPLACEMENT SOLE X-RACE
BOOTS

315



0025887
JERSEY X-FLEX 50'
ANNIVERSARY

322



0023409
MX X-H GLOVES

010 030
042 073
076 090
110 134
141 315
441 543



0024318
K-FLEX PANTS

010 090
110 543



0025888
PANTS K-FLEX 50°
ANNIVERSARY

322

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



X-RACE BOOTS

0024359



0024359.070



0024359.290



0024359.090



0024359.207



0024359.249



0024359.347

FEATURES

Lightweight, protective, anatomical boot
Cut and abrasion -resistant leather and microfibre upper
Hinge in the ankle area between the protection of midfoot and calf cuff ensuring rotational flexibility of the foot and axial leg control
Protection of the shin bone with anatomically-shaped and reinforced shin guards
Shaped heel guard to speed up gear shifting when starting
Midfoot protection and extended toe cap on the inside and outside made of plastic with ribbing for improved impact absorption.
Differentiated texture in the gear shifting area for maximum control during gear changes
Grip Burn Guard in heat and wear resistant suede leather

Fastens with 4 large aluminium levers
Soft and enveloping microfibre shin gaiter
Unidirectional upper Velcro fastener allowing a perfect fit of the gaiter to the leg, by simply closing the upper lever
Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests
Wider sole surface area for increased grip on the footrests
Antibacterial shock absorbing pre-shape insole
Inner material in 3d Mesh for excellent comfort and ventilation
Foam padding around the ankles
Reinforced steel toe
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

ACTION LEATHER 41% | COW SUEDE 10% | TPU 34% | FABRIC 15%

Made In: China

PRODUCTS RELATED



0024378
SET STRAPS X-RACE BOOTS

030

090



0024379
SET BUCKLE X-RACE BOOTS

030

090



0024380
SET RECEIVER X-RACE BOOTS

030



0024539
REPLACEMENT SOLE X-RACE BOOTS

315



0024130
MX TRACK PANTS

010

040

073

090

110



0025886
JERSEY MX J-TRACK SEVEN

204



0023409
MX X-H GLOVES

010

030

042

073

076

090

110

134

141

315

441

543

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

E-TEAM BOOTS
0024551



0024551.090



0024551.287

FEATURES

Protective form-fitting boot that offers extreme lightness
Upper resistant to cutting and abrasion
Heel protection made of elastomeric material for greater comfort and shock absorption
Differentiated structure TPU inserts in the tibia, ankle and gear-changing areas for maximum protection
4-clasp closure with buckles for micrometric adjustment and Velcro on the gaiter
Suede material heat protection

Gaiter and tibial folds in soft microfiber which is resistant to cutting and abrasion.
Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests
Inner material in 3d Mesh for excellent comfort and perspiration absorption
CERTIFICATION EN 13634 2017

PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- 010

030
- 040

060
- 090

100
- 110

130



0024520
JACKET X-DURO

- 090

243



0024557
PANTS X-DURO W-PROOF
BAGGY

- 090

243



0024834
PANTS X-DURO

- 090

243



0022424
ENDURO PANTS

- 319



0024556
JACKET X-DURO W-PROOF

- 090

243
- 582

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-TEAM BOOTS
0022999



0022999.249



0022999.090



0022999.326



0022999.245



0022999.290



0022999.305



0022999.315



0022999.319



0022999.799



0022999.343

FEATURES

Protective boots that are extremely lightweight.
Cut and abrasion-resistant uppers.
Heel protection in elastomeric material for improved comfort and shock absorption.
Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection.
4-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter.

Heat protection in suede.
Gaiter and tibial folds in soft cut and abrasion-proof microfiber.
Highly abrasion-resistant dual-density rubber sole.
Interior made of 3D Mesh for improved comfort and sweat absorption.
CERTIFICATION EN 13634: 2015 - fully exceeds the 3 homologation levels (LEVEL 2).

PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- 010
- 030
- 040
- 060
- 090
- 100
- 110
- 130



0025592
GLOVES MX LINEAR

- 090
- 209
- 237
- 251
- 349



0024130
MX TRACK PANTS

- 010
- 040
- 073
- 090
- 110



0025886
JERSEY MX J-TRACK SEVEN

- 204

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



X-TEAM JR BOOTS
0024249



0024249.207



0024249.249



0024249.319

FEATURES

Protective boots that are extremely lightweight Cut and abrasion-resistant uppers Heel protection in elastomeric material for improved comfort and shock absorption Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection 3-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter	Heat protection in suede Gaiter and tibial folds in soft cut and abrasion-proof microfiber Highly abrasion-resistant dual-density rubber sole Interior made of 3D Mesh for improved comfort and sweat absorption CERTIFICATION EN 13634: 2017 - fully exceeds the 3 homologation levels (LEVEL 2)
--	---

PRODUCT DETAILS

Micro Fabric 30% | Tpu 15% | Tpr 3% | Polyurethane 21% | Air Mesh 18% | Jersey 7% | Bk Mesh 3% | Rubber 3%

Made In: China

PRODUCTS RELATED



0024538
SET STRAPS X-TEAM KID

■ 090

SIZES

T.33 033 | T.34 034 | T.35 035 | T.36 036 | T.37 037 | T.38 038 | T.39 039

X-STRADHU BOOTS
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection
Injection moulded pre-bent shin bone protection
Plastic lever guards
Waterproof and breathable inner membrane
Ankle, toe cap and heel protection
Reflective inserts on the back of the boot
Anatomical and removable insole
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- | | |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



TOE PLATE X-RACE
BOOTS
0024381



0024381.000

PRODUCTS RELATED



0024359
X-RACE BOOTS

- | | |
|-----|-----|
| 070 | 090 |
| 207 | 249 |
| 290 | 347 |

REPLACEMENT SOLE
X-RACE BOOTS
0024539



0024539.315

PRODUCTS RELATED



0024289
X-ROCK MM BOOTS

090

319



0024359
X-RACE BOOTS

070

090

207

249

290

347

SIZES

T.39 039 | T.42 042 | T.44 044 | T.46 046



SET STRAPS X-TEAM
KID
0024538



0024538.090

PRODUCTS RELATED



0024249
X-TEAM JR BOOTS

- 207
- 249
- 319

SET RECEIVER X-RACE
BOOTS
0024380



0024380.030

PRODUCTS RELATED



0024359
X-RACE BOOTS

- | | |
|-----|-----|
| 070 | 090 |
| 207 | 249 |
| 290 | 347 |

SET BUCKLE X-RACE
BOOTS
0024379



0024379.030



0024379.090


PRODUCTS RELATED



0024359
X-RACE BOOTS

- | | |
|-----|-----|
| 070 | 090 |
| 207 | 249 |
| 290 | 347 |

SET STRAPS X-RACE
BOOTS
0024378



0024378.030



0024378.090

PRODUCTS RELATED




0024359
X-RACE BOOTS

- | | |
|-----|-----|
| 070 | 090 |
| 207 | 249 |
| 290 | 347 |



STRAPS SET X-TEAM
0023289



0023289.010



0023289.030




0023289.040



0023289.060



0023289.090



0023289.100



0023289.110



0023289.130

PRODUCTS RELATED



0024551
E-TEAM BOOTS

090 287



0022999
X-TEAM BOOTS

090 245
249 290
305 315
319 326
343 799



0024316
X-STRADHU BOOTS

090

BUCKLE KIT X-ROCK
0022443



0022443.040



0022443.061



0022443.090

PRODUCTS RELATED



0024289
X-ROCK MM BOOTS

090

319



0022441
X-ROCK

090

319



0025404
X-ROCK MM TWO BOOTS

090

249

349

402

BUCKLE KIT
REPLACEMENT
ADVENTURE BOOTS
0022224



0022224.349

PRODUCTS RELATED



0022200
ADVENTURE BOOTS

■ 090

BUKLE KIT - X-MOVE
2.0
0017738



	0017738.040		0017738.060		0017738.110
--	-------------	--	-------------	--	-------------

PRODUCTS RELATED



0017719
X-MOVE 2.0

- | | |
|-----|-----|
| 010 | 030 |
| 041 | 070 |
| 090 | 110 |
| 243 | 271 |
| 274 | 277 |
| 290 | 344 |
| 346 | 442 |
| 443 | |

STRAPS SET X-ROCK

0022442



0022442.030



0022442.090

PRODUCTS RELATED



0024289

X-ROCK MM BOOTS

090

319



0022441

X-ROCK

090

319

BUCKLES AND STRAPS
SET - X-PRO V /
SHARK
0017779



PRODUCTS RELATED



0021596
X-Pro V. Boots

- | | |
|-----|-----|
| 030 | 090 |
| 110 | 237 |
| 243 | 245 |
| 253 | 290 |
| 313 | 315 |
| 343 | 344 |
| 346 | 379 |
| 443 | |



0017934
SHARK KID BOOTS

- | | |
|-----|-----|
| 237 | 243 |
| 315 | 318 |
| 344 | 443 |










0023415
X-KID BOOTS

- | | |
|-----|-----|
| 010 | 090 |
| 426 | |

STRAPS SET - X-MOVE
2.0
0017737


















	0017737.030		0017737.040		0017737.041		0017737.060
	0017737.090		0017737.010		0017737.110		

PRODUCTS RELATED



0017719
X-MOVE 2.0

- | | |
|---|---|
|  010 |  030 |
|  041 |  070 |
|  090 |  110 |
|  243 |  271 |
|  274 |  277 |
|  290 |  344 |
|  346 |  442 |
|  443 | |

STRAPS SET X-MOVE
0016238



0016238.030

PRODUCTS RELATED



0017719
X-MOVE 2.0

- | | |
|-----|-----|
| 010 | 030 |
| 041 | 070 |
| 090 | 110 |
| 243 | 271 |
| 274 | 277 |
| 290 | 344 |
| 346 | 442 |
| 443 | |

TOE PLATE
0013781



0013781.000

PRODUCTS RELATED



0024289
X-ROCK MM BOOTS

- 090 319



0022441
X-ROCK

- 090 319



0017719
X-MOVE 2.0

- 010 030
- 041 070
- 090 110
- 243 271
- 274 277
- 290 344
- 346 442
- 443



0021596
X-Pro V. Boots

- 030 090
- 110 237
- 243 245
- 253 290
- 313 315
- 343 344
- 346 379
- 443

SOLE
0016285



0016285.030
















PRODUCTS RELATED



0022441
X-ROCK


















0017719
X-MOVE 2.0

- | | |
|---|---|
|  010 |  030 |
|  041 |  070 |
|  090 |  110 |
|  243 |  271 |
|  274 |  277 |
|  290 |  344 |
|  346 |  442 |
|  443 | |



0021596
X-Pro V. Boots

- | | |
|---|---|
|  030 |  090 |
|  110 |  237 |
|  243 |  245 |
|  253 |  290 |
|  313 |  315 |
|  343 |  344 |
|  346 |  379 |
|  443 | |

SIZES

T.41 041 | T.44 044 | T.47 047



SHOES FIRST STEP
0026073



0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use. Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons. Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior. Resistant to abrasion from oils and gasoline. Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.	Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof
---	--

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

SHOES SKALI
0025416



0025416.090

FEATURES

CE certified motorcycle shoes EN 13634:2017 Made for urban and extra-urban use Provides maximum strength and abrasion resistance Special waterproof membrane ensures total protection from possible water infiltration Ventilation inside the shoe is provided by a series of air intakes Anti-wear gearshift insert	Non-slip sole. Soft and hypoallergenic interior Rigid malleolus, toe and heel protection inserts Fast-acting rotor closure system for a secure fit, precise and optimized Welded reflective insert on the back Malleolus protectors, shifter guards Quick lacing system with adjustment rotor 650gr SIZE 43
---	---

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

REPLACEABLE SLIDER
CORKSCREW
0025029



0025029.090

PRODUCTS RELATED



0024954
BOOTS CORKSCREW

☐ 030 ☒ 090

BOOTS CORKSCREW
0024954



0024954.090



0024954.030

FEATURES

EN 13634:2017 Certified Double closure on the inside with YKK zipper and Velcro Opening on both sides for easier fit Waterproof and highly breathable lining Interior in hypoallergenic fabric TPU insert in the gear lever contact Slider fastened with a screw provides a protective cover around the area of the outer tip Interchangeable slider	Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water
---	---

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

Made In: China

PRODUCTS RELATED



0025029
REPLACEABLE SLIDER
CORKSCREW

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

SHOES X-MUD WP
0024697



0024697.090

FEATURES

Waterproof hiking shoes	Padding reinforcement on ankle
Hydroguard membrane 10.000mm waterproof, 2.000 g/m2/24h breathability	Polyurethane reinforcement on tip and heel
Reflective insert details	Weight each shoes 420gr
Sole in rubber, resistance to the wear	

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES CE LOCK
0024278



0024278.090



0024278.319

FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof)	Reflective insert details
Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability	Sole in rubber, resistance to the wear
	Padding reinforcement on ankle
	Polyurethane reinforcement on tip and heel
	Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

KEY SHOES
0021896



0021896.070

FEATURES

Snakers shoes ergonomic with technical and sport details	Iron texture insert reinforcement
Reflective insert on sides	Double closure with string and velcro strap
Ventilation through side zipper	??
Suede synthetic leather insert in the toe area	

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane
Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-STRADHU BOOTS
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection
Injection moulded pre-bent shin bone protection
Plastic lever guards
Waterproof and breathable inner membrane
Ankle, toe cap and heel protection
Reflective inserts on the back of the boot
Anatomical and removable insole
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- | | |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14