

GRIMSEL BOOTS  
0026465



0026465.080

FEATURES

Leather Off-Road/Dual-Road Touring Boot, designed to be worn under motorcycle pants	Velcro adjustment on the outer side for calf width.
Cowhide leather off road/dual road touring boot	Heat-resistant panel on the inner calf.
New rubber sole with targeted grip areas, resistant to oil and gasoline, and featuring a special material that provides better stability and traction on any surface.	Rubber guard for better grip with the shift lever.
Two plastic buckles with micro-adjustable straps for a precise fit.	Waterproof and breathable inner lining.
	Removable, anatomically-shaped footbed.
	Padded sections for added comfort around the calf and shin.
	Certified to EN 13634:2017 standards.
	Weight: 2 kg in size 43

PRODUCT DETAILS

Natural leather 77% | TPU 3% | TPR 2% | Microfiber 9% | Rubber 9%

Made In: China

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

GALIBIER BOOTS  
0026464



0026464.090



0026464.080

FEATURES

Waterproof adventure boot, ideal for touring and offroad use  
Leather upper  
3-hook plastic closure with micrometric adjustment straps  
ONEWAY unidirectional upper Velcro closure, which allows the perfect fit of the gaiter to the leg, simply by closing the upper lever.  
Abrasion-resistant heat protection.  
Injection molded pre-curved shin guard  
Rubber boot guard made for maximum grip with the lever

Waterproof and breathable inner membrane.  
Anatomical and removable footbed.  
Padded inserts for added calf and shin comfort  
New rubber outsole design with specific grip areas, oil and gasoline resistant. Featuring a special compound that provides greater stability and traction on any terrain.  
EN 13634:2017 CERTIFICATION  
Weight: 2.6 kg in size 43

PRODUCT DETAILS

Natural leather 72% | TPU 7% | TPR 1% | Microfiber 11% | Rubber 9%

Made In: China

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

BOOTS KATRAM  
0026113



0026113.090

FEATURES

Made to be convenient and comfortable on long rides or daily use. Anatomical and lightweight boot designed for maximum sensitivity in road riding. Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions. Rigid protective inserts for toes, shin guards and heels. TPU inserts in the gear lever contact area to increase protection.	Rear reflective insert to improve visibility at night. YKK zipper and Velcro side closure to ensure maximum ease of fit. Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain EN 13634:2017 CERTIFICATION Weight: 1,38 Kg (size 43)
--	---

PRODUCT DETAILS

89% Microfiber | 2% Air Mesh | 7% Rubber | 1% TPR | 1% Others

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES FIRST STEP  
0026073



0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use. Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons. Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior. Resistant to abrasion from oils and gasoline. Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.	Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof
---	--

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES SKALI  
0025416



0025416.090

FEATURES

CE certified motorcycle shoes EN 13634:2017 Made for urban and extra-urban use Provides maximum strength and abrasion resistance Special waterproof membrane ensures total protection from possible water infiltration Ventilation inside the shoe is provided by a series of air intakes Anti-wear gearshift insert	Non-slip sole. Soft and hypoallergenic interior Rigid malleolus, toe and heel protection inserts Fast-acting rotor closure system for a secure fit, precise and optimized Welded reflective insert on the back Malleolus protectors, shifter guards Quick lacing system with adjustment rotor 650gr SIZE 43
---	---

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

REPLACEABLE SLIDER  
CORKSCREW  
0025029



0025029.090

PRODUCTS RELATED



0024954  
BOOTS CORKSCREW

☐ 030 ☒ 090

BOOTS CORKSCREW  
0024954



0024954.090



0024954.030

FEATURES

EN 13634:2017 Certified Double closure on the inside with YKK zipper and Velcro Opening on both sides for easier fit Waterproof and highly breathable lining Interior in hypoallergenic fabric TPU insert in the gear lever contact Slider fastened with a screw provides a protective cover around the area of the outer tip Interchangeable slider	Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water
---	---

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

Made In: China

PRODUCTS RELATED



0025029  
REPLACEABLE SLIDER  
CORKSCREW

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

SHOES X-MUD WP  
0024697



0024697.090

FEATURES

Waterproof hiking shoes	Padding reinforcement on ankle
Hydroguard membrane 10.000mm waterproof, 2.000 g/m2/24h breathability	Polyurethane reinforcement on tip and heel
Reflective insert details	Weight each shoes 420gr
Sole in rubber, resistance to the wear	

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES CE LOCK  
0024278



0024278.090



0024278.319

FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof )	Reflective insert details
Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability	Sole in rubber, resistance to the wear
	Padding reinforcement on ankle
	Polyurethane reinforcement on tip and heel
	Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China



SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

KEY SHOES  
0021896



0021896.070

FEATURES

Snakers shoes ergonomic with technical and sport details	Iron texture insert reinforcement
Reflective insert on sides	Double closure with string and velcro strap
Ventilation through side zipper	??
Suede synthetic leather insert in the toe area	

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane  
Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14