

GRIMSEL BOOTS
0026465



0026465.080

FEATURES

Leather Off-Road/Dual-Road Touring Boot, designed to be worn under motorcycle pants
New rubber sole with targeted grip areas, resistant to oil and gasoline, and featuring a special material that provides better stability and traction on any surface.
Two plastic buckles with micro-adjustable straps for a precise fit.
Velcro adjustment on the outer side for calf width.

Heat-resistant panel on the inner calf.
Pre-curved shin guard made from injection-molded material.
Rubber guard for better grip with the shift lever.
Waterproof and breathable inner lining.
Removable, anatomically-shaped footbed.
Padded sections for added comfort around the calf and shin.
Certified to EN 13634:2017 standards.
Weight: 2 kg in size 43

PRODUCT DETAILS

Natural leather 77% | TPU 3% | TPR 2% | Microfiber 9% | Rubber 9%

Made In: China

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

GALIBIER BOOTS
0026464



0026464.080



0026464.090

FEATURES

Leather upper
3-hook plastic closure with micrometric adjustment straps
ONEWAY unidirectional upper Velcro closure, which allows the perfect fit of the gaiter to the leg, simply by closing the upper lever.
Abrasion-resistant heat protection.
Injection molded pre-curved shin guard
Rubber boot guard made for maximum grip with the lever
Waterproof and breathable inner membrane.

Anatomical and removable footbed.
Padded inserts for added calf and shin comfort
New rubber outsole design with specific grip areas, oil and gasoline resistant. Featuring a special compound that provides greater stability and traction on any terrain.
EN 13634:2017 CERTIFICATION
Weight: 2.6 kg in size 43

PRODUCT DETAILS

Natural leather 72% | TPU 7% | TPR 1% | Microfiber 11% | Rubber 9%

Made In: China

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

BOOTS KATRAM
0026113



0026113.090

FEATURES

Made to be convenient and comfortable on long rides or daily use.
Anatomical and lightweight boot designed for maximum sensitivity in road riding.
Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.
Rigid protective inserts for toes, shin guards and heels.
TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night.
YKK zipper and Velcro side closure to ensure maximum ease of fit.
Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain
EN 13634:2017 CERTIFICATION
Weight: 1,38 Kg (size 43)

PRODUCT DETAILS

89% Microfiber | 2% Air Mesh | 7% Rubber | 1% TPR | 1% Others

Made In: China

SIZES


T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES FIRST STEP
0026073



0026073.090

FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use.
Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons.
Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior.
Resistant to abrasion from oils and gasoline.
Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.

Reflective inserts for high visibility. waterproof inner membrane.
EN13634: 2017 approved.
"ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel.
100% Waterproof

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

SHOES SKALI
0025416



0025416.090

FEATURES

CE certified motorcycle shoes EN 13634:2017
Made for urban and extra-urban use
Provides maximum strength and abrasion resistance
Special waterproof membrane ensures total protection from possible water infiltration
Ventilation inside the shoe is provided by a series of air intakes
Anti-wear gearshift insert

Non-slip sole. Soft and hypoallergenic interior
Rigid malleolus, toe and heel protection inserts
Fast-acting rotor closure system for a secure fit, precise and optimized
Welded reflective insert on the back
Malleolus protectors, shifter guards
Quick lacing system with adjustment rotor
650gr SIZE 43

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

**REPLACEABLE SLIDER
CORKSCREW**
0025029



0025029.090

PRODUCTS RELATED



0024954
BOOTS CORKSCREW

030

090

BOOTS CORKSCREW
0024954



0024954.090



0024954.030

FEATURES

EN 13634:2017 Certified
Double closure on the inside with YKK zipper and Velcro
Opening on both sides for easier fit
Waterproof and highly breathable lining
Interior in hypoallergenic fabric
TPU insert in the gear lever contact
Slider fastened with a screw provides a protective cover around the area of the outer tip
Interchangeable slider

Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability
The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks
The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

Made In: China

PRODUCTS RELATED



0025029
REPLACEABLE SLIDER
CORKSCREW

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2,5	34	1,5
22,8	3	34,5	2
23,2	3,5	35	2,5
23,8	4	36	3
24,1	4,5	36,5	3,5
24,5	5	37	4
25,2	5,5	38	4,5
25,4	6	38,5	5
25,8	6,5	39	5,5
26,1	7	39,5	6
26,5	7,5	40	6,5
27,2	8	41	7
27,4	8,5	41,5	7,5
27,8	9	42	8
28,5	9,5	43	8,5
28,8	10	43,5	9
29,1	10,5	44	9,5
29,4	11	44,5	10
29,8	11,5	45	10,5
30,5	12	46	11
30,8	12,5	46,5	11,5
31,1	13	47	12
31,8	13,5	48	12,5
32,1	14	48,5	13
32,4	14,5	49	13,5
32,6	15	50	14



SHOES X-MUD WP
0024697



0024697.090

FEATURES

Waterproof hiking shoes
Hydroguard membrane 10.000mm waterproof, 2.000 g/m²/24h breathability
Reflective insert details
Sole in rubber, resistance to the wear

Padding reinforcement on ankle
Polyurethane reinforcement on tip and heel
Weight each shoes 420gr

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES CE LOCK
0024278



0024278.090



0024278.319

FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof)
Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability

Reflective insert details
Sole in rubber, resistance to the wear
Padding reinforcement on ankle
Polyurethane reinforcement on tip and heel
Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

KEY SHOES
0021896



0021896.070

FEATURES

Snakers shoes ergonomic with technical and sport details
Reflective insert on sides
Ventilation through side zipper
Suede synthetic leather insert in the toe area

Iron texture insert reinforcement
Double closure with string and velcro strap
??

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-STRADHU BOOTS
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection
Injection moulded pre-bent shin bone protection
Plastic lever guards
Waterproof and breathable inner membrane
Ankle, toe cap and heel protection
Reflective inserts on the back of the boot
Anatomical and removable insole
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- | | |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14