

GRIMSEL BOOTS  
0026465



0026465.080

FEATURES

Leather Off-Road/Dual-Road Touring Boot, designed to be worn under motorcycle pants  
Cowhide leather off road/dual road touring boot  
New rubber sole with targeted grip areas, resistant to oil and gasoline, and featuring a special material that provides better stability and traction on any surface.  
Two plastic buckles with micro-adjustable straps for a precise fit.

Velcro adjustment on the outer side for calf width.  
Heat-resistant panel on the inner calf.  
Rubber guard for better grip with the shift lever.  
Waterproof and breathable inner lining.  
Removable, anatomically-shaped footbed.  
Padded sections for added comfort around the calf and shin.  
Certified to EN 13634:2017 standards.  
Weight: 2 kg in size 43

PRODUCT DETAILS

Natural leather 77% | TPU 3% | TPR 2% | Microfiber 9% | Rubber 9%

Made In: China

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

**GALIBIER BOOTS**  
0026464



0026464.090



0026464.080

**FEATURES**

Waterproof adventure boot, ideal for touring and offroad use  
Leather upper  
3-hook plastic closure with micrometric adjustment straps  
ONEWAY unidirectional upper Velcro closure, which allows the perfect fit of the gaiter to the leg, simply by closing the upper lever.  
Abrasion-resistant heat protection.  
Injection molded pre-curved shin guard  
Rubber boot guard made for maximum grip with the lever

Waterproof and breathable inner membrane.  
Anatomical and removable footbed.  
Padded inserts for added calf and shin comfort  
New rubber outsole design with specific grip areas, oil and gasoline resistant. Featuring a special compound that provides greater stability and traction on any terrain.  
EN 13634:2017 CERTIFICATION  
Weight: 2.6 kg in size 43

**PRODUCT DETAILS**

Natural leather 72% | TPU 7% | TPR 1% | Microfiber 11% | Rubber 9%

Made In: China

**SIZES**

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

**BOOTS KATRAM**  
0026113



0026113.090

**FEATURES**

Made to be convenient and comfortable on long rides or daily use.  
Anatomical and lightweight boot designed for maximum sensitivity in road riding.  
Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.  
Rigid protective inserts for toes, shin guards and heels.  
TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night.  
YKK zipper and Velcro side closure to ensure maximum ease of fit.  
Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain  
EN 13634:2017 CERTIFICATION  
Weight: 1,38 Kg (size 43)

**PRODUCT DETAILS**

89% Microfiber | 2% Air Mesh | 7% Rubber | 1% TPR | 1% Others

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047




BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



## SHOES FIRST STEP

0026073



0026073.090

## FEATURES

Shoes made of synthetic suede leather, protective and suitable for city use.

Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons.

Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior.

Resistant to abrasion from oils and gasoline.

Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure.

Reflective inserts for high visibility. waterproof inner membrane.

EN13634: 2017 approved.

"ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel.

100% Waterproof

## PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China

**SIZES**

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES SKALI  
0025416



0025416.090

## FEATURES

CE certified motorcycle shoes EN 13634:2017  
Made for urban and extra-urban use  
Provides maximum strength and abrasion resistance  
Special waterproof membrane ensures total protection from possible water infiltration  
Ventilation inside the shoe is provided by a series of air intakes  
Anti-wear gearshift insert

Non-slip sole. Soft and hypoallergenic interior  
Rigid malleolus, toe and heel protection inserts  
Fast-acting rotor closure system for a secure fit, precise and optimized  
Welded reflective insert on the back  
Malleolus protectors, shifter guards  
Quick lacing system with adjustment rotor  
650gr SIZE 43

## PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

**REPLACEABLE SLIDER  
CORKSCREW**  
0025029



0025029.090

**PRODUCTS RELATED**



0024954  
BOOTS CORKSCREW

030

090

**BOOTS CORKSCREW**  
0024954



0024954.090



0024954.030

**FEATURES**

EN 13634:2017 Certified  
Double closure on the inside with YKK zipper and Velcro  
Opening on both sides for easier fit  
Waterproof and highly breathable lining  
Interior in hypoallergenic fabric  
TPU insert in the gear lever contact  
Slider fastened with a screw provides a protective cover around the area of the outer tip  
Interchangeable slider

Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability  
The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks  
The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water

**PRODUCT DETAILS**

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

Made In: China

PRODUCTS RELATED




0025029  
REPLACEABLE SLIDER  
CORKSCREW

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2,5	34	1,5
22,8	3	34,5	2
23,2	3,5	35	2,5
23,8	4	36	3
24,1	4,5	36,5	3,5
24,5	5	37	4
25,2	5,5	38	4,5
25,4	6	38,5	5
25,8	6,5	39	5,5
26,1	7	39,5	6
26,5	7,5	40	6,5
27,2	8	41	7
27,4	8,5	41,5	7,5
27,8	9	42	8
28,5	9,5	43	8,5
28,8	10	43,5	9
29,1	10,5	44	9,5
29,4	11	44,5	10
29,8	11,5	45	10,5
30,5	12	46	11
30,8	12,5	46,5	11,5
31,1	13	47	12
31,8	13,5	48	12,5
32,1	14	48,5	13
32,4	14,5	49	13,5
32,6	15	50	14



SHOES X-MUD WP  
0024697



0024697.090

FEATURES

Waterproof hiking shoes  
Hydroguard membrane 10.000mm waterproof, 2.000 g/m<sup>2</sup>/24h breathability  
Reflective insert details  
Sole in rubber, resistance to the wear

Padding reinforcement on ankle  
Polyurethane reinforcement on tip and heel  
Weight each shoes 420gr

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Made In: China

**SIZES**

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



**BOOTS - SIZE GUIDE**

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



SHOES CE LOCK  
0024278



0024278.090



0024278.319

FEATURES

Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof )  
Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability

Reflective insert details  
Sole in rubber, resistance to the wear  
Padding reinforcement on ankle  
Polyurethane reinforcement on tip and heel  
Weight each shoes 510gr

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China



**SIZES**

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



**BOOTS - SIZE GUIDE**

CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

**KEY SHOES**  
0021896



0021896.070

**FEATURES**

Snakers shoes ergonomic with technical and sport details  
Reflective insert on sides  
Ventilation through side zipper  
Suede synthetic leather insert in the toe area

Iron texture insert reinforcement  
Double closure with string and velcro strap  
??

**PRODUCT DETAILS**

50% Nylon, 25% Real Leather, 25% Polyurethane

Made In: China

**SIZES**

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-STRADHU BOOTS  
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot  
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain  
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection  
Injection moulded pre-bent shin bone protection  
Plastic lever guards  
Waterproof and breathable inner membrane  
Ankle, toe cap and heel protection  
Reflective inserts on the back of the boot  
Anatomical and removable insole  
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289  
STRAPS SET X-TEAM

- |     |     |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

**SIZES**

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



<b>BOOTS - SIZE GUIDE</b>			
<b>CM</b>	<b>US</b>	<b>EURO</b>	<b>UK</b>
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14