

BOOTS KATRAM

0026113



0026113.090

FEATURES

Made to be convenient and comfortable on long rides or daily use.
Anatomical and lightweight boot designed for maximum sensitivity in road riding.
Waterproof and breathable membrane with hypoallergenic fabric interior, suitable for all conditions.
Rigid protective inserts for toes, shin guards and heels.
TPU inserts in the gear lever contact area to increase protection.

Rear reflective insert to improve visibility at night.
YKK zipper and Velcro side closure to ensure maximum ease of fit.
Wear-resistant rubber outsole features a differentiated grip design so as to ensure maximum grip and stability on all types of terrain
EN 13634:2017 CERTIFICATION
Weight: 1,38 Kg (size 43)

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

SHOES FIRST STEP
0026073



0026073.090

FEATURES

| | |
|---|--|
| Shoes made of synthetic suede leather, protective and suitable for city use. Thanks to the breathable fabric, these shoes ensure coolness in warmer seasons. Anti-wear insert in the shift area and non-slip sole. Soft and hypoallergenic interior. Resistant to abrasion from oils and gasoline. Reinforced lace system that, thanks to a Velcro band, allows quick and functional closure. | Reflective inserts for high visibility. waterproof inner membrane. EN13634: 2017 approved. "ACERBIS" logo present on front Velcro and back webbing. "A" logo present on the outer side of the heel. 100% Waterproof |
|---|--|

PRODUCT DETAILS

Microfiber 83% | Rubber 16% | TPR 1%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

SHOES SKALI
0025416



0025416.090

FEATURES

| | |
|---|---|
| CE certified motorcycle shoes EN 13634:2017 Made for urban and extra-urban use Provides maximum strength and abrasion resistance Special waterproof membrane ensures total protection from possible water infiltration Ventilation inside the shoe is provided by a series of air intakes Anti-wear gearshift insert | Non-slip sole. Soft and hypoallergenic interior Rigid malleolus, toe and heel protection inserts Fast-acting rotor closure system for a secure fit, precise and optimized Welded reflective insert on the back Malleolus protectors, shifter guards Quick lacing system with adjustment rotor 650gr SIZE 43 |
|---|---|

PRODUCT DETAILS

Microfiber 58% | TPU 19% | TPR 4% | Rubber 17% | Mesh 2%

Made In: China

SIZES

T.37 037 | T.38 038 | T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

REPLACEABLE SLIDER
CORKSCREW
0025029



0025029.090

PRODUCTS RELATED



0024954
BOOTS CORKSCREW

☐ 030 ☒ 090

BOOTS CORKSCREW
0024954



0024954.090



0024954.030

FEATURES

| | |
|---|---|
| EN 13634:2017 Certified Double closure on the inside with YKK zipper and Velcro Opening on both sides for easier fit Waterproof and highly breathable lining Interior in hypoallergenic fabric TPU insert in the gear lever contact Slider fastened with a screw provides a protective cover around the area of the outer tip Interchangeable slider | Ventilation area strategically positioned in the heel, cuff and shin for excellent breathability The semi-rigid protections for tibia/fibula, heel and rear cuff positioned to dissipate and absorb shocks The resistant outsole, equipped with hydrodynamic channels to facilitate the dispersion of water |
|---|---|

PRODUCT DETAILS

TPR 32,00% | SYNTHETIC LEATHER 52,00% | POLYURETHANE 8,00% | RUBBER 8,00%

Made In: China

PRODUCTS RELATED



0025029
REPLACEABLE SLIDER
CORKSCREW

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

SHOES X-MUD WP
0024697



0024697.090

FEATURES

| | |
|---|--|
| Waterproof hiking shoes | Padding reinforcement on ankle |
| Hydroguard membrane 10.000mm waterproof, 2.000 g/m2/24h breathability | Polyurethane reinforcement on tip and heel |
| Reflective insert details | Weight each shoes 420gr |
| Sole in rubber, resistance to the wear | |

PRODUCT DETAILS

COMPOSITION: | 65% Polyurethane | 35% Nylon

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |



SHOES CE LOCK
0024278



0024278.090



0024278.319

FEATURES

| | |
|---|--|
| Certified motorcycle shoes en 13634:2017 with report 1/1/2/1 wr (high of upper, abrasion resistance, cut resistance, transverse rigidity and waterproof) | Reflective insert details |
| Hydroguard membrane 10.000mm waterproof , 2.000 g/m2/24h breathability | Sole in rubber, resistance to the wear |
| | Padding reinforcement on ankle |
| | Polyurethane reinforcement on tip and heel |
| | Weight each shoes 510gr |

PRODUCT DETAILS

COMPOSITION: | Shell: 50%Polyurethane, 35% Polyester, 15%TPU | Sole:100% Rubber

Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

KEY SHOES
0021896



0021896.070

FEATURES

| | |
|--|---|
| Snakers shoes ergonomic with technical and sport details | Iron texture insert reinforcement |
| Reflective insert on sides | Double closure with string and velcro strap |
| Ventilation through side zipper | ?? |
| Suede synthetic leather insert in the toe area | |

PRODUCT DETAILS

50% Nylon, 25% Real Leather, 25% Polyurethane
Made In: China

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |

X-STRADHU BOOTS
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection
Injection moulded pre-bent shin bone protection
Plastic lever guards
Waterproof and breathable inner membrane
Ankle, toe cap and heel protection
Reflective inserts on the back of the boot
Anatomical and removable insole
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- | | |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



| BOOTS - SIZE GUIDE | | | |
|--------------------|------|------|------|
| CM | US | EURO | UK |
| 22,5 | 2.5 | 34 | 1.5 |
| 22,8 | 3 | 34,5 | 2 |
| 23,2 | 3.5 | 35 | 2.5 |
| 23,8 | 4 | 36 | 3 |
| 24,1 | 4.5 | 36,5 | 3.5 |
| 24,5 | 5 | 37 | 4 |
| 25,2 | 5.5 | 38 | 4.5 |
| 25,4 | 6 | 38,5 | 5 |
| 25,8 | 6.5 | 39 | 5.5 |
| 26,1 | 7 | 39,5 | 6 |
| 26,5 | 7.5 | 40 | 6.5 |
| 27,2 | 8 | 41 | 7 |
| 27,4 | 8.5 | 41,5 | 7.5 |
| 27,8 | 9 | 42 | 8 |
| 28,5 | 9.5 | 43 | 8.5 |
| 28,8 | 10 | 43,5 | 9 |
| 29,1 | 10.5 | 44 | 9.5 |
| 29,4 | 11 | 44,5 | 10 |
| 29,8 | 11.5 | 45 | 10.5 |
| 30,5 | 12 | 46 | 11 |
| 30,8 | 12.5 | 46,5 | 11.5 |
| 31,1 | 13 | 47 | 12 |
| 31,8 | 13.5 | 48 | 12.5 |
| 32,1 | 14 | 48,5 | 13 |
| 32,4 | 14.5 | 49 | 13.5 |
| 32,6 | 15 | 50 | 14 |