

ARTIGLIO
WATERPROOF BOOTS
0026463



0026463.090

FEATURES

Protective, wrap-around boot that boasts an extremely lightweight, waterproof inner membrane designed to keep feet dry in all conditions.

Cut- and abrasion-resistant upper

Heel protection made of elastomeric material for improved comfort and shock absorption

TPU inserts with differentiated structure in the tibial, ankle and gearbox area for maximum protection

Closure by 4 hooks with buckles for micrometric adjustment

Heat protection in suede material

Soft microfiber tibial gussets resistant to cut and abrasion.

Soft and snug TPU tibial gaiter, resistant to cuts, caused by contact with footpads.

Dual-density non-slip sole with large open inserts that provides traction and prevents mud from accumulating. Anti-abrasion clawed outsole provides unprecedented grip, giving protection and high performance. Full coverage on the toe increases rider protection without hindering movement. ONEWAY unidirectional upper Velcro closure, which allows the gaiter to fit perfectly on the leg, simply by closing the upper lever.

Interior made of 3d Mesh for excellent comfort and sweat absorption

EN 13634: 2017 CERTIFICATION

Weight: 2,8 Kg

PRODUCT DETAILS

TPU 61% | Microfiber 23% | TPR 7% | Rubber 9%

Made In: China

PRODUCTS RELATED



0025921
 SET STRAPS BOOTS ARTIGLIO

030

090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2,5	34	1,5
22,8	3	34,5	2
23,2	3,5	35	2,5
23,8	4	36	3
24,1	4,5	36,5	3,5
24,5	5	37	4
25,2	5,5	38	4,5
25,4	6	38,5	5
25,8	6,5	39	5,5
26,1	7	39,5	6
26,5	7,5	40	6,5
27,2	8	41	7
27,4	8,5	41,5	7,5
27,8	9	42	8
28,5	9,5	43	8,5
28,8	10	43,5	9
29,1	10,5	44	9,5
29,4	11	44,5	10
29,8	11,5	45	10,5
30,5	12	46	11
30,8	12,5	46,5	11,5
31,1	13	47	12
31,8	13,5	48	12,5
32,1	14	48,5	13
32,4	14,5	49	13,5
32,6	15	50	14

ARTIGLIO BOOTS
0030006



0030006.455



0030006.090



0030006.209



0030006.245

FEATURES

Protective and enveloping boot which boasts extreme lightness.
Upper resistant to cutting and abrasion.
Heel protection made of elastomeric material for better comfort and shock absorption.
TPU inserts with differentiated structure in the tibial area, of the ankle and gearbox for maximum protection.
Closure by 4 hooks with buckles for micrometric adjustment.
Heat protection in suede material.
Soft microfiber tibial bellows, cut and abrasion resistant.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Non-slip dual density outsole, with large open inserts that ensures traction and prevents mud from accumulating.

The anti-abrasion clawed sole offers an unprecedented grip, giving protection and high performance.
Full coverage at the tip increases rider protection without hindering rider movement
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Interior made of 3d Mesh for excellent comfort and sweat absorption
EN 13634 CERTIFICATION: 2017
Fastens with 4 buckles
A logo on shin guard and heel guard, Acerbis logo on the back.

PRODUCT DETAILS

29% TPU | 51% Microfiber | 15% TPR | 37% Rubber

Made In: China

PRODUCTS RELATED



0025921
SET STRAPS BOOTS ARTIGLIO

030

090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2,5	34	1,5
22,8	3	34,5	2
23,2	3,5	35	2,5
23,8	4	36	3
24,1	4,5	36,5	3,5
24,5	5	37	4
25,2	5,5	38	4,5
25,4	6	38,5	5
25,8	6,5	39	5,5
26,1	7	39,5	6
26,5	7,5	40	6,5
27,2	8	41	7
27,4	8,5	41,5	7,5
27,8	9	42	8
28,5	9,5	43	8,5
28,8	10	43,5	9
29,1	10,5	44	9,5
29,4	11	44,5	10
29,8	11,5	45	10,5
30,5	12	46	11
30,8	12,5	46,5	11,5
31,1	13	47	12
31,8	13,5	48	12,5
32,1	14	48,5	13
32,4	14,5	49	13,5
32,6	15	50	14

WHOOPS BOOTS
0025890



0025890.030



0025890.209



0025890.315



0025890.315



0025890.290

FEATURES

Boot lightweight, protective, anatomical, designed to have maximum sensitivity in driving.
Hinge at the ankle area between medial protection and calf cuff, which ensures rotational flexibility of the foot and axial control of the leg.
Acerbis sole dedicated anti-wear, antishock, oil and petrol resistant: "Double Composite" that ensures extraordinary control in contact with the footrest.
Tibial protection through anatomically shaped and reinforced shin guards.
Structured heel protection to absorb any impact.
Medial protection and extended tip inside and outside, made with appropriately ribbed plastics, for better shock absorption.
Differentiated texture in the shifting area for maximum control in the gear shift phase.

Grip Burn Guard in vulcanized rubber, resistant to exhaust heat and wear.
Closing by 4 large aluminium levers.
Tibial gaiter in soft and enveloping TPU, cut resistant, caused by contact with the footrest.
Leather and microfiber upper cut and abrasion resistant.
ONEWAY top velcro closure, which allows the gaiter to fit perfectly to the leg by simply closing the top lever.
Orthotics shock absorbing pre-shaped
Interior made of 3D Mesh for excellent comfort and ventilation
Foam protection around the ankles
CERTIFICATION EN 13634:2017
Weight: 3,65 Kg pair

PRODUCT DETAILS

TPU 45% | Synthetic leather 12% | Real leather 32% | TPR 1% | Rubber 10%

Made In: China

PRODUCTS RELATED



0025924
RECEIVERS BOOTS WHOOPS

- 030
- 090
- 209
- 290

0025922
SET STRAPS BOOTS WHOOPS

- 030
- 090
- 209
- 290



0025923
SET BUCKLE WHOOPS

- 090
- 209
- 290

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-ROCK MM TWO
BOOTS
0025404



0025404.349



0025404.249



0025404.090



0025404.402

FEATURES

Leather and microfiber upper resistant to cut and abrasion
Articulation in the ankle area
Shin protection via anatomically contoured lower and upper shin guards
Contoured heel protection to facilitate gear shifting at the start
Medial and toe protection made of appropriately ribbed plastics for better shock absorption
Differentiated density TPU insert in the shift area for maximum control
Grip Burn Guard made of heat- and wear-resistant vulcanized rubber
Closure by 4 buckles with new, wide aluminum levers
Breathable microfiber tibial gaiter

Antibacterial shock absorbing footbed in multilayer structure
Interior made of 3d Mesh for excellent comfort and sweat absorption
Insole made of composite plastic/steel material to ensure greater rigidity and absorption on the foot of shocks of a compressive nature
Dedicated Acerbis anti-wear, anti-shock, oil and gasoline resistant outsole: "Double Composite" that ensures extraordinary control in contact with the footpads
Steel toe cap
EN 13634: 2017 CERTIFICATION
Weight: 4,6 kg

PRODUCT DETAILS

12% Action leather | 10% Real leather | 28% TPU | 15% Synthetic leather | 15% Mesh | 20% Polyester

Made In: Myanmar

PRODUCTS RELATED



0022443
BUCKLE KIT X-ROCK

■ 040

■ 061

■ 090

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2,5	34	1,5
22,8	3	34,5	2
23,2	3,5	35	2,5
23,8	4	36	3
24,1	4,5	36,5	3,5
24,5	5	37	4
25,2	5,5	38	4,5
25,4	6	38,5	5
25,8	6,5	39	5,5
26,1	7	39,5	6
26,5	7,5	40	6,5
27,2	8	41	7
27,4	8,5	41,5	7,5
27,8	9	42	8
28,5	9,5	43	8,5
28,8	10	43,5	9
29,1	10,5	44	9,5
29,4	11	44,5	10
29,8	11,5	45	10,5
30,5	12	46	11
30,8	12,5	46,5	11,5
31,1	13	47	12
31,8	13,5	48	12,5
32,1	14	48,5	13
32,4	14,5	49	13,5
32,6	15	50	14



X-RACE BOOTS
0024359



0024359.070



0024359.290



0024359.090



0024359.207



0024359.249



0024359.347

FEATURES

Lightweight, protective, anatomical boot
Cut and abrasion -resistant leather and microfibre upper
Hinge in the ankle area between the protection of midfoot and calf cuff ensuring rotational flexibility of the foot and axial leg control
Protection of the shin bone with anatomically-shaped and reinforced shin guards
Shaped heel guard to speed up gear shifting when starting
Midfoot protection and extended toe cap on the inside and outside made of plastic with ribbing for improved impact absorption.
Differentiated texture in the gear shifting area for maximum control during gear changes
Grip Burn Guard in heat and wear resistant suede leather

Fastens with 4 large aluminium levers
Soft and enveloping microfibre shin gaiter
Unidirectional upper Velcro fastener allowing a perfect fit of the gaiter to the leg, by simply closing the upper lever
Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests
Wider sole surface area for increased grip on the footrests
Antibacterial shock absorbing pre-shape insole
Inner material in 3d Mesh for excellent comfort and ventilation
Foam padding around the ankles
Reinforced steel toe
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

ACTION LEATHER 41% | COW SUEDE 10% | TPU 34% | FABRIC 15%

Made In: China

PRODUCTS RELATED



0024378
SET STRAPS X-RACE BOOTS

□ 030 ■ 090



0024379
SET BUCKLE X-RACE BOOTS

□ 030 ■ 090



0024380
SET RECEIVER X-RACE BOOTS

□ 030



0024539
REPLACEMENT SOLE X-RACE
BOOTS

▣ 315



0024130
MX TRACK PANTS

■ 010 ■ 040
■ 073 ■ 090
■ 110



0025886
JERSEY MX J-TRACK SEVEN

■ 204



0023409
MX X-H GLOVES

■ 010 □ 030
■ 042 ■ 073
■ 076 ■ 090
■ 110 ■ 134
■ 141 ▣ 315
■ 441 ■ 543

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

E-TEAM BOOTS
0024551



0024551.090



0024551.287

FEATURES

Protective form-fitting boot that offers extreme lightness
Upper resistant to cutting and abrasion
Heel protection made of elastomeric material for greater comfort and shock absorption
Differentiated structure TPU inserts in the tibia, ankle and gear-changing areas for maximum protection
4-clasp closure with buckles for micrometric adjustment and Velcro on the gaiter
Suede material heat protection

Gaiter and tibial folds in soft microfiber which is resistant to cutting and abrasion.
Exclusive Acerbis shock proof sole, resistant to oils, gasoline and wear: "Double Composite" ensuring extraordinary control when in contact with the footrests
Inner material in 3d Mesh for excellent comfort and perspiration absorption
CERTIFICATION EN 13634 2017

PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- 010
- 030
- 040
- 060
- 090
- 100
- 110
- 130



0024520
JACKET X-DURO

- 090
- 243



0024557
PANTS X-DURO W-PROOF
BAGGY

- 090
- 243



0024834
PANTS X-DURO

- 090
- 243



0022424
ENDURO PANTS

- 249
- 319



0024556
JACKET X-DURO W-PROOF

- 090
- 243
- 582

SIZES

T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14

X-TEAM BOOTS
0022999



0022999.249



0022999.237



0022999.209



0022999.349



0022999.090



0022999.326



0022999.245



0022999.290



0022999.315



0022999.319



0022999.799

FEATURES

Protective boots that are extremely lightweight.
Cut and abrasion-resistant uppers.
Heel protection in elastomeric material for improved comfort and shock absorption.
Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection.
4-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter.

Heat protection in suede.
Gaiter and tibial folds in soft cut and abrasion-proof microfiber.
Highly abrasion-resistant dual-density rubber sole.
Interior made of 3D Mesh for improved comfort and sweat absorption.
CERTIFICATION EN 13634: 2015 - fully exceeds the 3 homologation levels (LEVEL 2).

PRODUCT DETAILS

MICRO FABRIC 30,00% | TPU 15,00% | TPR 3,00% | POLYURETHANE 21,00% | AIR MESH 18,00% | JERSEY 7,00% | BK MESH 3,00% | RUBBER 3,00%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- 010
- 030
- 040
- 060
- 090
- 100
- 110
- 130



0025592
GLOVES MX LINEAR

- 090
- 209
- 237
- 251
- 349



0024130
MX TRACK PANTS

- 010
- 040
- 073
- 090
- 110



0025886
JERSEY MX J-TRACK SEVEN

- 204

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14



X-TEAM JR BOOTS
0024249



0024249.207



0024249.203



0024249.245



0024249.090



0024249.249



0024249.319

FEATURES

Protective boots that are extremely lightweight
Cut and abrasion-resistant uppers
Heel protection in elastomeric material for improved comfort and shock absorption
Differentiated structure TPU inserts in the area of the tibia, ankle and gear-change for maximum protection
3-clasp fastening with buckles for micrometric adjustment and Velcro on the gaiter

Heat protection in suede
Gaiter and tibial folds in soft cut and abrasion-proof microfiber
Highly abrasion-resistant dual-density rubber sole
Interior made of 3D Mesh for improved comfort and sweat absorption
CERTIFICATION EN 13634: 2017 - fully exceeds the 3 homologation levels (LEVEL 2)

PRODUCT DETAILS

Micro Fabric 30% | Tpu 15% | Tpr 3% | Polyurethane 21% | Air Mesh 18% | Jersey 7% | Bk Mesh 3% | Rubber 3%

Made In: China

PRODUCTS RELATED



0024538
SET STRAPS X-TEAM KID

■ 090

SIZES

T.33 033 | T.34 034 | T.35 035 | T.36 036 | T.37 037 | T.38 038 | T.39 039

X-STRADHU BOOTS
0024316



0024316.090

FEATURES

Touring or road/dualroad leather boot
New rubber sole design with specific grip areas, oil and petrol resistant. Characterised by a special compound providing extra stability and grip on all types of terrain
2 plastic hooks with micro metrically adjustable straps and adjustable top velcro fastener

Abrasion-resistant heat protection
Injection moulded pre-bent shin bone protection
Plastic lever guards
Waterproof and breathable inner membrane
Ankle, toe cap and heel protection
Reflective inserts on the back of the boot
Anatomical and removable insole
CERTIFICATION EN 13634:2017

PRODUCT DETAILS

LEATHER 57 % | POLYURETHANE 17% | MICROFIBER 17% | TPU 9%

Made In: China

PRODUCTS RELATED



0023289
STRAPS SET X-TEAM

- | | |
|-----|-----|
| 010 | 030 |
| 040 | 060 |
| 090 | 100 |
| 110 | 130 |

SIZES

T.39 039 | T.40 040 | T.41 041 | T.42 042 | T.43 043 | T.44 044 | T.45 045 | T.46 046 | T.47 047



BOOTS - SIZE GUIDE			
CM	US	EURO	UK
22,5	2.5	34	1.5
22,8	3	34,5	2
23,2	3.5	35	2.5
23,8	4	36	3
24,1	4.5	36,5	3.5
24,5	5	37	4
25,2	5.5	38	4.5
25,4	6	38,5	5
25,8	6.5	39	5.5
26,1	7	39,5	6
26,5	7.5	40	6.5
27,2	8	41	7
27,4	8.5	41,5	7.5
27,8	9	42	8
28,5	9.5	43	8.5
28,8	10	43,5	9
29,1	10.5	44	9.5
29,4	11	44,5	10
29,8	11.5	45	10.5
30,5	12	46	11
30,8	12.5	46,5	11.5
31,1	13	47	12
31,8	13.5	48	12.5
32,1	14	48,5	13
32,4	14.5	49	13.5
32,6	15	50	14