# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT VSL FOR GAS GAS



# HEADLIGHT VSL FOR GAS GAS 0026749







0026749.000

#### **FEATURES**

Here is the new Acerbis Headlight VSL, the new led headlight for Gasgas 2024 designed for Offroad use only that guarantees maximum brightness, depth of field and better clarity of details and profiles, in conditions of scarcity or absence of light. The new led headlight, which can be easily mounted by taking advantage of the original headlight frame, is designed to guarantee an unprecedented performance and an incredibly powerful light beam thanks to the 16 48W LEDs with 4320 Lumen. A highly safe product that is IP68-guaranteed and can work at operating temperatures between -40°C and +85°C. Acerbis Headlight VSL is compatible with the frames of all GasGas Enduro models equipped with battery, 2T and 4T. What are you waiting for to try our LED headlight? You'll have a clearer view of the course and ride harder, risking less.

High energetic performance for OFFROAD use only.

Maximum brightness and depth of detail guaranteed, even in total dark situations.

IP68 waterproof: permanent impermeability up to 3 metres deep.

16 Led, 48W headlight.

4320 Lumen.

DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.

Operating temperatures between between  $-40^{\circ}$  and  $+85^{\circ}$  C.

Quick and easy installation with mounting kit, compatible with original mask

#### **APPLICATIONS**

GAS GAS EC 125 2024 2025 | GAS GAS EC 250 2024 2025 | GAS GAS EC 250 F 2024 2025 | GAS GAS EC 300 2024 2025 | GAS GAS EC 350 F 2024 2025 | GAS GAS EC 450 F 2024 2025 | GAS GAS EC 500 F 2024 2025



# HEADLIGHT MASK VSL FOR HSQ 0025987







0025987.030

#### **FEATURES**

High-brightness led mask designed for OFFROAD use only Provides maximum brightness and depth of detail in low or no light conditions 12 Led 36W spotlight, IP68 waterproof Lumen 4320

DC (direct current) power supply from 9 to 32 V

Expected life of the led: 50000 hours

Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and  $+85^{\circ}$  C

Mounting, quick and easy by taking advantage of the frame of the original faceplate

Compatible for all enduro models equipped with battery

#### **PRODUCT DETAILS**

75% Metal | 20% Plastic | 5% Other

Made In: Italy

#### **APPLICATIONS**

HUSQVARNA FE 250 2024 2025 | HUSQVARNA FE 350 2024 2025 | HUSQVARNA FE 350 PRO 2024 2025 | HUSQVARNA FE 350 S 2024 2025 HUSQVARNA FE 350 W 2024 2025 | HUSQVARNA FE 501 2024 2025 | HUSQVARNA FE 501 S 2024 2025 HUSQVARNA FE 501 W 2024 2025 | HUSQVARNA FE 501 W 2024 2025 | HUSQVARNA TE 300 2024 2025 HUSQVARNA TE 300 PRO 2024 2025



# HEADLIGHT MASK VSL FOR KTM 0025980







0025980.011.016

#### **FEATURES**

High-brightness led mask designed for OFFROAD use only Provides maximum brightness and depth of detail in low or no light conditions

12 Led 36W spotlight, waterproof IP68 Lumen 4320

DC (direct current) power supply from 9 to 32 V

Expected life of the led: 50000 hours

Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and  $+85^{\circ}$  C

Mounting, quick and easy by taking advantage of the frame of the original faceplate

Compatible for all enduro models equipped with battery

## **PRODUCT DETAILS**

75% Metal | 20% Plastic | 5% Other

Made In: Italy

## **APPLICATIONS**

KTM EXC 150 2024 2025 | KTM EXC 250 2024 2025 | KTM EXC 300 2024 2025 | KTM EXC-F 250 2024 2025 | KTM EXC-F 350 2024 2025 | KTM EXC-F 450 2024 2025 | KTM EXC-F 500 2024 2025 | KTM XC-W 125 2025 | KTM XC-W 150 2024 2025 | KTM XC-W 250 2024 2025 | KTM XC-W 300 2024 2025 | KTM XCF-W 350 2024 2025 | KTM XCF-W 450 2024 2025 | KTM XW-F 350 2024 | KTM XW-F 500 2024 2025



# **HEADLIGHT MASK VSL FOR BETA** 0025033







0025033.110

#### **FEATURES**

High energy yield mask designed for OFFROAD use only Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light

IP68 waterproof: protection from permanent immersion in water up to 3 meters deep

12 Led headlight 32W

Lumen 4320

DC power supply (direct current) from 9 to 32 V

Expected life of the led: 50000 hours

Operating temperatures between -40° and + 85° C Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks Compatible for all enduro models equipped with a battery WARNING: check in the compatibilities to see if your bike requires the power rectifier to work properly (to be bought separately)

#### PRODUCT DETAILS

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

#### **APPLICATIONS**

BETA RR 125 2T 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 2020 2021 2022 2023 2024 | BE 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2020 2021 2022 2023 2024 | BETA RR 480 4T 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA XTRAINER 250 2020 2021 2022 2023 2024 2025 | BETA XTRAINER 300 2020 2021 2022 2023 2024 2025

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FOR BETA



# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FOR BETA



# **PRODUCTS RELATED**



0026569 VSL-CURRENT RECTIFIER

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FOR GASGAS



# HEADLIGHT MASK VSL FOR GASGAS 0024686







0024686.110

#### **FEATURES**

High energy yield mask designed for OFFROAD use only Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light IP68 waterproof: protection from permanent immersion in water up to 3 meters deep

12 Led headlight Lumen 4300

DC power supply (direct current) from 9 to 32 V

Expected life of the led: 50000 hours Operating temperatures between  $-40^\circ$  and  $+85^\circ$  C Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks Compatible for all enduro models equipped with a battery

#### **PRODUCT DETAILS**

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

# **APPLICATIONS**

GAS GAS EC 250 2021 2022 2023 | GAS GAS EC 250 F 2021 2022 2023 | GAS GAS EC 300 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023 | GAS GAS EC

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FIT ALL





# HEADLIGHT MASK VSL FIT ALL 0024471





0024471.030



0024471.090

### **FEATURES**

High energetic performance mask for OFFROAD use only Maximum brightness and depth of detail guaranteed, even in dark conditions

IP68 waterproof: permanent impermeability up to 3 metres deep 16 Led, 48W headlight

4320 Lumen

DC electrical supply from 9 to 32V

Estimated led lifespan: 50000 hours

Operating temperatures between between -40° and +85° C Easy and fast mounting, using the included headlight's rubber bands

Designed for all enduro battery-powered models

## **PRODUCT DETAILS**

Alluminium 70% | Others 2% | Rubber 8% | Polypropylene 20%

Made In: Italy

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FIT ALL



# **PRODUCTS RELATED**



0026569 VSL-CURRENT RECTIFIER





# HEADLIGHT MASK VSL FOR HUSQVARNA 0024302





0024302.030

#### **FEATURES**

High energetic performance for OFFROAD use only. Maximum brightness and depth of detail guaranteed, even in total dark situations.

IP68 waterproof: permanent impermeability up to 3 metres deep. 16 Led, 48W headlight.

4320 Lumen.

DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours. Operating temperatures between between  $-40^{\circ}$  and  $+85^{\circ}$  C.

Easy and fast mounting, using the original headlight's rubber bands.

Developed for enduro 2020 Husqvarna bikes

#### **APPLICATIONS**

HUSQVARNA FE 250 2020 2021 2022 2023 | HUSQVARNA FE 350 2020 2021 2022 2023 | HUSQVARNA FE 350 S 2022 2023 | HUSQVARNA FE 450 2020 2021 2022 2023 | HUSQVARNA FE 501 S 2022 2023 | HUSQVARNA TE 150I 2020 2021 2022 2023 | HUSQVARNA TE 250I 2020 2021

# **HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FOR HUSQVARNA**



# **PRODUCTS RELATED**



293

**319** 

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT VSL MASK FOR KTM











0024303.011.016

### **FEATURES**

High energetic performance for OFFROAD use only. Maximum brightness and depth of detail guaranteed, even in total dark situations.

IP68 waterproof: permanent impermeability up to 3 metres deep. 16 Led, 48W headlight.

4320 Lumen.

DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours. Operating temperatures between between -40° and  $+85^{\circ}$  C. Easy and fast mounting, using the original headlight's rubber bands.

Developed for enduro 2020 KTM bikes

### **APPLICATIONS**

KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 TPI 2020 2021 2022 2023 | KTM EXC 300 TPI 2020 2021 2022 2023 | KTM EXC-F 250 2020 2021 2022 2023 | KTM EXC-F 350 2020 2021 2022 2023 | KTM EXC-F 450 2020 2021 2022 2023 | KTM EXC-F 500 2020 2021 2022 2023 | KTM XC-W 150 TPI 2020 2021 2022 2023 | KTM XC-W 250 TPI 2020 2021 2022 2023 | KTM XC-W 300 TPI 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 | KTM XCF-W 500 2020 2021 2022 2023

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS HEADLIGHT MASK VSL FOR KTM



# HEADLIGHT MASK VSL FOR KTM 0023992







0023992.030

### **FEATURES**

High energetic performance for OFFROAD use only
Perfectly interchangeable with the original mask
Maximum brightness and depth of detail guaranteed, even in total
dark situations

IP68 waterproof, permanent importmediative up to 3 metres doesn.

IP68 waterproof: permanent impermeability up to 3 metres deep 16 Led, 48W headlight

4320 Lumen

DC electrical supply from 9 to 32V
Estimated led lifespan: 50000 hours
Operating temperatures between between -40° and +85° C
Easy and fast mounting, using the original headlight's rubber bands
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

## **APPLICATIONS**

KTM EXC 250 2014 2015 2016 | KTM EXC 300 2014 2015 2016 | KTM EXC-F 250 2014 2015 2016 | KTM EXC-F 350 2014 2015 2016 | KTM EXC-F 450 2014 2015 2016 | KTM EXC-F 500 2014 2015 2016











0023949.011.016

### **FEATURES**

High energetic performance for OFFROAD use only. Maximum brightness and depth of detail guaranteed, even in total dark situations.

IP68 waterproof: permanent impermeability up to 3 metres deep. 16 Led, 48W headlight.

4320 Lumen.

DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.

Operating temperatures between between  $-40^\circ$  and  $+85^\circ$  C. Easy and fast mounting, using the original headlight's rubber bands. Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

### **APPLICATIONS**

KTM EXC 250 TPI 2018 2019 | KTM EXC 300 TPI 2018 2019 | KTM EXC-F 250 2017 2018 2019 | KTM EXC-F 350 2017 2018 2019 | KTM EXC-F 450 2017 2018 2019 | KTM EXC-F 500 2017 2018 2019





# **HEADLIGHT MASK VSL FOR HUSQVARNA** 0023948





0023948.030

#### **FEATURES**

High energetic performance for OFFROAD use only. Maximum brightness and depth of detail guaranteed, even in total dark situations.

IP68 waterproof: permanent impermeability up to 3 metres deep. 16 Led, 48W headlight.

4320 Lumen.

DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.

Operating temperatures between between  $-40^{\circ}$  and  $+85^{\circ}$  C. Easy and fast mounting, using the original headlight's rubber bands. Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

### **APPLICATIONS**

HUSQVARNA FE 250 2017 2018 2019 | HUSQVARNA FE 350 2017 2018 2019 | HUSQVARNA FE 450 2017 2018 2019 | HUSQVARNA TE 250I 2018 2019 | HUSQVARNA TE 300I 2018 2019











0003020.030



0003020.110

## **FEATURES**

Retro look headlight with high resistance plastic headlight (polycarbonate) for enduro bike with conventional forks; Bulb 12 V. 35 W. (BA20D). 3 positions; Easy mounting with 4 elastics; Yellow sticker added for competition race number

# **PRODUCTS RELATED**



0002877 BULB 12 V 35/35 W BA20D ELBA



0008013 BAJA REAR FENDER





0024552 MOUNTING STRAPS ELBA

# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS ELBA





# HEADLIGHTS & TAILLIGHTS / HEADLIGHTS DHH CERTIFIED











0002694.030



0002694.090

# **PRODUCTS RELATED**



0000236 MOUNTING STRAPS



0002877 BULB 12 V 35/35 W BA20D ELBA



0007039 SALED BEAM



0000074 ON/OFF SWITCH

# **SIZES**