

HEADLIGHT MASK VSL
FOR HSQ
0025987



0025987.030

FEATURES

High-brightness led mask designed for OFFROAD use only
Provides maximum brightness and depth of detail in low or no light conditions
12 Led 36W spotlight, IP68 waterproof
Lumen 4320
DC (direct current) power supply from 9 to 32 V
Expected life of the led: 50000 hours
Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and +85° C

Mounting, quick and easy by taking advantage of the frame of the original faceplate
Compatible for all enduro models equipped with battery

PRODUCT DETAILS

75% Metal | 20% Plastic | 5% Other

Made In: Italy

APPLICATIONS

HUSQVARNA FE 250 2024 | HUSQVARNA FE 350 2024 | HUSQVARNA FE 350 PRO 2024 | HUSQVARNA FE 350 S 2024 | HUSQVARNA FE 350 W 2024 | HUSQVARNA FE 450 2024 | HUSQVARNA FE 501 2024 | HUSQVARNA FE 501 S 2024 | HUSQVARNA FE 501 W 2024 | HUSQVARNA TE 150 2024 | HUSQVARNA TE 250 2024 | HUSQVARNA TE 300 2024 | HUSQVARNA TE 300 PRO 2024

HEADLIGHT MASK VSL
FOR KTM
0025980



0025980.011.016

FEATURES

High-brightness led mask designed for OFFROAD use only
Provides maximum brightness and depth of detail in low or no light conditions
12 Led 36W spotlight, waterproof IP68
Lumen 4320
DC (direct current) power supply from 9 to 32 V
Expected life of the led: 50000 hours
Possibility of use in all weather conditions and at any temperature, as the spotlight withstands operating temperatures between -40° and +85° C

Mounting, quick and easy by taking advantage of the frame of the original faceplate
Compatible for all enduro models equipped with battery

PRODUCT DETAILS

75% Metal | 20% Plastic | 5% Other

Made In: Italy

APPLICATIONS

KTM EXC 150 2024 | KTM EXC 250 2024 | KTM EXC 300 2024 | KTM EXC-F 250 2024 | KTM EXC-F 350 2024 | KTM EXC-F 450 2024 | KTM EXC-F 500 2024 | KTM XC-W 150 2024 | KTM XC-W 250 2024 | KTM XC-W 300 2024 | KTM XCF-W 450 2024 | KTM XW-F 350 2024 | KTM XW-F 500 2024

HEADLIGHTS & TAILLIGHTS / HEADLIGHTS
HEADLIGHT MASK VSL FOR KTM



SIZES

16 016

HEADLIGHT MASK VSL
FOR BETA
0025033



0025033.110

FEATURES

High energy yield mask designed for OFFROAD use only
Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light
IP68 waterproof: protection from permanent immersion in water up to 3 meters deep
12 Led headlight 32W
Lumen 4320
DC power supply (direct current) from 9 to 32 V

Expected life of the led: 50000 hours
Operating temperatures between -40° and + 85° C
Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks
Compatible for all enduro models equipped with a battery

PRODUCT DETAILS

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

APPLICATIONS

BETA RR 125 2T 2020 2021 2022 2023 2024 | BETA RR 125 2T RACING 2020 2021 2022 2023 2024 | BETA RR 200 2T 2020 2021 2022 2023 2024 | BETA RR 200 2T RACING 2020 2021 2022 2023 2024 | BETA RR 250 2T 2020 2021 2022 2023 2024 | BETA RR 250 2T RACING 2020 2021 2022 2023 2024 | BETA RR 300 2T 2020 2021 2022 2023 2024 | BETA RR 300 2T RACING 2020 2021 2022 2023 2024 | BETA RR 350 4T 2020 2021 2022 2023 2024 | BETA RR 350 4T RACING 2020 2021 2022 2023 2024 | BETA RR 390 4T 2020 2021 2022 2023 2024 | BETA RR 390 4T RACING 2020 2021 2022 2023 2024 | BETA RR 430 4T 2020 2021 2022 2023 2024 | BETA RR 430 4T RACING 2020 2021 2022 2023 2024 | BETA RR 480 4T 2020 2021 2022 2023 2024 | BETA RR 480 4T RACING 2020 2021 2022 2023 2024 | BETA XTRAINER 250 2020 2021 2022 2023 2024 | BETA XTRAINER 300 2020 2021 2022 2023 2024

HEADLIGHT MASK VSL
FOR GASGAS
0024686



0024686.110

FEATURES

High energy yield mask designed for OFFROAD use only
Guarantees maximum brightness and depth of detail in conditions of scarcity / absence of light
IP68 waterproof: protection from permanent immersion in water up to 3 meters deep
12 Led headlight
Lumen 4300
DC power supply (direct current) from 9 to 32 V

Expected life of the led: 50000 hours
Operating temperatures between -40° and + 85° C
Quick and easy assembly by means of the elastic bands of the original mask that are fixed on the forks
Compatible for all enduro models equipped with a battery

PRODUCT DETAILS

ALUMINIUM 70,00% | OTHERS 2,00% | RUBBER 8,00% | POLYPROPYLENE 20,00%

Made In: Italy

APPLICATIONS

GAS GAS EC 250 2021 2022 2023 | GAS GAS EC 250 F 2021 2022 2023 | GAS GAS EC 300 2021 2022 2023 | GAS GAS EC 350 F 2021 2022 2023



HEADLIGHT MASK VSL
FIT ALL
0024471



0024471.030



0024471.090

FEATURES

High energetic performance mask for OFFROAD use only
Maximum brightness and depth of detail guaranteed, even in dark conditions
IP68 waterproof: permanent impermeability up to 3 metres deep
16 Led, 48W headlight
4320 Lumen
DC electrical supply from 9 to 32V

Estimated led lifespan: 50000 hours
Operating temperatures between between -40° and $+85^{\circ}$ C
Easy and fast mounting, using the included headlight's rubber bands
Designed for all enduro battery-powered models

PRODUCT DETAILS

Alluminium 70% | Others 2% | Rubber 8% | Polypropylene 20%

Made In: Italy



HEADLIGHT MASK VSL
FOR HUSQVARNA
0024302



0024302.030

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro 2020 Husqvarna bikes

APPLICATIONS

HUSQVARNA FE 250 2020 2021 2022 2023 | HUSQVARNA FE 350 2020 2021 2022 2023 | HUSQVARNA FE 350 S 2022 2023 | HUSQVARNA FE 450 2020 2021 2022 2023 | HUSQVARNA FE 501 2020 2021 2022 2023 | HUSQVARNA FE 501 S 2022 2023 | HUSQVARNA TE 150I 2020 2021 2022 2023 | HUSQVARNA TE 250I 2020 2021 2022 2023 | HUSQVARNA TE 300I 2020 2021 2022 2023

PRODUCTS RELATED



0024051
FULL PLASTIC KIT FOR
HUSQVARNA

031

090

553

553.022

553.023



0023600
X-GRIP FOR HUSQVARNA
FRAME PROTECTOR

249

293

315

319

349

726

878



HEADLIGHT VSL MASK
FOR KTM
0024303



0024303.011.016

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and $+85^{\circ}$ C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro 2020 KTM bikes

APPLICATIONS

KTM EXC 150 TPI 2020 2021 2022 2023 | KTM EXC 250 TPI 2020 2021 2022 2023 | KTM EXC 300 TPI 2020 2021 2022 2023 | KTM EXC-F 250 2020 2021 2022 2023 | KTM EXC-F 350 2020 2021 2022 2023 | KTM EXC-F 450 2020 2021 2022 2023 | KTM EXC-F 500 2020 2021 2022 2023 | KTM XC-W 150 TPI 2020 2021 2022 2023 | KTM XC-W 250 TPI 2020 2021 2022 2023 | KTM XC-W 300 TPI 2020 2021 2022 2023 | KTM XCF-W 350 2020 2021 2022 2023 | KTM XCF-W 450 2023 | KTM XCF-W 500 2020 2021 2022 2023

PRODUCTS RELATED



0023957
FUEL TANK FOR KTM 15L

■ 090.700 ■ 120.700

SIZES

16 016



**HEADLIGHT MASK VSL
FOR KTM**
0023992



0023992.030

FEATURES

High energetic performance for OFFROAD use only
Perfectly interchangeable with the original mask
Maximum brightness and depth of detail guaranteed, even in total dark situations
IP68 waterproof: permanent impermeability up to 3 metres deep
16 Led, 48W headlight
4320 Lumen

DC electrical supply from 9 to 32V
Estimated led lifespan: 50000 hours
Operating temperatures between between -40° and +85° C
Easy and fast mounting, using the original headlight's rubber bands
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

APPLICATIONS

KTM EXC 250 2014 2015 2016 | KTM EXC 300 2014 2015 2016 | KTM EXC-F 250 2014 2015 2016 | KTM EXC-F 350 2014 2015 2016 | KTM EXC-F 450 2014 2015 2016 | KTM EXC-F 500 2014 2015 2016



HEADLIGHT MASK VSL
FOR KTM
0023949



0023949.011.016

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and $+85^{\circ}$ C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

APPLICATIONS

KTM EXC 250 TPI 2018 2019 | KTM EXC 300 TPI 2018 2019 | KTM EXC-F 250 2017 2018 2019 | KTM EXC-F 350 2017 2018 2019 | KTM EXC-F 450 2017 2018 2019 | KTM EXC-F 500 2017 2018 2019

SIZES

16 016

KTM / HEADLIGHT MASK
HEADLIGHT MASK VSL FOR KTM





**HEADLIGHT MASK VSL
FOR HUSQVARNA**
0023948



0023948.030

FEATURES

High energetic performance for OFFROAD use only.
Maximum brightness and depth of detail guaranteed, even in total dark situations.
IP68 waterproof: permanent impermeability up to 3 metres deep.
16 Led, 48W headlight.
4320 Lumen.
DC electrical supply from 9 to 32V.

Estimated led lifespan: 50000 hours.
Operating temperatures between between -40° and +85° C.
Easy and fast mounting, using the original headlight's rubber bands.
Developed for enduro KTM/HUSQVARNA bikes from 2017 to 2019

APPLICATIONS

HUSQVARNA FE 250 2017 2018 2019 | HUSQVARNA FE 350 2017 2018 2019 | HUSQVARNA FE 450 2017 2018 2019 | HUSQVARNA TE 250I 2018 2019 | HUSQVARNA TE 300I 2018 2019



ELBA
0003020



0003020.030



0003020.110

FEATURES

Retro look headlight with high resistance plastic headlight (polycarbonate) for enduro bike with conventional forks; Bulb 12 V. 35 W. (BA20D). 3 positions; Easy mounting with 4 elastics; Yellow sticker added for competition race number

PRODUCTS RELATED



0002877
BULB 12 V 35/35 W BA20D
ELBA



0024552
MOUNTING STRAPS ELBA

DHH CERTIFIED
0002694



0002694.030



0002694.090

PRODUCTS RELATED



0000236
MOUNTING STRAPS



0002877
BULB 12 V 35/35 W BA20D
ELBA



0007039
SALED BEAM



0000074
ON/OFF SWITCH

SIZES

001 001